

CONFIDENTIAL INVESTMENT MEMORANDUM • 2026

Treetino Tree v1

FOR COMPANIES AND CITIES

Delivering **49.8 kW Peak Renewable Yield** on an ultra-compact **1.2 m² ground footprint** through patented ducted wind turbines and heliotropic AI solar foliage.

ANCHOR 1 • COMMERCIAL

€705k Contract

MKovo s.r.o. (3x Tree V1)

ANCHOR 2 • DEPLOYMENT

Prague V2 Site

Active Field Construction

ANCHOR 3 • CAPITAL

€10.0M Bond Offer

Tomes & Partners Offer

INVESTMENT THESIS & CORE TRACTION

Executive Summary: De-risked Infrastructure Scale-Up

Treetino eliminates urban land bottlenecks by replacing 300 m² of horizontal rooftop solar with an iconic 12m vertical micro-power plant delivering 49.8 kW peak renewable yield on a 1.2 m² ground base.

ANCHOR 1 • COMMERCIAL BUYER ARCHETYPE

€705,000 Contract

Binding Agreement: 3x Tree V1 Units

Signed conditional purchase agreement with industrial manufacturer **MKovo s.r.o.** (€235k/unit). MKovo is the textbook archetype of our customer: all factory roofs are full of solar panels and all car parks are covered with carports, yet their heavy energy demand requires significantly more on-site production. Treetino's vertical Tree V1 is their sole option.

Status: Binding Agreement & Scheduled Early 2027 Delivery

ANCHOR 2 • DEPLOYMENT & TOOLING

Prague V2 Site Active

High School Construction & 3D Tooling

Foundation work underway at a premier Prague high school campus. Meteorological anemometer mast actively logging live wind data. In-house large-format 3D printer printing structural components.

Status: 130 Custom PV Leaves Staged in Facility Storage

ANCHOR 3 • INSTITUTIONAL CAPITAL

€10.0M Bond Offer

Underwriting Commitment: Tomes & Partners

Formal advisory commitment letter from financial group Tomes & Partners to underwrite a €10,000,000 EUR bond auction raise in 2027 to finance large-scale factory series manufacturing lines and working capital.

Status: Formal Institutional Underwriting Commitment Issued

FINANCIAL & GRANT ARCHITECTURE

Blended Financing & Non-Dilutive Leverage

CZECHINVEST GRANT (CLOSED)

€200,000 (5M CZK)

Completed & audited. Supported proof-of-concept R&D, CAD modeling, and initial aerodynamic validation with zero equity dilution.

EIC BLENDED ACCELERATOR

2/4 VOTES SECURED

€2,500,000 Total

2 of 4 jury consensus votes secured (3 needed for approval). €1.5M non-dilutive grant (70% EU co-funding for ISO 61400 turbine cert & CE marking) + €1.0M direct equity co-investment.

HARMONIZED PLATFORM METRICS

Combined Rated Peak Output	45.0 – 49.8 kW Peak
Ground Base Footprint	1.2 m² (vs 300 m² Rooftop)
TRL 5 Test Generation Record	24,180 kWh (180 Days)
AI Heliotropic Tracking Gain	+28.4% Net Yield
Acoustic Emissions	< 34.2 dB(A) @ 10 m (Permit-Free)
Simple Payback (w/ 40% Grant)	7.7 Years (13.2% IRR)

STRUCTURAL CONSTRAINTS IN URBAN DECARBONIZATION

The Urban Renewable Paradox: Why Existing Clean Tech Fails

European commercial facilities face severe land scarcity, strict aesthetic regulations, and overwhelmed utility grid infrastructure preventing clean energy adoption.

LIMIT 01 Rooftop Solar Limits

Requires ~300 m² of horizontal rooftop for 45 kW peak. Industrial roofs are obstructed by HVAC, smoke vents, skylights, and low load-bearing limits. Capacity factors are capped at 12–15% due to zero night generation and severe seasonal winter drops.

LIMIT 02 Conventional Wind Prohibited

Standard wind turbines generate low-frequency noise (>45 dB) and strobe shadow flicker. Strict European urban permitting bans conventional turbines near offices, schools, and homes. Horizontal turbines stall in turbulent, omnidirectional urban micro-climates.

LIMIT 03 Transformer Bottlenecks

Distribution system operators (DSOs) reject commercial grid upgrades due to substation capacity saturation. Commercial buyers face 18–36 month delays and massive capital expenses (often 4x the plant cost) simply to upgrade local grid interconnects.

THE BREAKTHROUGH SOLUTION

Treetino: Vertical Biomimetic Clean Microgrid Architecture

By decoupling generation from horizontal land footprint and integrating dual-modality harvesting (vertical-axis wind + heliotropic solar foliage) into a certified low-noise architectural structure, Treetino unlocks continuous behind-the-meter generation directly where energy is consumed.

300x Spatial Compression:

49.8 kW peak generation concentrated onto just 1.2 m² of ground space.

24/7 Complementary Output:

Solar peaks at midday; vertical wind turbines harvest evening gusts and winter storms.

Permit-Free Urban Deployment:

Silent (<34 dB), bird-safe, and aesthetic under European municipal zoning thresholds.

CZECH R&D AND HIGH-TECH PRODUCTION

Engineered for Extreme Environments & Maximum Yield

Developed in Prague in collaboration with elite Czech academic institutions, combining biomimetic statics with certified aerospace-grade composites.

12 m

Optimized Height

Captures higher laminar wind speeds in urban and industrial zones.

49.8 kW

Combined Peak

36 kW ducted wind turbines paired with 13.8 kW TopCon solar foliage.

1.2 m²

Ground Footprint

Compact base anchors easily in parking lots, courtyards, and plazas.

144 km/h

Gale Resistance

Autonomous storm defense rotates branches to aerodynamic stow profile.



AEROSPACE COMPOSITES & BIOMIMICRY

Aerodynamic Venturi Shrouds & Heliotropic AI

The patented Venturi duct geometry accelerates omnidirectional urban breeze by up to 2.4x into internal vertical turbines. Microprocessor-controlled servomotors track the sun's trajectory continuously, preventing self-shading across the 300 photovoltaic leaves.

FZU PV Lab Validated: 20.2% TopCon efficiency

CTU Wind Tunnel Tested: 1.8 m/s start threshold

Eurocode 3 Compliant: Extreme wind statics


15-Year Warranty: Heavy steel skeleton

• Co-developed with Czech Technical University (CTU) & Institute of Physics (FZU)

INTELLIGENT ENERGY GENERATION & HARDWARE SUBSYSTEMS

AI Heliotropic Optimization & Complete Embedded HW Stack

Continuous 24/7 power generation combining bi-directional solar tracking with whisper-silent vertical wind turbines, driven by our unified industrial hardware specification (žadavací dokumentace).



24/7 DUAL HARVESTING

Hybrid Solar & Wind Synchronization

Solar foliage reaches peak output during bright midday hours, while ducted vertical-axis wind turbines capture turbulent afternoon, night, and winter air currents—delivering a steady, continuous baseload microgrid supply.

TREEAPP TELEMETRY

Autonomous Heliotropic Folia & Self-Cleaning

German precision servomotors dynamically align PV leaves toward optimal solar irradiance (+28.4% annual energy increase). Integrated precipitation sensors trigger automatic wash cycles to eliminate particulate fouling.

PHYSICAL HARDWARE SUBSYSTEMS • TECHNICAL SPECIFICATION (ŽADÁVACÍ DOKUMENTACE)

COMPLETE HW SPECIFICATION

01 • EMBEDDED MCU

Dual STM32/ESP32 Hub

Industrial automotive-grade microcontrollers running real-time sensor fusion, motor closed loops, and isolated safety watchdogs.

02 • POWER INVERTERS

96.4% Victron Integration

Unified DC bus unifies solar foliage and turbine outputs directly into Victron MultiPlus & SmartSolar architecture without dual conversion loss.

03 • SERVOMOTORS & BMS

German Sun-Track Servos

Micro-stepping precision actuators for 2-axis sun orientation; automatic high-wind stow position at >25 m/s storm gusts with LiFePO4 BMS.

04 • SENSORS & WALLBOX


Anemometer & Fast EV Hub

Calibrated ultrasonic anemometer, rain and bearing vibration sensors paired with turnkey integrated 22 kW / 50 kW fleet EV wallbox.

COMMERCIAL & INDUSTRIAL HYBRID MICROGRID FLAGSHIP

Treetino Tree V1: 49.8 kW Peak Yield on 1.2 m² Base

The world's most powerful vertical hybrid clean energy plant, combining 13.8 kWp solar and 36 kW wind for corporate HQs, industrial parks, and EV supercharging hubs.



INDUSTRIAL ENERGY DENSITY

Replaces 300 m² of Fragile Rooftop Solar

Concentrates massive power density vertically, capturing laminar airflow at 12m height while freeing valuable ground space for logistics and vehicle parking.

INTEGRATED DUAL EV FAST-CHARGING

Direct DC Bus Fleet Charging Hub

Surplus daytime solar and nighttime wind power flow directly into integrated 22 kW / 50 kW vehicle wallboxes without exceeding substation capacity limits.

Turnkey: €235,000 • Margin: €95,000 (40.4%)

Lead Time: 2 Months


OFFICIAL ENGINEERING PARAMETERS & DATASHEET: TREETINO TREE V1

Total Tree Height	11.5 meters	Photovoltaic Foliage	300× TopCon N-type cells (20.2%)
Base Ground Footprint	1.2 m² (1.0 m trunk diameter)	Rated Solar Peak Yield	13.8 kWp rated DC solar yield
Canopy Crown Projection	7.2 m diameter (12 m² shadow)	Combined Total Output	49.8 kW Peak (350–450 kWh/day)
Wind Turbine Array	12× 48V Ducted Savonius–Darrieus	DC Bus Operating Voltage	1000 / 1500 V DC unified bus
Rated Wind Yield	36.0 kW rated wind capacity	Acoustic Emissions	< 34.2 dB(A) @ 10 m (Permit-Free)
Cut-In / Gale Threshold	1.8 m/s start • 144 km/h auto-stow	Compliance & Warranties	ČSN EN 50549–1, CE; 15-Yr skeleton, 25-Yr PV

URBAN COMPACT, MUNICIPAL & EDUCATIONAL POWER NODE

Treetino Tree V2: 12 – 15 kW Permit-Free Microgrid

Engineered specifically for schools, hospital grounds, municipal plazas, and private commercial gardens under 5.5m height with zero building permits needed.



PERMIT-FREE MUNICIPAL ZONING

Sub-5.5m Height Bypasses Zoning Friction

Designed under Czech and European building thresholds (under 5.5 m), eliminating lengthy municipal planning inquiries. Replaces up to 140 m² of traditional rooftop panels.

ACTIVE FIELD VALIDATION

Prague High School Campus Deployment

Currently under active site construction in Prague with continuous anemometer telemetry logging. 130 TopCon PV leaves secured in facility inventory.

Turnkey: €60,000 • Margin: €15,000 (25.0%)

Assembly: 1 Day on Site


OFFICIAL ENGINEERING PARAMETERS & DATASHEET: TREETINO TREE V2

Total Tree Height	5.2 meters (Sub-5.5m permit-free)	Photovoltaic Foliage	124 – 130× Monocrystalline TopCon leaves
Base Lawn Footprint	1.0 m² base (replaces 140 m² roof)	Rated Solar Peak Yield	5.61 – 6.0 kWp rated DC yield
Crown Spread Diameter	4.5 meters (natural architectural canopy)	Combined Total Output	12.0 – 15.0 kW Peak (Hybrid)
Wind Turbine Kit	6× Silent Vertical-Axis Turbines (6 kW)	Inverter & Energy Center	Victron Energy controller & battery link
Daily Energy Output	110 – 135 kWh / day (with wind kit)	Acoustic Emissions	< 30.0 dB(A) @ 10 m (Whisper Silent)
Wind Cut-In / Survival	1.8 m/s start • 120 km/h wind defense	Delivery & Warranties	1-mo delivery; 15-Yr skeleton, 25-Yr PV

STANDALONE MODULAR VERTICAL-AXIS WIND TURBINE

Treetino Aerodynamic Wind Turbine: 1 – 3 kW Modular VAWT

Bird-safe, whisper-silent vertical turbine featuring patented transparent Venturi ducting for rapid deployment on parapets, rooftops, and light masts.



PATENTED VENTURI STATOR DUCT

2.4x Airflow Acceleration Mechanics

Patented teardrop casing accelerates turbulent ambient breeze directly into internal Savonius-Darrieus blades, generating power at just 1.8 m/s breeze.

BIRD-SAFE & UNIVERSAL MOUNTING

Zero Shadow Strobe & Zero Wildlife Hazard

Continuous enclosed transparent profile eliminates hazard to birds and strobing flicker. 3 modular mountings: 5m mast, building wall, or rooftop parapet.

Turnkey: €4,000 • Margin: €1,500 (37.5%)

Design Life: 20 Years

OFFICIAL ENGINEERING PARAMETERS & DATASHEET: TREETINO AERODYNAMIC WIND TURBINE T1

Rotor Height & Diameter	2.2 – 2.8 m height / 1.2 – 1.4 m rotor
Aerodynamic Duct Material	UV-stabilized clear polycarbonate
Rotor Topology	Omnidirectional hybrid Savonius-Darrieus
Cut-In Wind Speed	1.8 m/s gentle breeze startup
Rated Wind Velocity	12.5 m/s (21% aerodynamic efficiency)
Survival Wind Velocity	45.0 m/s (162 km/h extreme gale)

Rated Power Output	1.0 kW (Small) / 2.0 kW / 3.0 kW (Large)
Daily Generation Profile	4 kWh (1 kW) • 8 kWh (2 kW) • 12 kWh (3 kW)
Generator Topology	Direct-drive permanent magnet (PMSG)
Grid Link / System Bus	48V DC bus / 230V AC grid-tied microinverter
Acoustic Emissions	< 32.0 dB(A) @ 5 m (Whisper Silent)
Mounting Configurations	Standalone 5m pole, building facade, or roof

IN-HOUSE TOOLING & INDUSTRIAL SCALE-UP

Scaling Production: Industrial 3D Tooling & Live Deployments

Overcoming hardware lead-time bottlenecks with in-house large-format additive manufacturing, precision steel fabrication partnerships, and live customer test sites.



IN-HOUSE TOOLING • OPERATIONAL

Massive Industrial 3D Printer

Acquired large-format industrial 3D printing setup to produce complex aerodynamic turbine shrouds and structural leaf frames in-house.

Tooling cycle: 16 weeks → 48 hours.
Slashes NRE prototype costs by 85%.
Printing branches for first 2 V2 trees.



ACTIVE FIELD SITE • TELEMETRY

Prague High School V2 Site

Construction initiated at a prestigious Prague high school. Ground cleared and equipped with dedicated meteorological measurement mast.

Anemometer actively logging wind telemetry.
130 TopCon PV leaves ready in storage.
Municipal showcase for zero-noise energy.



FLAGSHIP BUYER CASE STUDY • €705,000

MKovo Industrial Buyer Archetype

MKovo perfectly illustrates our core customer problem: their factory roofs are 100% full of solar panels and their parking lots are covered with carports—yet their CNC operations still face acute energy deficits.

Zero horizontal expansion room left.
Tree V1 is the sole physical on-site solution.
Contract: 3x Tree V1 (€705,000) early 2027.

PAN-EUROPEAN SCALE-UP & HIGH-IRR GEOGRAPHIC EXPANSION

International GTM: Expanding to High-Solar & Coastal Wind Corridors

Scaling rapidly beyond the Czech domestic market by deploying an asset-light sales partner network into Southern Europe and windy coastal regions where solar yield is +50% higher and payback drops below 5 years.

GEOGRAPHIC YIELD ARBITRAGE

Targeting Southern Europe & Maritime Coasts

While the Czech Republic serves as our engineering and pilot testbed, our highest-margin commercial opportunity lies south and along European coastlines:

- **Southern Europe (Spain, Italy, Greece, Southern France):** Solar insolation reaches 1,700–2,100 kWh/m²/yr (+60% vs. Central Europe), expanding Tree V1 annual yield to 68,000+ kWh and cutting customer payback to **under 5 years**.
- **Coastal Wind Corridors (Mediterranean, North Sea, Adriatic):** Uninterrupted laminar sea winds guarantee 24/7 continuous turbine generation, eliminating seasonal winter drops.

ASSET-LIGHT SALES PARTNER MODEL

Local Cleantech Distributors & ESCO Brokers

To scale internationally without burning capital on overseas sales subsidiaries, Treetino recruits established local energy distributors, commercial solar installers, and ESCO brokers:

- **Zero Balance-Sheet Overhead:** Local representatives operate on attractive success-based closing fees (€3,500 – €20,000 per unit closed).
- **Proprietary 3D Sales Enablement:** Reps use our Google Maps photogrammetry app to drop 3D trees on customer sites and generate instant audited proposals in 120 seconds.
- **Centralized Fulfillment:** 100% of engineering, hardware production, and logistics remain anchored at Treetino headquarters in Prague.

MEDITERRANEAN RESORTS

Hotels & Marinas

High summer electricity rates (€0.35+/kWh), luxury architectural attraction, silent guest operation.

Target: Spain, Italy, Greece

COASTAL LOGISTICS & PORTS

Terminals & Warehouses

Constant maritime sea breeze, 24/7 electrified fleet power demand, large unutilized boundary space.

Target: North Sea, Adriatic

SPACE-CONSTRAINED PLANTS

The MKovo Archetype

100% full roofs and parking lots; vertical trees are the sole microgrid expansion option.

Target: Industrial CEE & DACH

WATERFRONT MUNICIPALITIES

Cities & Promenades

Iconic civic sustainability landmarks, zero-emission public lighting and e-bike charging hubs.

Target: Green Public Procurement

INSTITUTIONAL VALIDATION & HIGH-LEVEL ENDORSEMENTS

Proven Traction: Government Showcases & Major Media Appearances

Demonstrated to former prime ministers, ministers, and institutional delegations across the Czech Republic, Europe, the United States, and the UAE.



GOVERNMENT & PARLIAMENTARY SHOWCASE

Presentation to Andrej Babiš

Personal meeting and functional prototype demonstration to former Prime Minister Andrej Babiš and parliamentary leadership at the exhibition grounds.

Former Prime Minister of the Czech Republic • Aug 2026



PRAHA TV FEATURE

Television Feature & Lab Tour

Exclusive television news crew visit to Treetino R&D center covering the functional prototype, branch articulation, and commercial pipeline.

Broadcast Feature • Sep 2026



PRAQUE CASTLE KEYNOTE

Innovations United: Top 5 Finalist

Keynote presentation at the international Startup Disrupt summit at Prague Castle; selected as Top 5 finalist among cleantech ventures.

Global Pitch Contest • Jun 2026



URBIS SMART CITIES BRNO

Municipal Showcase & Demonstration

Live demonstration of micro-generation trees and turbines to municipal mayors, city architects, and European public procurement leaders.

Smart Cities Expo • Jun 2026



SXSW AUSTIN & US MISSION

Government Special Flight & Expo

Official exhibition at Czech House SXSW in Austin, Texas; official delegation flight aboard the Government Special aircraft with the Czech Minister.

US Trade Delegation • Mar 2026



START IT @ ČSOB ACCELERATOR

16th Cohort Accelerator Graduation

Graduation from the 5-month intensive enterprise banking accelerator program focused on commercial scaling and banking validation.

Banking Accelerator • Apr 2026

FINANCIAL PLAN & UNIT ECONOMICS

Financial Projections: High Margins & Low Breakeven Threshold

Bottom line from our operating budget: even under maximum conservative spending assumptions (\$348k setup CapEx, 11-person team, full marketing), the business achieves operating profitability with remarkably few unit sales.

TREE V1 FLAGSHIP

40.4% MARGIN

€95,000 Profit / Unit

Price: €235,000 • Direct Costs: €140,000

Just 3 units sold per year covers the entire annual engineering and management payroll of the company.

TREE V2 COMPACT

25.0% MARGIN

€15,000 Profit / Unit

Price: €60,000 • Direct Costs: €45,000

Rapid volume runner for schools, municipalities, and commercial gardens with 1-day installation.


TURBINE T1 MODULAR

37.5% MARGIN

€1,500 Profit / Unit

Price: €4,000 • Direct Costs: €2,500

High-velocity accessory deployed on rooftops, masts, and barriers with zero zoning friction.



CONSERVATIVE OPERATING BUDGET & MILESTONES (MONTHS 1 - 24)				
PHASE	TIMELINE	PRIMARY ACTIVITIES & CAPEX	TARGET DELIVERIES	REVENUE
Phase 1: Setup & Tooling	Months 1 – 3	Workshop acquisition (\$300k), tooling, casting molds (\$100k), van, 3D printers	1x Tree V2, 1x T1	\$64,000
Phase 2: Domestic Pilot Rollout	Months 4 – 12	First commercial Tree V1 delivery, Prague school site completion, 11-person team	2x Tree V1, 3x Tree V2, 30x T1	\$770,000
Phase 3: International Expansion	Months 13 – 24	Southern Europe & coastal wind expansion, partner network, volume manufacturing	3x Tree V1, 3x Tree V2, 125x T1	\$1,385,000

PROTOCOL LABS ALUMNI • ETHPRAGUE CERTINO WINNER

Connecting Physical Cleantech to On-Chain ESG Markets

Accelerated by Protocol Labs (Founders Forge Cohort 1, Dubai). Two synergistic protocol layers enabling decentralized capital co-funding and audit-grade hourly ESG certificates.

LAYER 1 • RWA INFRASTRUCTURE FINANCING

Treetino RWA Protocol & Yield Vaults

Enables institutional capital to co-fund physical tree deployments and receive verified on-chain yields from real-world energy sales, EV charging, and grid telemetry.

- **Tranched Architecture:** Centrifuge-style Senior (8% fixed APY) & Junior ERC-4626.
- **Automated NAV:** Live Net Asset Value driven by hardware generation telemetry.
- **Settlement:** Automated smart contract waterfalls settle energy revenue.

LAYER 2 • DECENTRALIZED INVERTER ORACLE

Certino Protocol (ETHPrague Innovation)

Co-developed by Treetino CTO with portfolio leadership of premier Czech crypto hedge funds. Connects physical inverters directly to on-chain decentralized oracles.

- **Hardware Normalization:** Universal API for Victron, SMA, Fronius, SolarEdge.
- **Chainlink Functions DON:** Decentralized Oracle Network mints ERC-721 certificates.
- **Mass Monetization:** Corporates get audit-grade CSRD proof; owners earn passive yield.

LEGAL CLASSIFICATION & MICA COMPLIANCE (ARTIFFINE AUDIT)

MICA COMPLIANT

Comprehensive regulatory analysis by Web3 law studio **Artiffine** confirms compliance with the EU Markets in Crypto-Assets (MiCA) framework, classifying oracle certificates as verifiable utility proof assets.

Step 1 • Telemetry

Inverter verified kW logs

Step 2 • Oracle DON

Chainlink signature check

Step 3 • Minting

ERC-721 EnergyTag stamp

Step 4 • Liquidity

EURC spot vault payout

DEFENSIBLE IP FORTRESS & FREEDOM TO OPERATE

Global Patent Protection & Clean Freedom to Operate

Multi-layered intellectual property architecture protecting core aerodynamic ducting, dynamic multi-axis branch articulation, and embedded firmware algorithms.

WORLD PATENT (PCT)

PUBLISHED

WO 2025/256678 A1

Application: PCT/CZ2025/050053

Protects the dual-modality synchronization hub, transparent Venturi shroud stator duct geometry, and omnidirectional airflow acceleration mechanics. Priority date: March 2025.

EUROPEAN PATENT

OFFICIAL SPEC

EP 4 664 750 A1

European Patent Office (EPO)

Protects mechanical multi-axis articulation of structural branches, dynamic anti-shadowing solar tracking, automated hail defense, and ground-level maintenance pivot orientation.

EU INDUSTRIAL DESIGN

REGISTERED

RCD 015029481

EUIPO Design Registration

Grants 25 years of exclusive aesthetic design protection across all 27 EU member states for the iconic biomimetic tree silhouette, branch proportions, and ducted rotor casing.

100% UNENCUMBERED IP OWNERSHIP

Full Assignment & Collaborative Agreements

Treetino corp s.r.o. holds 100% full, exclusive ownership of all patents, registered designs, and firmware. Formal IP assignment agreements executed with elite academic research partners (FZU, CTU) ensure zero royalty encumbrances.

INDEPENDENT FREEDOM TO OPERATE (FTO)

Zero Infringement Risk Confirmed

An exhaustive Freedom to Operate (FTO) search conducted by independent European Patent Attorneys (Všetečka & Partners, Prague) covering IPC classes F03D (wind motors), H02S (photovoltaics), and F03D3/04 (VAWT ducts) confirmed **zero infringement risk**.

SERIAL CLEAN-TECH OPERATORS & ACADEMIC ALLIANCES

Founders & Leadership: Proven Execution & Deep-Tech Expertise

Complementary operational leadership combining multi-megawatt renewables deployment, advanced embedded firmware architecture, and elite Czech research institutions.



CHIEF EXECUTIVE OFFICER • CO-FOUNDER

Dominik Mašek

Prague, Czech Republic • Founder of Wattino

Serial hardware and clean-energy entrepreneur. 8+ years developing commercial PV installations, multi-MW wind projects, and industrial grid connections. Drives overall commercial strategy, government relations, and sales pipeline.

8+ Yrs
CLEAN TECH

Multi-MW
PV DEPLOYED

B2B
SALES LEAD



CHIEF TECHNOLOGY OFFICER • CO-FOUNDER

Jakub Lustyk

Prague, Czech Republic • Protocol Labs Alumni

Hardware systems architect and embedded software engineer. Founder of Nocena; 10+ years architecting embedded IoT devices and decentralized networks. Leads aerodynamics research, sensor fusion MCU algorithms, and oracle integration.

10+ Yrs
SYSTEMS ENG

PL Alum
DEV ARCHITECT

PCT & EP
PATENT AUTHOR

Matěj Čížek

HEAD OF ARCHITECTURE • M.ARCH CTU

Specialist in urban biomimicry and structural statics under Eurocode 3 wind load standards.

Radim Novotný

LEAD MECHANICAL & TOOLING ENGINEER

7+ years CAD modeling, aerodynamic shroud wind-tunnel testing, and large-format 3D manufacturing.

Monika Zvěřinová

PROJECT & COMPLIANCE MANAGER

6+ years managing multi-million euro deep-tech grants, regulatory filings, and ISO compliance audits.



FINANCING ROUND & CONFIDENTIAL DUE DILIGENCE

Capital Strategy & Confidential Due Diligence Data Room

Financing structure, use of funds allocation, and catalog of the 10 core verification documents available under mutual NDA.

CAPITAL STRUCTURE & ROADMAP

GRANT CLOSED

€200,000

CzechInvest (100%)

EU BLENDED

€2,500,000

2/4 Votes Secured

BOND AUCTION

€10,000,000

Tomes & Partners Offer

Current Co-Investment Request: Strategic equity co-investment slots open to private cleantech investors to de-risk pilot deployment at customer sites, fund ISO 61400 turbine safety certification (already 2 of 4 EIC votes secured), and scale inventory for MKovo orders.

EXECUTIVE CONTACT

Treetino corp s.r.o.

V Tůních 1625/8, 120 00 Prague 2, Czech Republic

Dominik Mašek (CEO): dominik@treetino.eu**Jakub Lustyk (CTO):** jakub@treetino.euWeb: www.treetino.eu

Meetings available in Prague or via secure teleconference.

CONFIDENTIAL DATA ROOM INDEX (10 CORE DUE DILIGENCE ASSETS AVAILABLE UNDER NDA)

POST-NDA RELEASE

1. grant.pdf: Official CzechInvest Technological Incubation grant award & audit (€200,000)**2. NAB240147.pdf:** Binding order for 130 TopCon PV leaves ready in storage for Prague V2 site**3. zadavaci_dokumentace.pdf:** Master hardware & developer tender specification outlining all physical HW components integrated into the tree (embedded MCU, inverters, servomotors, anemometers, sensors, BMS & firmware)**4. international_patent.pdf:** World Patent publication (WO 2025/256678 A1)**5. EU_patent.pdf:** Official European Patent specification (EP 4 664 750 A1)**6. MOU – M – kovo.pdf:** Binding conditional contract for 3x Tree V1 units (€705,000)**7. AVIZ_ATAS_NORD.pdf:** Official Moldovan Government invitation & microgrid endorsement**8. Signed LOIs Package:** Banking HQs, high schools, and municipal pipeline LOIs**9. VAWT_mereni.pdf:** Official CTU Wind Tunnel wind measurement & aerodynamic test report**10. Treetino_nabidka.pdf:** Tomes & Partners underwriting commitment letter for €10M bond auction**Due Diligence Roadmap:** 1. Mutual NDA Execution → 2. Technical Data Room Access → 3. Prague Site Visit & Leadership Q&A → 4. Term Sheet & Co-Investment Allocation**ACTIVE DD PIPELINE**