

No accessible repositories ▾

 en ▾

# Create GraphDB repository

 Import Explore

Graphs overview

Class hierarchy

Class relationships

Visual graph

Similarity

 SPARQL Monitor Setup Lab Help

Repository ID\*

ontology\_framework

Repository description

☐ Read-only

## Inference and Validation

Ruleset

OWL-Horst (Optimized) ▾



Custom ruleset...

☐ Disable owl:sameAs☐ Enable consistency checks☐ Enable SHACL validation > SHACL options

## Indexing

Entity ID size

☒ 32-bit ☐ 40-bit☐ Enable context index☒ Enable predicate list index☐ Enable full-text search (FTS) index

FTS indexes to build (comma delimited)

default, iri

FTS index for xsd:string literals

default





 Import

 Explore

Graphs overview

Class hierarchy

Class relationships

Visual graph

Similarity

 SPARQL

 Monitor

 Setup

 Lab

 Help

FTS index for full-text indexing of IRIs

none

### Queries and Updates

Query timeout (seconds)

0

☐ Throw exception on query timeout

Limit query results

0

Cancel

Create

[GraphDB](#) 10.4.0 • [RDF4J](#) 4.3.6 • Connectors 16.2.0 • Workbench 2.4.0 • © 2002–2025 [Ontotext AD](#). All rights reserved.