HTML/CSS 클론코딩(5)

이재이

Contents

01. 레이아웃

Header

Content1

Pagination

Content2

Contact

footer1

footer2

02. 구현결과 – Header

My Portfolio

Filter | ALL | Design | Photos | Art

HTML

```html
<!-- Header -->
<header id="navbar">
    <h1><b>My Portfolio</b></h1>
        <div class="header">
            <span style="margin-right: 16px">Filter</span>
            <button class="button-b">ALL</button>
            <button class="button-w">
            <i class="fa fa-diamond" style="margin-right: 16px"></i>
            Design
            </button>
            <button class="button-w">
            <i class="fa fa-photo" style="margin-right: 16px"></i>
            Photos
            </button>
            <button class="button-w">
            <i class="fa fa-map-pin" style="margin-right: 16px"></i>
            Art
            </button>
        </div>
</header>
```

CSS

```css
/* Header ----------------------- */
#navbar {
    position: relative;
    display: block;
    padding: 0.01em 16px;
    padding-top: 36px;
}

.header {
    padding-top: 16px;
    padding-bottom: 16px;
    margin-top: 16px;
    margin-bottom: 16px;
    border-bottom: 6px solid #ccc;
}

.button-b {
    border: none;
    display: inline-block;
    padding: 8px 16px;
    margin-right: 2px;
    vertical-align: middle;
    overflow: hidden;
    text-decoration: none;
    color: inherit;
    background-color: inherit;
    text-align: center;
    cursor: pointer;
    white-space: nowrap;
    font: inherit;
    color: #fff;
    background-color: #000;
}
```

```css
.button-w {
    border: none;
    display: inline-block;
    padding: 8px 16px;
    margin-right: 2px;
    vertical-align: middle;
    overflow: hidden;
    text-decoration: none;
    color: inherit;
    background-color: inherit;
    text-align: center;
    cursor: pointer;
    white-space: nowrap;
    font: inherit;
    color: #000;
    background-color: #fff;
}

.button-b:hover {
    color: #000;
    background-color: #ccc;
}

.button-w:hover {
    background-color: #ccc;
}
```

02. 구현결과 – Content1

HTML

```
<!-- Content1 -->
<div class="container">
    <div class="photoframe">
        <img src="img/mountains.jpg" alt="Norway" class="photogrid" />
        <div class="phototext">
        <p><b>Lorem Ipsum</b></p>
        <p>
        Praesent tincidunt sed tellus ut rutrum. Sed vitae justo
        condimentum, porta lectus vitae, ultricies congue gravida diam
        non fringilla.
        </p>
        </div>
    </div>
    <div class="photoframe">…
    </div>
    <div class="photoframe">…
    </div>
</div>
<div class="container">…
</div>
```

CSS

```
/* content1 ----------------------- */
.container {
    margin-left: auto;
    margin-right: auto;
    position: relative;
    padding: 0 8px;
}

.photoframe {
    padding: 0 8px;
    float: left;
    box-sizing: border-box;
    margin-bottom: 15px;
}

.photogrid {
    float: left;
    width: 100%;
}

.photogrid:hover {
    opacity: 50%;
}

.phototext {
    padding: 0.01em 16px;
    color: □#000;
    background-color: ■#fff;
    float: left;
}

@media (min-width: 601px) {
    .photoframe {
        width: 33.33333%;
    }
}
```

02. 구현결과 – Pagination

« **1** 2 3 4 »

CSS

```
/* Pagination ---------------------- */
.pagebox {
    padding-top: 32px;
    padding-bottom: 32px;
    display: inline-block;
    width: 100%;
}

.center {
    text-align: center!important;
}

.pages {
    width: auto;
    overflow: hidden;
    display: inline-block;
}

.pbutton {
    padding: 8px 16px;
    float: left;
    cursor: pointer;
    text-decoration: none;
    border: none;
    white-space: nowrap;
}
```

```
.abutton {
    color: □#000;
}

.abutton:hover {
    color: ■#fff;
    background-color: □#000;
  }

.hbutton {
    color: ■#fff;
    background-color: □#000;
}

.hbutton:hover {
    color: □#000;
    background-color: ■#909090;
}
```

HTML

```
<!-- Pagination -->
<div class="pagebox center">
    <div class="pages">
    <a href="#" class="pbutton abutton a-hover">«</a>
    <a href="#" class="pbutton hbutton h-hover">1</a>
    <a href="#" class="pbutton abutton a-hover">2</a>
    <a href="#" class="pbutton abutton a-hover">3</a>
    <a href="#" class="pbutton abutton a-hover">4</a>
    <a href="#" class="pbutton abutton a-hover">»</a>
    </div>
</div>
```

02. 구현결과 – Content2 - Images

HTML

```
<!-- Content2 -->
<!-- Images -->
<div class="pdg16 pdg08">
    <div class="imageofme">
        <img src="img/avatar_g.jpg" alt="Me" style="width:100%">
    </div>
    <div class="imageofme">
        <img src="img/me2.jpg" alt="Me" style="width:100%">
    </div>
</div>

<div class="aboutme" style="margin-bottom:32px;">
    <h4>About Me</h4>
    <p>Just me, myself and I, exploring the universe of unknownment.
        I have a heart of love and an interest of lorem ipsum and
        mauris neque quam blog. I want to share my world with you.
        Praesent tincidunt sed tellus ut rutrum. Sed vitae justo condimentum,
        porta lectus vitae, ultricies congue gravida diam non fringilla.
        Praesent tincidunt sed tellus ut rutrum. Sed vitae justo condimentum,
        porta lectus vitae, ultricies congue gravida diam non fringilla.
    </p>
    <br>
```

CSS

```
/* Content2 ----------------------- */
/* Images ----------------------- */
.pdg16 {
    padding-top: 16px;
    padding-bottom: 16px;
    padding: 0 8px;
}

.imageofme {
    float: left;
    padding: 0 8px;
    width: 50%;
    box-sizing: border-box;
}

.aboutme {
    padding: 12px 24px;
    padding: 0.01em 16px;
}
```

02. 구현결과 – Content2 - Graphs

Technical Skills

Photography

95%

Web Design

85%

Photoshop

80%

⬇ Download Resume

HTML

```html
<!-- Graphs -->
<h4>Technical Skills</h4>
<p>Photography</p>
<div class="greybar">
    <div class="greybar2" style="width:95%">
        95%
    </div>
</div>
<p>Web Design</p>
<div class="greybar">
    <div class="greybar2" style="width:85%">
        85%
    </div>
</div>
<p>Photoshop</p>
<div class="greybar">
    <div class="greybar2" style="width:80%">
        80%
    </div>
</div>
<p>
    <button class="gbutton">
        <i class="fa fa-download">
        Download Resume
        </i>
    </button>
</p>
<br>
```

CSS

```css
/* Graphs ------------------------- */
.greybar {
    color: #fff;
    background-color: #9e9e9e;
}

.greybar2 {
    padding: 0.01em 16px;
    padding: 8px 16px;
    background-color: #616161;
    text-align: center;
    margin-right: 16px;
}

.gbutton {
    padding: 8px 16px;
    padding: 12px 24px;
    margin-bottom: 16px;
    margin-top: 16px;
    border: none;
    display: inline-block;
    vertical-align: middle;
    overflow: hidden;
    text-decoration: none;
    text-align: center;
    cursor: pointer;
    white-space: nowrap;
    text-transform: none;
    font: inherit;
    color: #fff;
    background-color: #616161;
}
```

02. 구현결과 – Content2 – Pricing Table

HTML

How much I charge		
Basic	**Pro**	**Premium**
Web Design	Web Design	Web Design
Photography	Photography	Photography
1GB Storage	50GB Storage	Unlimited Storage
Mail Support	Endless Support	Endless Support
$ 10 per month	$ 25 per month	$ 35 per month
Sign Up	Sign Up	Sign Up

```html
<!-- Pricing Table -->
<h4>How much I charge</h4>
<div class="box" style="margin:0 -16px">
    <div class="box2">
        <ul class="ul border">
            <li class="basic">Basic</li>
            <li class="basiclist">Web Design</li>
            <li class="basiclist">Photography</li>
            <li class="basiclist">1GB Storage</li>
            <li class="basiclist">Mail Support</li>
            <li class="basiclist"><h2>$ 10</h2>
            <span style="color: #ccc">per month</span></li>
            <li class="signup">
                <button class="mintbutton">Sign Up</button>
            </li>
        </ul>
    </div>
    <div class="box2">
        <ul class="ul border">…
        </ul>
    </div>
    <div class="box2">…
    </div>
</div>
```

02. 구현결과 – Content2 – Pricing Table

CSS

How much I charge

Basic	Pro	Premium
Web Design	Web Design	Web Design
Photography	Photography	Photography
1GB Storage	50GB Storage	Unlimited Storage
Mail Support	Endless Support	Endless Support
$ 10	$ 25	$ 35
per month	per month	per month
Sign Up	Sign Up	Sign Up

```css
/* Pricing Table ------------------ */
.box {
    padding: 0 8px;
}

.box2 {
    padding: 0 8px;
    float: left;
    box-sizing: border-box;
    margin-bottom: 16px;
}

.ul {
    list-style-type: none;
    padding: 0;
    margin: 0;
    color: #000;
    background-color: #fff;
    border: 1px solid #ccc;
    text-align: center;
    opacity: 0.60;
}

.ul:hover {
    opacity: 1;
}

.ul li {
    padding: 8px 16px;
    padding-top: 16px;
    padding-bottom: 16px;
    border-bottom: 1px solid #ddd;
}

.ul li:last-child {
    border-bottom: none;
}
```

```css
.basic {
    padding-top: 32px!important;
    padding-bottom: 32px!important;
    font-size: 24px;
    color: #fff;
    background-color: #000;
}

.basiclist {
    padding-top: 16px;
    padding-bottom: 16px;
    color: #616161;
    background-color: #fff;
}

.signup {
    color: #000;
    background-color: #f1f1f1;
    padding-top: 24px!important;
    padding-bottom: 24px!important;
}

.mintbutton {
    color: #fff;
    background-color: #009688;
    padding: 12px 24px;
    border: none;
    display: inline-block;
    vertical-align: middle;
    overflow: hidden;
    text-align: center;
    cursor: pointer;
    white-space: nowrap;
    font-size: 18px;
}
```

```css
.mintbutton:hover {
    background-color: #000;
}

@media (min-width: 601px) {
    .box2, .iconbox1, .iconbox2 {
        width: 33.33333%;
    }
}
```

02. 구현결과 – Contact

Contact Me

email@email.com | Chicago, US | 512-312-3112

Name

Email

Message

✈ Send Message

CSS

```css
.icon {
    color: ■#f1f1f1;
    font-size: 36px!important;
}

hr {
    border-top: 1px solid ■#eee;
    margin: 20px 0;
    opacity: 0.60;
}

.input {
    padding: 10px 0;
    border: 1px solid ■#ccc;
    width: 100%;
    font: inherit;
}
```

```css
/* Contact ---------------------- */
.contact {
    padding: 12px 24px;
    color: ■#000;
    background-color: ■#9e9e9e;
}

.contactbox {
    box-sizing: border-box;
    padding-top: 24px!important;
    padding-bottom: 24px!important;
}

.pdg {
    padding: 0 8px;
}

.iconbox1 {
    border: none;
    padding: 0 8px;
    float: left;
    text-align: center;
    color: ■#fff;
    background-color: ■#616161;
}

.iconbox2 {
    border: none;
    padding: 0 8px;
    float: left;
    text-align: center;
    color: ■#fff;
    background-color: ■#009688;
}
```

HTML

```html
<!-- Contact -->
<div class="contact">
    <h4 id="contactme"><b>Contact Me</b></h4>
    <div class="contactbox pdg" style="margin:0 -16px">
        <div class="iconbox1">
            <p><i class="fa fa-envelope icon"></i></p>
            <p>email@email.com</p>
        </div>
        <div class="iconbox2">
            <p><i class="fa fa-map-marker icon"></i></p>
            <p>Chicago, US</p>
        </div>
        <div class="iconbox1">
            <p><i class="fa fa-phone icon"></i></p>
            <p>512-312-3112</p>
        </div>
    </div>
    <hr>
    <form action="/action_page.php" target="_blank">
        <div class="pdg16">
            <label>Name</label>
            <input class="input" type="text" name="Name" required>
        </div>
        <div class="pdg16">
            <label>Email</label>
            <input class="input" type="text" name="Email" required>
        </div>
        <div class="pdg16">
            <label>Message</label>
            <input class="input" type="text" name="Message" required>
        </div>
        <button type="submit" class="button-b" style="margin-bottom:24px">
            <i class="fa fa-paper-plane" style="margin-right:16px"></i>
            Send Message
        </button>
    </form>
</div>
```

02. 구현결과 – Footer1

CSS

```css
.ulist {
    list-style-type: none;
    padding: 0;
    margin: 0;
}

.ulist li {
    padding: 20px 16px;
    border-bottom: 1px solid #ddd;
}

.ulist li:last-child {
    border-bottom: none;
}

.list:hover {
    background-color: #eee;
}

.li-img {
    float: left;
    margin-right: 16px;
}

.tagblack {
    color: #fff;
    background-color: #000;
}

.taggrey {
    color: #000;
    background-color: #9e9e9e;
    font-size: 14px;
}

.tag {
    display: inline-block;
    padding-left: 8px;
    padding-right: 8px;
    text-align: center;
    margin-bottom: 18px;
}
```

```css
/* Footer1 ---------------------- */
.footer {
    padding: 0 16px;
    padding-top: 32px;
    padding-bottom: 32px;
    color: #fff;
    background-color: #616161;
}

.footer:before {
    content: '';
    display: table;
    clear: both;
}

.footer:after {
    content: '';
    display: table;
    clear: both;
}

.footer1 {
    float: left;
    padding: 0 8px;
    text-align: left;
    box-sizing: border-box;
}

@media (min-width: 601px) {
    .footer1{
        width: 33.33333%;
    }
}
```

HTML

```html
<!-- Footer1 -->
<footer class="footer">
    <div class="footer1">
        <h2>FOOTER</h2>
            <p>Praesent tincidunt sed tellus ut rutrum.
             Sed vitae justo condimentum, porta lectus vitae,
             ultricies congue gravida diam non fringilla.</p>
            <p>Powered by
            <a href="https://www.w3schools.com/w3css/default.asp" target="_blank">
            w3.css</a>
            </p>
    </div>
    <div class="footer1">
        <h2>BLOG POSTS</h2>
        <ul class="ulist">
        <li>
            <img src="img/workshop.jpg" class="li-img" style="width:50px">
            <span>Lorem</span>
            <br>
            <span>Sed Mattis nunc</span>
        </li>
        <li>
            <img src="img/gondol.jpg" class="li-img" style="width:50px">
            <span>Ipsum</span>
            <br>
            <span>Praes tinci sed</span>
        </li>
        </ul>
    </div>
    <div class="footer1">
        <h2>POPULAR TAGS</h2>
        <p>
        <span class="tag tagblack">Travle</span>
        <span class="tag taggrey">New York</span>
        <span class="tag taggrey">Dinner</span>
        <span class="tag taggrey">Salmon</span>
        <span class="tag taggrey">France</span>
        <span class="tag taggrey">Drinks</span>
        <span class="tag taggrey">Ideas</span>
        <span class="tag taggrey">Flavors</span>
        <span class="tag taggrey">Cuisine</span>
        <span class="tag taggrey">Chicken</span>
        <span class="tag taggrey">Dressing</span>
        <span class="tag taggrey">Fried</span>
        <span class="tag taggrey">Fish</span>
        <span class="tag taggrey">Duck</span>
        </p>
    </div>
</footer>
```

02. 구현결과 – Footer2

Powered by w3.css

HTML

```html
<!-- Footer2 -->
<footer class="bottom2">
    <p>
    Powered by
    <a href="https://www.w3schools.com/w3css/default.asp"
    title="W3.CSS" target="_blank" class="hovertext">w3.css</a>
    </p>
</footer>
</div>
</body>
```

CSS

```css
/* Footer2 ---------------------- */
.bottom2 {
    color: #fff;
    background-color: #000;
    width: 100%;
    padding-top: 24px;
    padding-bottom: 24px;
    text-align: center;
}

.bottom2 .hovertext:hover {
    color: green;
}
```

03. 소요시간

코딩 소요시간   이틀에 걸쳐 총 6시간

느낀점   확실히 코딩을 할수록 수월해 지는 것을 느낍니다.
특히 부분 부분 막힐 때마다 끝까지 문제를 해결해 나갔을 때,
더 많이 공부가 되고 확실히 내 것이 되는 것을 느낄 수 있었습니다.