

A Formal Skeleton for the Cut

An operational core, one quantum realization, and explicit limits of inference

Working spec, v0.4 — 2026-09-22

Status. This is a skeleton, not a finished theory. Every claim is tagged:

- **[EST]** — established result in the literature, cited, not original here.
- **[FIELDS]** — due to Chris Fields (and collaborators); this framework assembles it, does not originate it.
- **[ASM]** — assembly: a combination or restatement of established pieces, possibly original in *arrangement*, using no new mathematics.
- **[CONJ]** — conjecture: plausible, not proved here, flagged as open.
- **[POST]** — postulate: a philosophical commitment of the framework’s ontology, not a physics result; adopted, not derived.
- **[GAP]** — a deliberately stated limitation, missing bridge, or scope boundary. It is a no-go result only where a separate proof is supplied.

Design principle. Keep the proposed operational core, particular physical realizations, and downstream phenomena or interpretations distinct. Formalize the limits of each claim rather than turning an assumption of the realization into observer-accessible evidence. The scope of the partition-selection argument is stated in §11.

Scope of this realization. Given a chosen cut and declared state, symmetry, interaction, and apparatus, the model defines subsystem entropy, cross-cut flux, and observer-accessible records. The present input tuple does not select that cut or derive a macroscopic arrow. These model outputs do not uniquely determine ontology or rule out a richer physical cut-selection principle.

Preface: operational core and scope

The canonical statement of the new module is [docs/operational-core.md](#); its public, static presentation is [web/operational-core.html](#). It is a **proposed foundation for this research programme**, not a new definition of time, not a replacement for the ontology of The Cut, and not a claim that the components are the unique minimal or fully logically independent axioms.

The framework now has three layers. The **operational core** specifies procedures, records, comparison rules, and the scope of inference, but supplies neither dynamics nor an ontology of the whole. **Physical realizations** add structures that could implement those capacities and must declare their additional assumptions. **Phenomena and interpretations** study clocks, arrows,

records, shareability, and experience within a realization; they do not follow from the operational core alone. The layers are related by adding assumptions and testing consequences, not by automatic deduction. A realization or interpretation may fail without the entire operational core failing.

The operational basis comprises distinguishability (OC-A1), recordability and comparability (OC-A2), composability of some preparation–interaction–readout procedures (OC-A3), and restricted regularity within a stated domain (OC-A4). OC-A3 openly incurs a foundational debt: composition and retained traces already assume a primitive local order. The core therefore does *not* derive all of time from a wholly order-free basis. Its inference constraints are predictive consistency for complete accessible transcripts (OC-R1), invariance under mere changes of representation for the same physical procedure (OC-R2), and scope-limited identifiability relative to the available procedure class $\mathcal{Q}_O$ (OC-R3).

This document supplies one **physical realization**: a chosen tensor factorization, global pure state, unitary dynamics, and a declared Hamiltonian split, together with the apparatus assumptions used in particular models. These are model assumptions, not consequences of OC-A1–A4 and not direct observations of the whole universe. A model cut is likewise distinct from operational access: the former partitions the modeled system and interactions; the latter is the observer’s actual preparations, controls, readout channels, records, resolutions, and resources, which generate $\mathcal{Q}_O$. The mapping between them is neither assumed to be one-to-one nor specified by the core.

An observer here may be any physical record-capable system; consciousness is not assumed. Nor does it receive a privileged model-builder view. Any endogenous test must declare its clock, memory, phase reference, preparation source, and signal channels. Simulator steps, the full state matrix, and debug variables are not automatically observer records.

1 Primitives and the one invariant

For the quantum realization studied in this spec, let U be a closed quantum system with Hilbert space $\mathcal{H}_U$, assumed global pure state $|\Psi\rangle$, and total Hamiltonian $\hat{H}_U$, assumed to evolve unitarily. These are **model assumptions**. Standard quantum mechanics establishes the consequences conditional on them; this spec does not claim observational evidence that the universe as a whole actually satisfies them.

A **cut** is a choice of tensor factorization

$$\mathcal{H}_U \cong \mathcal{H}_A \otimes \mathcal{H}_B$$

together with a designation of A as “subsystem” and B as “complement.” [FIELDS] (Fields calls the interface between them a *holographic screen*; the factorization is the formal content.)

Definition 1.1 (trivial cut). The trivial cut is $A = U$, $B = \mathbb{C}$ (or $B = U$, $A = \mathbb{C}$): no genuine bipartition.

Invariant I (necessity of partition) ([ASM]). The *cut-relative* quantities defined in §2–§4 (candidate entropic order, local energy flux, registered information) are all **degenerate on the trivial cut and non-degenerate only for a genuine bipartition**: no complement exists to trace out, no boundary exists across which a flux can be assigned, and no complement channel exists for registration. (The global quantities themselves remain defined — e.g. global entropy is zero, global energy conserved; it is their *cut-relative* versions that degenerate.) This is the one structure invariant under *which* non-trivial cut is chosen: that *some* non-trivial cut is required for these definitions.

The necessity of partition is primitive but silent: it is invariant (it holds for every genuine cut) and yet it does not select among them (see §11).

2 Candidate entropic order [ASM] / [CONJ]

Given a cut $A|B$ and global state $\rho = |\Psi\rangle\langle\Psi|$, the reduced state of A is

$$\rho_A = \text{Tr}_B(\rho). \quad [\text{EST}]$$

Define the reduced entropy of A (the von Neumann entropy of the reduced state),

$$S_A = -\text{Tr}(\rho_A \log \rho_A), \quad [\text{EST}]$$

Five distinct quantities or roles must be kept apart, as conflating them is the main source of confusion in §8–§9:

- t — the external/coordinate parameter in the formal dynamics. [EST]
- S_A — the reduced (entanglement) entropy above. [EST]
- a physical clock reading — the output of a declared read/count procedure, calibrated against a reference over a stated domain;
- proper time — a relativistic quantity in a domain where the relevant spacetime model applies;
- τ_A^{ent} — a candidate *entropic ordering variable*: a monotone reparametrization of S_A , defined only on a domain where the specified state and dynamics make S_A monotone enough for that use. [ASM]/[CONJ]

The interpretive claim “ τ_A^{ent} is time — the subsystem’s forgetting of its complement” is therefore model-dependent and conditional, not [EST]. Monotonicity on an interval can make S_A an ordering variable there; it supplies neither seconds, a universal clock law, nor a mechanism that forms durable records. A globally low-entropy condition does not ensure that the reduced entropy of every cut is monotone.

Proposition 2.1 (global purity, local mixedness). [EST] If $|\Psi\rangle$ is pure, then $S_U = 0$, while $S_A \geq 0$ with equality iff $A|B$ is unentangled. A genuinely entangled part has nonzero reduced entropy $S_A > 0$; it can support a cut-relative candidate entropic order only where S_A changes monotonically enough for the declared procedure. Entanglement alone gives $S_A > 0$, not a clock. Global purity does **not** imply stationarity or the absence of internal temporal relations; it only makes this global entropy indicator constant and therefore unusable as a varying clock.

Remark ([GAP] — direction). The growth of S_A is *not* derived to be monotone in any absolute sense. Unitarity guarantees reversible evolution; time-reversal symmetry is a separate property of the dynamics and the transformation of states and observables. Given a state and dynamics one can calculate both the magnitude and the sign of S_A -change. What the entropy functional alone does not provide is a universal macroscopic arrow. Any monotonicity used to define τ_A^{ent} is assumed or checked on a stated domain and requires additional boundary, environmental, and coarse-graining structure (§12).

Four related tasks, kept separate

Ordering and influence.

Add an interaction model, preparations, and control assumptions capable of separating intervention effects from correlations. The model must predict changed-procedure outcomes and need not place all events on one global line.

Duration and clocks.

Add a physical reference, a read/count procedure, a calibration domain, and a matching rule. The result must reproduce clock relations in its claimed domain, including motion and gravity if that domain is claimed.

Arrow and records.

Add boundary/preparation conditions, an environment, a coarse-graining, and a mechanism maintaining records. The account must explain historical asymmetry and readback limits rather than defining an arrow and counting it as derived.

Experience and temporal judgement.

Add a model of trace retention, integration, prediction, and report. Interaction order, record order, and judged order must be distinguished; an information-processing model is not automatically a solution to consciousness.

These are related questions, not four stages automatically deduced in sequence, and they are not asserted to be fully independent.

3 Energy as broken symmetry [EST]

By Noether's theorem, energy is the conserved charge of time-translation symmetry. [EST]

Given a cut **and a chosen local Hamiltonian decomposition**

$$\hat{H}_U = \hat{H}_A \otimes I_B + I_A \otimes \hat{H}_B + \hat{H}_{AB}, \quad [\text{FIELDS}]$$

the interaction term $\hat{H}_{AB}$ defines boundary exchange. **The cut makes such a decomposition possible; it does not uniquely select it** — the split into $\hat{H}_A$, $\hat{H}_B$, $\hat{H}_{AB}$ is a further choice, on top of the factorization, exactly as Claim 11.1 says the factorization itself is a choice on top of $\mathcal{H}_U$.

Proposition 3.1 (local energy flux). [EST] For a fixed split $\hat{H}_U = \hat{H}_A + \hat{H}_B + \hat{H}_{AB}$ with $\hat{H}_A$ time-independent and $[\hat{H}_A, \hat{H}_B] = 0$, the instantaneous energy flux into A is

$$\dot{E}_A = \frac{i}{\hbar} \langle [\hat{H}_{AB}, \hat{H}_A] \rangle.$$

Hence $\hat{H}_{AB} = 0$ is *sufficient* for no exchange, but not necessary: local energy is generically non-conserved when the interaction fails to commute with the local Hamiltonian, whereas a coupling that commutes with $\hat{H}_A$ (or a special state) can give zero flux even with $\hat{H}_{AB} \neq 0$. Energy is a cut-relative quantity that generically crosses the cut, without “ $\hat{H}_{AB} \neq 0$ ” alone being the criterion.

Proposition 3.2 (whole has no energy-flow). [ASM] On the trivial cut there is no $\hat{H}_{AB}$, hence no energy exchange; the “energy” that flows is strictly cut-relative. The global $\hat{H}_U$ conserves; only a part leaks.

Remark ([ASM]). In Fields' construction, the bits exchanged across the screen are proportional to the transferred energy represented by the $\hat{H}_{AB}$ eigenvalue. The relation holds at the declared boundary; it is not an identity between energy and information in general.

4 Information as registered difference [EST]

Two layers, kept separate.

4a. Shannon layer. [EST] For a source with distribution $\{p_i\}$, information content is $-\log p_i$, and average surprise is $H = -\sum_i p_i \log p_i$. This is formally parallel to §2's S_A (von Neumann entropy equals Shannon entropy on the eigenvalue distribution of ρ_A). The shared form does **not** identify uncertainty, information transfer, physical duration, and record order. Connecting those roles requires a model of preparation, channel, readout, and clock calibration.

4b. Observer-registration layer. Not all difference is information *to a system*. Given an observer channel $K_B : \Omega \rightarrow \Omega_B$, a difference between source states A, A' is **registered** iff

$$K_B(A) \neq K_B(A'),$$

and registered *above threshold* iff $d_B(K_B(A), K_B(A')) \geq \delta_B$.

Proposition 4.1 (no complement-relative registration on the trivial cut). [ASM] A single global pure state has zero von Neumann entropy, and the trivial cut offers no *complement*-relative distribution — there is no B to trace out and no cross-cut channel. (The global system may still contain internal subsystems, Born distributions, clocks, and records relative to further structure.) What is absent is the complement-relative registered information and candidate entropic order defined for this trivial cut, not information or time as such.

Remark ([GAP] — which channel). K_B is *given*, not derived. Which channel an observer has — its threshold δ_B , its representation space Ω_B — is an input. Note the parallel to §11: just as the tensor factorization is chosen, the channel is chosen. Same gap, observer-side.

Remark (recording is not a universal entropy-increase rule). That a physical interaction leaves a usable trace does not imply that every recording operation increases the reduced-state entropy of the observer. The answer depends on preparation, correlations, environment, erasure, and resource accounting. Record order and entropy change may be related in a specified realization, but are not identical by definition.

5 Reach: what else the cut defines, and what it does not

The three quantities of §2–§4 are not the framework's ceiling. Four routes carry further physical quantities out of the same apparatus — and one route provably does not run, which is as much a result as the others.

Route 1 — Noether charges, by the energy move. [EST] Energy (§3) was the conserved charge of *time*-translation symmetry, made cut-relative through the boundary term $\hat{H}_{AB}$. Noether's theorem is general: every continuous symmetry yields a conserved charge, and — with the same caveat as the energy flux — each splits across the cut.

Proposition 5.1 (charge flux across the cut). [EST] Energy is special: the Hamiltonian both *is* the time-translation charge and *generates* the dynamics. A generic Noether charge $\hat{Q}$ does not generate evolution. Its flux is generated by the *Hamiltonian*:

$$\dot{Q}_A = \frac{i}{\hbar} \langle [\hat{H}_U, \hat{Q}_A] \rangle,$$

and, when a local current j_Q exists, equals a boundary flux $\dot{Q}_A = -\int_{\partial A} j_Q \cdot n$. So: for global symmetries with local current decompositions, subsystem charge changes are boundary fluxes generated by the Hamiltonian dynamics; $\hat{Q}_U$ may be globally conserved while $\hat{Q}_A$ is not. This covers

momentum (space-translation), angular momentum / spin (rotation), and other global charges — *without* forcing each into the same generator role as energy. Energy is the case where the charge and the generator coincide, which is why it was examined first.

Remark (gauge charges are subtler). [EST] / [GAP] Electric and other *gauge* charges do **not** automatically fit the naive $\mathcal{H}_A \otimes \mathcal{H}_B$ split. Gauge constraints (Gauss’s law) can obstruct simple Hilbert-space factorization across a spatial region; a gauge-invariant treatment requires local algebras, edge modes, or an extended Hilbert space (Casini–Huerta–Rosabal). Route 1 as stated applies cleanly to global symmetries with local currents; gauge symmetries need the algebraic/edge-mode version and are flagged here rather than claimed.

This extends the construction from three listed quantities to the conserved charges associated with the symmetries already assumed by the model.

Route 2 — thermodynamic quantities, from the reduced entropy. [EST] (cut + arrow)

With $S(\rho_A)$ (§2) and $\langle \hat{H}_A \rangle$ (§3) in hand, standard relations deliver the thermodynamic quantities. Temperature is the marginal exchange rate between the information-face and the energy-face of the same cut,

$$\frac{1}{T} = \frac{\partial S(\rho_A)}{\partial \langle \hat{H}_A \rangle},$$

and free energy, chemical potential, and pressure follow by the usual derivatives. **Caveat:** these relations presuppose equilibration and the relevant thermodynamic conditions. They therefore require both a subsystem choice and additional arrow conditions, unlike the Noether charges, which require the subsystem decomposition but not a thermodynamic arrow.

Route 3 — invariants and geometry. [EST] / [CONJ] Two sub-cases of different status:

- **Mass.** [EST] Rest mass is a Casimir invariant of the Poincaré group, $m^2 = E^2 - p^2$: *frame*-invariant within a chosen subsystem representation. Given energy and momentum from Route 1, mass is their frame-invariant combination — the feature of the energy–momentum content that does not vary under boosts. Note this is Lorentz-invariance, not cut-invariance: the mass/energy assigned to a subsystem still varies with binding, dressing, and boundary choice.
- **Distance / geometry.** [CONJ] In holographic settings (AdS/CFT), Ryu–Takayanagi relates the entanglement entropy of a boundary region to the area of a bulk extremal surface — a specific relation, not a general “mutual entanglement = distance” rule. More broadly, entanglement/geometry programs (Van Raamsdonk) suggest connectivity and distance-like structure may be recoverable from entanglement patterns, with disentangling regions pinching spacetime apart. This framework is *compatible* with that program but does not derive it, and does not assert the general rule.

Route 4 — what the cut does NOT define. [GAP] Not every physical quantity is a co-product of a cut, and marking the exclusions is a result, not an omission.

- **The dimensionful constants** ($\hbar, G$, coupling constants) are fixed background: identical across every partition and observer, cut-*invariant* in the strongest sense, and *not generated* by the cut. (The status of c is subtler and is treated in §9: as the observed relativistic *conversion constant* between space- and time-units it is a convention/background scale, but an *emergent maximum correlation speed* of a different, pre-geometric character may arise from the interaction structure. These are two distinct roles for the one symbol and must not be conflated.)

- **The symmetry group and dimensionality** (which gauge group, why 3+1 dimensions) are *upstream* of the cut: Route 1 *consumes* the symmetries as input and cannot produce them. Likewise the spacetime dimension.

Proposition 5.2 (scope of the current cut construction). [ASM] Given the declared background structure, the current realization defines partition-relative charges, correlations, exchange terms, and related thermodynamic quantities. It does **not** derive the constants, symmetry group, dimensionality, or the partition itself. Proposed geometry-from-entanglement links require additional assumptions and are not consequences of the cut alone.

Matter: the conserved side of the cut. [ASM] The quantities so far include flows and changing correlations: energy may cross $\hat{H}_{AB}$, records may be created or lost, and S_A may supply a candidate entropic order on a restricted interval. Matter is interpreted below as the *persisting* side; this is a model-dependent proposal, not a definition of time.

Definition 5.1 (matter). The **matter** content of a subsystem A is the conserved, boundary-holding structure of A — the invariant of A ’s own evolution: what is preserved (protected by symmetry, commuting with the effective $\hat{H}_A$) while the correlations that decohere into B are washed away. Where energy is what flows across the cut, matter is what stays.

This is not a definition in terms of energy located in $\hat{H}_A$. It is an interpretive classification of structures that remain stable over the modeled interval. It does not derive matter from entropy growth.

Proposition 5.3 (consequences and limits of the matter interpretation). [ASM] Within a fixed representation and operational regime, Definition 5.1 has the following consequences and limits:

- **Inertia / persistence** is not added; “conserved under evolution” is what resisting change *means*.
- **Localization:** a conserved charge in a region is a boundary — it is what stays on A ’s side while correlations leak.
- **Trace-retention:** matter is what can register (O2, Def. 10.1). Strictly, a detector requires not exact conservation but a robust *pointer subspace/subalgebra* whose records persist over the relevant timescale (decoherence / quantum Darwinism); “persistent structure” should be read in that sense, not as strict invariance.
- **Mass coincidence:** by Route 3a, rest mass is the Poincaré Casimir — *frame*-invariant within a chosen subsystem representation. (It is not straightforwardly *cut*-invariant: the mass/energy assigned to a subsystem varies with binding, dressing, and boundary choice.) With that scoping, mass being the *frame-invariant* combination and matter being the *persistent* aspect are aligned — a consistency check, once the representation is fixed.

Remark (three flags). [GAP] (i) **Cut-relative.** “Conserved under $\hat{H}_A$ ” needs an evolution, hence a cut; change the cut and different structure is conserved. There is *no primitive matter* — only cut-relative persistence. Matter is not more fundamental than the cut. (ii) **Arrow dependence of this interpretation.** Reading persistence as an asymmetric historical notion requires the boundary, environmental, and coarse-graining assumptions used for the arrow. Conservation and stable correlations can still be defined in reversible dynamics; the stronger claim that an arrow is the condition for anything to exist is not inferred. (iii) **Category, not content.** This defines matter-as-a-category (conserved boundary-holding structure), not the specific spectrum (why these

particles). The particle content, like the symmetry group, is Route 4 background: consumed, not derived.

Remark (flux and persistence). [ASM] As an interpretive heuristic, the spec distinguishes boundary fluxes and changing correlations from persistent structures. This classification is not a definition of matter, energy, or time. A macroscopic arrow still requires the additional conditions stated in §2.

6 Particles and forces [ASM] / [CONJ]

Particles as persistent charge sectors. [ASM] Definition 5.1 treats matter as conserved boundary structure. The following interpretation relates particle types to persistent charge sectors.

Definition 6.1 (particle). A **particle** is a minimal persistent charge-sector *relative to the theory’s representation content and operational regime*: an indivisible package of frame-invariant charges (mass, spin, internal charges) that is not decomposable, within that regime, into independently-persisting sub-sectors carrying the same conserved package.

Wigner’s classification identifies a relativistic particle type with an irreducible unitary representation of the Poincaré group, labelled by its Casimirs. The interpretation above is consistent with that classification in a stated regime, but it does not cover every use of “particle” or derive the particle spectrum. Confinement, infraparticles, resonances, quasiparticles, and partons require their own regimes and definitions.

Interactions across a cut. [ASM]/[EST] The term $\hat{H}_{AB}$ models coupling between the two sides and may transfer locally defined charges (Prop. 3.1). This decomposition describes interaction in the realization; it is not a complete definition of force.

Candidate relation to gauge structure. [CONJ] The spec asks whether independently chosen internal conventions across regions require a connection that relates them. Gauge theory already supplies such connections and their associated fields. The proposed link to cut-relative symmetry is interpretive: it does not derive gauge fields, gauge groups, or gauge bosons from a partition alone.

Status of the comparison. Two established settings constrain this interpretation.

- **Aharonov–Bohm is loop-relative and gauge-invariant.** [EST]-supported The interference depends on enclosed flux even when the particle travels through a field-free region. This supports a holonomy description, but it does not determine the ontology of the potential or explain the origin of the connection.
- **Gauge-theory factorization depends on algebra and boundary choices.** [CONJ] Casini, Huerta, and Rosabal show that a gauge-invariant Hilbert space need not tensor-factorize across a region. Different algebra and edge-mode prescriptions can give different regional entanglement entropies. This motivates explicit cut and algebra choices, but does not prove the proposed gauge interpretation or select a unique cut.

Remark (limits of the gauge comparison). [CONJ]/[GAP] (i) Regional entanglement entropy may depend on the boundary and algebra prescription, and may diverge. Clearly defined relational quantities such as mutual information or relative entropy are therefore preferable where applicable. This ambiguity does not prove a universal no-selection claim. (ii) Relational quantum-reference-frame work is prior research. The spec offers an informal comparison and does not originate or

derive that programme. (iii) The comparison does not determine the gauge group or explain why a symmetry is gauged. Both remain additional physical input.

7 Worked example: black-hole information and the island cut [\[ASM\]](#), consistency check

This section is a **scope comparison, not a contribution to black-hole physics**. The framework does **not** derive the island rule, Page curve, or quantum extremal surface (QES) formula. Those results require the gravitational Area/4G term, holography, and semiclassical path-integral methods.¹

Scope issue used in the comparison. A black hole forms from a pure state and evaporates. Hawking’s calculation makes the radiation’s entanglement entropy rise monotonically, so the final radiation looks highly mixed — apparently destroying information, violating unitarity. In the framework’s vocabulary this warns against **treating a cut-relative local mixedness as a cut-independent global fact**. The comparison with the problem of time is an analogy about scope, not a derivation or an assertion that global purity eliminates all temporal relations.

Island calculation. The island / Page-curve resolution: the radiation’s fine-grained entropy rises, peaks at the Page time, and falls back — the Page curve — because after the Page time a region *inside* the horizon (the island) enters the *entanglement wedge* of the radiation. The radiation entropy is computed by the dominant generalized-entropy saddle, extremized/minimized over candidate islands:

$$S(R) = \min_I \text{ext}_I \left[\frac{\text{Area}(\partial I)}{4G_N} + S_{\text{bulk}}(R \cup I) \right].$$

The Page-time transition is a **change in which saddle dominates**. The comparison uses three features:

- **Global purity and local mixedness (Prop. 2.1).** Radiation entropy is a subsystem quantity. The dominant QES/island saddle gives the fine-grained entropy used in the Page curve, consistent with global unitarity in the cited models.
- **Cut-relativity with a chosen cut (Claim 11.1).** The physics does not merely permit cut-relative entropy; it *computes the answer by extremizing over candidate islands / QES saddles*. Which saddle dominates changes over time.
- **Declared entropy prescription.** As in the gauge case (§6), the subsystem and entropy prescription must be stated before interpreting the result.

Limit of the comparison. [\[GAP\]](#) The island is a *geometrically disconnected* interior region that nonetheless belongs to the radiation’s wedge. The framework can call this “a non-obvious cut,” but it has no machinery for *why* the correct cut includes a spatially separated interior — that comes from the Area/4G gravitational term, which the framework does not generate (Route 4). It cannot derive the QES formula, the value of the Bekenstein–Hawking entropy, or the interior-reconstruction / firewall structure; those are holography and the gravitational path integral, consumed not explained.

¹Standard references for the machinery cited here: Hawking (radiation, information loss); Page (the Page curve); Ryu–Takayanagi (holographic entanglement entropy, hep-th/0603001); Engelhardt–Wall / QES; Penington (entanglement-wedge reconstruction, 1905.08255); Almheiri–Engelhardt–Marolf–Maxfield and Almheiri–Mahajan–Maldacena–Zhao (island rule, 1905.08762 and follow-ups). The framework uses these results; it does not reproduce or derive them.

Remark (scope of the analogy). [ASM] The problem-of-time discussion and the island calculation both require care about which subsystem, observable, and procedure define a quantity. This is a limited structural analogy. It is not a common derivation, a proof that the two problems have the same cause, or a prediction of the island result. Questions about interior reconstruction, state dependence, microscopic interpretation, and firewall-related issues remain outside this framework.

8 A candidate entropic ordering and spacetime [CONJ] / [GAP]

This section explores one **interpretation inside the quantum realization**; it is not a consequence of the operational core and does not replace established spacetime modelling. A four-manifold and its coordinates are representational and dynamical structures. Writing a coordinate t , allowing negative coordinate values, or changing charts does not by itself grant an apparatus the ability to reverse a physical history. Conversely, rejecting a universal entropic clock does not reject relational or relativistic temporal observables.

The “3”: space as a symmetry of the whole. [EST] / [GAP]-dimension Space enters through momentum (Route 1): the conserved charge of translation symmetry. Spatial *dimensionality* is the rank of the commuting translation subgroup —

$$\dim_{\text{space}} = \text{rank}(\text{translation generators of the symmetry group}).$$

This is a property of the symmetry group, which by Route 4 is **background, not cut-derived**. The “3” is therefore *located* (it is the translation-rank) but not *derived*: it is an input, inherited from the symmetry structure the whole possesses.

The “1”: an entropic ordering candidate for a part. [CONJ] In the proposal of §2, τ_A^{ent} is a monotone reparametrization of $S(\rho_A)$ on a stated domain. It is not identified with every meaning of time. A globally pure state has constant global von Neumann entropy, but this does not make the state stationary or eliminate internal clock relations. Hence the following is a conditional interpretive proposal:

Proposition 8.1 (space and time are of different type). [ASM] Within this candidate representation, spatial labels are inherited from an assumed translation structure while τ_A^{ent} is a cut-relative ordering constructed from a subsystem entropy. They are introduced by different assumptions. This distinction neither proves that physical space and time have different ontological types nor explains the Lorentzian signature.

An indexed-family representation, not an ontological replacement. One may organize spatial configurations as a family indexed by the candidate entropic order:

$$\mathcal{S}_A = \{ \Sigma(\tau_A^{\text{ent}}) \}_{\tau_A^{\text{ent}}},$$

where each Σ is a configuration over the assumed spatial structure. This representation is useful only when the entropy is monotone enough in the declared domain. Its limitations are explicit:

- A manifold coordinate is not a physical trajectory-control. Coordinate reversal and reversal of a history are different claims.
- Monotonicity of τ_A^{ent} is assumed or empirically checked over a domain; choosing a monotone index does not explain the origin of irreversibility.

- The construction supplies no universal duration scale, clock-calibration law, or guarantee that another cut has the same order.

It is therefore a candidate bookkeeping device for a restricted realization, not a derivation of spacetime ontology.

Recovering dimension-like time: emergent local kinematics. [CONJ] Observed relativistic physics mixes spatial and temporal coordinates under boosts and uses calibrated clocks and proper time. Relating τ_A^{ent} to those quantities requires additional physics. The proposed split is:

- **Kinematic level.** [CONJ] A realization would need to construct calibrated local clock readings and show that they join spatial coordinates in the appropriate Lorentz transformations. No such result follows merely by reparametrizing S_A .
- **Thermodynamic level.** [GAP] A macroscopic arrow requires boundary conditions, environment, and coarse-graining. Coordinate covariance neither supplies nor removes that arrow.

Proposition 8.2 (3+1 as emergent kinematics). [ASM]/[CONJ] If a physical realization supplies calibrated clocks, a Lorentzian transformation law, and an empirically adequate mapping from those clock readings to τ_A^{ent} on a stated domain, then the indexed family can serve as a cut-relative representation of that local kinematics. This spec has not derived that mapping and does not infer it from entropy alone.

Remark (the open joint). [CONJ]/[GAP] Proposition 8.2 is conditional on a missing bridge between an entropic ordering variable, physical clock readings, proper time, and Lorentzian kinematics. The next section (§9) studies one model-dependent obstruction and a tested mechanism; it does not turn this bridge into a result of the operational core.

9 Requirements for emergent Lorentz invariance [EST] / [CONJ]

The “3+1” construction (§8) requires Lorentzian effective kinematics. This section lists the required components and states which are assumed, established in restricted models, or still missing. It does not derive Lorentz invariance.

The five components. Lorentz invariance bundles five distinct claims:

- C1 An invariant finite speed c exists.**
- C2 Relativity principle:** no frame is privileged.
- C3 Boost mixing:** space and time transform into one another under changes of velocity.
- C4 Invariant interval** with Lorentzian $(-, +, +, +)$ signature.
- C5 Causal structure:** timelike / spacelike / null.

What the framework already supplies.

- **A relation to C2 is not established.** [CONJ] “No privileged cut” (Claim 11.1) is an under-determination claim; the relativity principle is a physical covariance claim about inertial frames and laws. They are not the same theorem, and relating them requires additional argument.
- **C5 is natural.** [ASM] Causal structure is the pattern of which cuts can exchange information: $\hat{H}_{AB} \neq 0$ supplies the dynamical channel through which correlations can generically propagate. Actual influence depends on the state, observables, and controllable interventions — a nonzero

interaction may still fail to transmit a given signal (commuting observables, symmetry or state restrictions). Causal order is the *reach* of the interaction term, not a strict iff.

- **C1 has a candidate.** [EST] A finite maximum rate of correlation propagation exists in any system with local interactions: the **Lieb–Robinson bound**. This is a proven theorem, and it supplies an emergent, finite, *pre-geometric* speed scale — the fastest one region can come to be correlated with another. This is *not* the same object as the observed relativistic conversion constant of §5 (Route 4); it is a model-dependent effective speed. Whether the two coincide (i.e. whether the emergent correlation speed *is* the observed c) is part of what the isotropy problem below must settle. Its numerical value is in any case a unit convention.
- **C3, C4 follow only with extra assumptions.** [CONJ] Given an invariant finite speed (C1) and the relativity principle (C2), boost-mixing and the invariant interval follow *only* with homogeneity, isotropy, linearity, and suitable group structure. Since isotropy is precisely the open obstruction below, this step cannot be leaned on as established; it is downgraded to conditional.

Anisotropy limitation. [GAP] The Lieb–Robinson speed is generally **anisotropic and frame-dependent** on a structured interaction pattern. A finite propagation bound therefore does not by itself produce Lorentz invariance. The effective propagation law would also need the required isotropy, boost covariance, and interval structure in the stated domain.

Ruler-cancellation proposal (Route C). [ASM]/[CONJ] The proposal assumes that an observer’s rulers and clocks are built from the interaction structure being measured. Cancellation requires a strong universality condition: rods, clocks, signals, and comparison procedures must inherit the same effective directional scaling. Endogenous instruments alone do not guarantee this condition; birefringence, dispersion, mode splitting, or orientation-dependent decay can expose anisotropy. Under the stated universality condition:

1. To measure a speed in direction d , an observer A needs a rod and a clock, both physical systems built from A ’s own couplings.
2. *If* rod, clock, and the measured process all share one effective dispersion, their common directional dependence enters every measurement in the same way.
3. The shared directional factor then cancels in the dimensionless ratio that constitutes a speed measurement, so A measures the same speed in every direction.
4. Hence anisotropy is unregistrable — *provided* the co-dispersion is universal. If different sectors retain different anisotropies, the preferred structure becomes observable and the cancellation fails.

Proposition 9.1 (postulate about inaccessible anisotropy). [POST] The ontology may classify a difference as a physical fact only when some modeled access class can register it (§4). Under that postulate, exact universal co-dispersion would make a preferred frame operationally absent. This is not a physics theorem and is not established here. Exactness would require every dimensionless Lorentz-violating observable to cancel for every relevant endogenous apparatus; the present model does not show that.

Possible relation to renormalization-group scaling. [CONJ] A renormalization-group fixed point may give distinct low-energy observables a common effective dispersion. If the same scaling governs rods, clocks, and signals, the ruler-cancellation condition can hold in that regime.

Proposition 9.2 (conditional relation between Routes B and C). [CONJ] If RG flow produces a common effective dispersion for the measured process and the observer’s standards, then RG suppression of microscopic anisotropy (Route B) can also support ruler cancellation (Route C). The relation is conditional; away from that regime, residual anisotropy may remain observable.

Remark (a testable consequence). [CONJ] RG suppression alone can leave residual Lorentz-violating corrections. Shared scaling in the observer’s standards could suppress some dimensionless measurements further. The numerical experiment below tests this distinction for specific observables.

Remark (status and limitations). [CONJ]/[GAP] (i) The framework does not show that relevant systems generically reach a fixed point or that static and dynamic dispersions coincide exactly. (ii) The observer and apparatus definitions are model assumptions and cannot be chosen only to force cancellation. (iii) An endogenous experiment requires the local sequencing and recordability already assumed by OC-A2–A3. Connecting that order to a thermodynamic arrow requires additional assumptions. Exact cancellation and its relation to macroscopic arrows remain conjectural.

Numerical test. [EST]-in-model / [CONJ] The ruler-cancellation claim was tested in a simulation of 2D anisotropic tight-binding free fermions ($J_x \neq J_y$) with exact correlation-matrix dynamics. The model-level control measures the Lieb–Robinson cone in bare lattice units. The endogenous observer uses impurity bound-state widths as rods and a cavity beat period as a clock, both built from the same couplings. The detection battery was first checked to detect anisotropy in model-level data and remain null on an isotropic substrate. The preregistered rules gave the following results.

- **Naive claim falsified.** An endogenous observer timing its *fastest* signal (the Lieb–Robinson front) against its own rods measures a direction-dependent speed that plateaus at a non-cancelled value in the large-rod / near-fixed-point regime. “No dimensionless internal experiment detects anisotropy” is **false**. The battery detects the substrate axis.
- **Observed continuum scaling law.** Ballistic front speeds scale as J_d (band-edge, UV); binding-length rods scale as $\sqrt{J_d}$. The measured anisotropy therefore approaches a square-root relation rather than cancellation:

$$A_{\text{endo}}(\text{front}) \rightarrow \sqrt{A_{\text{god}}} \quad (\text{measured } 1.4195 \text{ vs } \sqrt{2.0075} = 1.4169).$$

- **Corrected claim supported, but IR-only.** Long-wavelength observables co-disperse with the rods and become isotropic at the fixed point ($A_{\text{endo}}(\text{wp}) \rightarrow 1.0002$ as the bound-state size $\xi \rightarrow 39$; spreading central values move the same way but are tail-limited at the largest rods). This is the co-dispersion mechanism, numerically verified. But it holds for the **IR sector only**: the front (UV) observable never renormalizes.

The test supports cancellation only for the stated infrared observables. An endogenous observer with access to the tested ultraviolet front still detects substrate anisotropy. Whether an interacting fixed point changes the front scaling is outside this experiment and remains open.

10 The observer, minimally defined [ASM]

The ruler-cancellation proposal (§9) requires a physical observer model. The definition below specifies only the subsystem, recording, and endogenous-standard assumptions used in that proposal. It does not model consciousness.

Definition 10.1 (minimal observer). A subsystem A of a cut is an **observer** iff:

- O1 It is one side of a declared cut.** The partition-relative quantities defined earlier can then be assigned. This condition alone is not sufficient.
- O2 It registers.** It has internal degrees of freedom whose states become correlated with B so that relevant differences leave retained traces in A .
- O3 Its rulers are endogenous.** Its clocks and length-standards are built from the same $\hat{H}_{AB}$ -type couplings that govern the propagation it measures. It has no structure-independent ruler.

Consciousness and a world model are not required. O2 supplies retained records; O3 supplies the endogenous standards used in §9.

Remark (the observer is downstream of the arrow). [GAP] O2 presupposes enough local ordering and trace stability for a record relation, already acknowledged in OC-A2–A3. It does not by itself require a universal thermodynamic arrow. Any stronger connection between record maintenance, a low-entropy boundary condition, and emergent Lorentz claims belongs to the specific realization and must be modelled rather than defined into “observer.”

Remark (scope of the observer definition). [ASM] The cancellation proposal concerns physical standards, not cognition. A richer observer model may be needed for other questions, but it is not required for this particular measurement model.

11 What the present realization does not select [GAP]

Everything in §2–§4 presupposes a chosen cut: $\mathcal{H}_A \otimes \mathcal{H}_B$ in §2–§3, K_B in §4. The relevant question is what follows from the declared data $(\mathcal{H}_U, |\Psi\rangle, \hat{H}_U)$ alone. Operational indistinguishability does not by itself prove that no physical cut-selection principle can exist; the following claim is restricted to this input class and remains [ASM]/[CONJ], not a general no-go theorem.

Claim 11.1 (Selection from the present inputs). [ASM]/[CONJ] No **basis-independent, unitary-equivariant, physically natural** selection rule has been supplied here that takes only the declared global Hilbert space, state, and Hamiltonian as input and outputs a preferred non-trivial factorization. Tensor factorizations are additional data relative to this formulation: for composite finite dimension, $\mathcal{H}_U$ admits many; for prime dimension no non-trivial factorization of this kind exists, and the infinite-dimensional case differs. A richer physical theory may add locality, an observable algebra, interaction structure, or other principles. Whether such structure genuinely selects a cut is a separate claim with separate assumptions, not ruled out by operational equivalence alone.

Support (not full proof). This is closely related to known results:

- The tensor-product structure is additional data, not fixed by $\mathcal{H}_U$ (factorization ambiguity / basis-dependence of entanglement).
- Candidate rules based on preferred observables, locality, interaction form, or an observer use structure beyond the present tuple. Such structure may be physically justified, but must be declared rather than counted as an output of the tuple alone.

Corollary 11.1 (formal counterpart of the regress). [ASM] Within the present input set, an actual selection refers to further structure (preferred observables, an observer, or a locality assignment) not furnished by the tuple itself. Calling that structure “exogenous” identifies a missing input in this realization; it does not prove an infinite regress for every possible physical theory.

Remark (requirement on added selection structure). A realization that selects a cut through added locality or observable structure must declare and test that addition. This may be legitimate physical explanation rather than mere “smuggling”; the point of Claim 11.1 is narrower: the present tuple does not supply such a rule, so the chosen factorization cannot be advertised as an output of this model.

12 Two unresolved inputs [GAP] $\times 2$

The current construction names two unresolved inputs, historically called “the two turtles.” This is bookkeeping for this realization, not a proof that every possible theory has exactly two foundational assumptions.

Arrow conditions. [GAP] $S_A(t)$ is not generically monotone under unitary evolution (the direction remark in §2). The present interpretation proposes a low-entropy boundary condition on $|\Psi\rangle$ (the past hypothesis), plus a relevant coarse-graining and environmental account. A low global entropy condition alone does not guarantee monotonic reduced entropy for every cut. This input is

- **not derivable** from $(\mathcal{H}_U, \hat{H}_U)$ alone [EST] (open problem);
- a constraint on the *state*, entering as an initial condition;
- part of the additional structure needed for the directionality claims made in this realization.

Formally: the arrow is an **external boundary condition** — $\langle \Psi_0 | \hat{S}_{\text{coarse}} | \Psi_0 \rangle$ low for a chosen coarse-graining — not a theorem.

Cut selection. [GAP] By Claim 11.1, the present input tuple does not select the cut. This is

- **not a state constraint** but a *selection*, made from a vantage;
- not supplied by the arrow condition — fixing the initial state’s entropy does not fix the factorization.

Proposition 12.1 (distinct roles in the current bookkeeping). [ASM] As represented here, the arrow input includes a boundary/preparation condition, while the cut input supplies a factorization. Neither datum, as presently defined, contains a rule returning the other. They are therefore tracked as separate unresolved inputs in this construction. This bookkeeping claim does not establish logical independence across every richer theory that may relate state, dynamics, locality, and factorization.

This rejects collapsing the two questions without an explicit bridge; it does not prove that all possible theories must bottom out in exactly two assumptions.

13 A conditional route to intersubjectivity [CONJ] / [GAP]

Because the present realization does not select cuts, it does not guarantee that observers with distinct cuts $(A|B)$ and $(A'|B')$ register compatible records. This section gives a conditional mechanism based on redundant records. It does not solve intersubjectivity or reduce its assumptions to the two unresolved inputs above.

The reduction.

1. **Redundancy can support shareability.** [EST] (quantum Darwinism, Zurek). In the relevant decoherence models, many observers can retrieve compatible information from distinct environment fragments when records are redundantly proliferated. This is a sufficient mechanism in that setting, not a universal iff-definition of intersubjectivity.
2. **Redundant proliferation requires a realization.** [CONJ] A particular decoherence model may connect environmental preparation, record proliferation, and an arrow. The connection requires declared boundary conditions, correlations, coarse-graining, and readout resources; it is not an identity between entropy, records, and time.

Proposition 13.1 (conditional shareability mechanism). [ASM]/[CONJ] *Given pointer-aligned access, an appropriate environment, and redundant, stable records, distinct observers may retrieve mutually consistent facts from different fragments. Quantum Darwinism motivates this route, but the required observer population, access map, and stability conditions are additional assumptions. Intersubjectivity remains open beyond that conditional domain.*

Residual dependencies. [GAP] Proposition 13.1 assumes pointer-aligned operational access. Quantum Darwinism can identify observables whose records proliferate in a specified interaction model; it does not by itself select an observer’s factorization, apparatus, or access class. The agreement mechanism is therefore conditional on additional cut/access alignment and cannot yet be used to reduce intersubjectivity to the arrow.

Observer concentration is an open model. One may hypothesize that an observer ensemble generated by the same dynamics concentrates near record-compatible cuts, but neither the ensemble nor a measure over its cuts is defined here. The claim that off-pointer observers are rare is therefore not established.

Remark (a possible Boltzmann-type ansatz). [CONJ] A weighting such as $\exp(-\mathcal{C}_{\text{dec}}/\lambda)$ is only an ansatz until the factorization/access space, measure, decoherence cost $\mathcal{C}_{\text{dec}}$, scale λ , and observer-population ensemble are specified. Its local or global shape cannot be inferred from the slogan alone. This revision retains the proposal as future work and makes no concentration theorem.

Corollary 13.1 (conditional distribution proposal). [ASM] If a well-defined observer ensemble, measure on cuts, and decoherence cost are supplied, the boundary/preparation conditions and interaction model may jointly shape a distribution over record-bearing observers. Those ingredients are not defined here, so this does not establish that intersubjectivity introduces no additional foundational assumptions.

Remark (remaining open questions). [CONJ]/[GAP] Two links above are physically motivated but not proved here: (i) the conditions under which redundancy tracks a macroscopic arrow, and (ii) whether any observer concentration has the proposed Boltzmann form. Making the second rigorous requires a measure on the relevant factorization/access space, a defined observer ensemble, and a derivation of the weighting. Intersubjectivity therefore remains a named open problem; the present sketch does not reduce it to the other two gaps.

14 What this spec is and is not

Is [ASM]:

- a proposed operational core plus a quantum realization assembling partial trace (§2), Noether (§3), Shannon quantities and Fields’ GHP (§3–§4), and an observer-registration condition (§4);
- an explicit scope ledger: the present input tuple does not supply a cut selector; arrow and cut assumptions are tracked separately here; and the suggested route to intersubjectivity remains conditional.

Is not:

- a derivation of the arrow (the required boundary and preparation conditions are additional inputs, §12);
- a selection of the cut (Claim 11.1 says this realization does not supply one, without ruling out every richer physical principle);
- a *closed* solution to intersubjectivity (§13 offers only a conditional mechanism with named assumptions);
- new mathematics: every [EST]/[FIELDS] piece is prior work; the contribution is arrangement plus the explicit gap-statements.

The proposed organizing claims, if developed: (i) the current realization tracks arrow conditions and cut selection as distinct inputs unless a richer theory supplies a bridge; (ii) redundant-record dynamics may explain a restricted form of intersubjective agreement once an access map, environment, observer ensemble, and measure are specified. These are research proposals with explicit failure conditions, not established facts about every possible theory.

15 Immediate next steps (if pursued)

1. **Scope the no-selection claim.** Compare Claim 11.1 with the literature and state the input class covered by each result. Do not extend the claim beyond those assumptions.
2. **Specify bridges** among state, dynamics, locality, and factorization. Do this before claiming logical independence or that selection is impossible.
3. **Make §13 testable.** Define the access maps, observer ensemble, measure on the relevant cut space, decoherence cost, and record-stability criteria. Only then test whether the proposed concentration and shareability claims hold.