```sql
-- 1
SELECT last_name, manager_id, job_id, salary
FROM (
   SELECT last_name, manager_id, job_id, salary
   FROM employees
   ORDER BY salary DESC
)
WHERE ROWNUM <= 4;

-- 2
SELECT CONCAT(
        CONCAT(INITCAP(first_name), ' '),
        INITCAP(last_name)
      ) AS “Full Name”
FROM employees;

-- 3
SELECT last_name,
      salary,
      INSTR(last_name, 'r') AS position_r
FROM employees
WHERE INSTR(last_name, 'r') >= 5;

-- 4
SELECT last_name,
      SUBSTR(last_name, -2) AS last_2_chars
FROM employees
WHERE SUBSTR(last_name, -2) IN ('as', 'ng', 'ey', 'ns');

-- 5
SELECT last_name,
      salary,
      LPAD(salary, 10, '$') AS “LPAD_SALARY”,
      RPAD(salary, 5, '*')  AS “RPAD_SALARY”
FROM employees;

-- 6
SELECT employee_id, last_name, salary, job_id
FROM (
   SELECT employee_id, last_name, salary, job_id
   FROM employees
   WHERE MOD(employee_id, 2) = 1
   ORDER BY salary DESC
)
WHERE ROWNUM <= 5;

-- 7
SELECT last_name,
      TO_CHAR(hire_date, 'dy dd-month-year') AS hire_date
FROM employees;

-- 8
SELECT last_name,
      hire_date,
      hire_date + 14 + 5 AS new_date
FROM employees;

-- 9
SELECT last_name,
      hire_date,
      hire_date + (20/1440) AS new_time
FROM employees;

-- 10
SELECT sysdate,
      ADD_MONTHS(sysdate, 2)  AS plus_2_months,
      ADD_MONTHS(sysdate, 24) AS plus_2_years
FROM dual;
```