

USER STORY SUITE — NOVAID

National Identity and Civil Registration System

Component Name	NovaID (NICRS) — National Identity and Civil Registration System
BRD/User Story Document Number	NID-US-001
General Description	Details the user stories for NovaID's four foundational journeys: account provisioning, activation and login for every user type (from the initial NICRA National Administrator bootstrap through staff, institutional and citizen access), birth registration via a OneHealth-connected facility, naturalized citizen registration, and identity correction / material change. Written from the NovaID PRD (Working Draft 0.6) for developers, QA testers and product managers.
Target Audience	Developers QA Testers Product Managers

REVIEW AND APPROVAL

Created By:	Gio (Product Manager, NovaID)
--------------------	-------------------------------

NOTE — DATE AND TIMESTAMP DISPLAY CONVENTION

- Date of birth is always displayed as YYYY-MM-DD (ISO 8601), on every screen and in every story in this suite, with no exceptions.
- All system-generated dates — registration date, notification date, approval date, audit-log timestamps, and similar — display as MM/DD/YYYY for the date portion. Time displays in 12-hour (hh:mm:ss AM/PM) or 24-hour (HH:mm:ss) format per user or device preference, but is always stored in 24-hour canonical form.
- These are two different, deliberate formats for two different kinds of date — a citizen's date of birth versus a system event date — not an inconsistency. Any screen showing both together (for example, a registration form or a profile dashboard) must keep the distinction visible, e.g. by labelling the field clearly, so it never reads as a formatting bug.
- Source: Novaria_Platform_Reference.xlsx, System Conventions sheet.

SECTION 1 | Account Provisioning, Activation, and Login

S/ N	Actor	User Story		Details
1	NICRA IT / System Deployment	Bootstrap the Initial National Administrator Account <i>As the NICRA IT team</i>	Preconditions	• The NovaID environment has been deployed and is not yet in production use, or is in a controlled cutover window. • NICRA IT holds the authority to run the one-time bootstrap process (e.g. a secure deployment script or sealed

S/ N	Actor	User Story		Details
		<i>responsible for deploying NovaID, I want to create the very first National Administrator account through a secure, one-time setup process, so that there is a trusted root account able to provision every other user without relying on the normal sign-up flow.</i>		setup ceremony), separate from the ordinary product UI.
			Process Flow	1. NICRA IT runs the one-time bootstrap process outside the standard NovaID login screen. 2. The process creates exactly one National Administrator account with Nationwide access scope (Section 6). 3. NICRA IT sets the account's initial credentials and enrolls its multi-factor authentication factor. 4. The bootstrap process is disabled or locked immediately after the first National Administrator account is created.
			Postconditions	• Exactly one active National Administrator account exists. • The bootstrap mechanism cannot be invoked again without a separate, explicitly authorised break-glass procedure.
			Acceptance Criteria	• No public or in-product sign-up form can create a National Administrator account. • The bootstrap event, including who ran it and when, is recorded in the audit log (Section 11). • A second attempt to run the bootstrap process after the first Administrator exists is blocked.
			Error Path	• Bootstrap re-run attempted - "A National Administrator account already exists. Contact NICRA to add additional administrators." Blocked and logged as a security event. • Bootstrap interrupted before MFA enrolment completes - account remains inactive until MFA enrolment is completed; cannot sign in without it.
2	NICRA Administrator (National or Regional)	Provision a Staff Account <i>As a NICRA National or Regional Administrator, I want to create and assign a</i>	Preconditions	• The provisioning administrator is authenticated and holds an appropriate scope: Nationwide for a National Administrator, or their own region for a Regional Administrator. • The new staff member's role, centre/region/queue assignment, and identity have been confirmed

S/ N	Actor	User Story		Details
		<i>staff account with a defined role and scope, so that Registration Officers, Verification Officers, Senior Approvers, Duplicate Review Officers, Birth Notification Officers, Registration Centre Administrators, and Regional Administrators only gain access once someone above them has approved it.</i>		through NICRA's own employment or verification process, outside NovaID.
			Process Flow	1. Administrator opens "Add Staff Account." 2. Selects the role — Registration Officer, Verification Officer, Senior Approver, Duplicate Review Officer, Birth Notification Officer, Registration Centre Administrator, or Regional Administrator — and the corresponding centre, region, or queue assignment. 3. Enters the staff member's name and work contact details. 4. Submits the request, which sends an activation invite to the staff member.
			Postconditions	• A Pending Activation account exists, scoped to the assigned role and centre/region/queue, but cannot yet sign in. • The provisioning action is recorded in the audit log, including who created the account and with what scope.
			Acceptance Criteria	• A Regional Administrator can only assign roles and scopes within their own region; a National Administrator can assign any role or scope. • An account cannot be created with a role broader than the provisioning administrator's own scope (Section 6, Access Scope). • The account is unusable until the invited staff member completes activation (Story 3).
			Error Path	• Regional Administrator attempts to assign a Nationwide-scope role - "You are not authorised to assign this scope." Blocked. • A duplicate account for the same staff member already exists - "An account already exists for this person." Creation blocked; the existing account is surfaced instead.
3	Invited Staff Member	Activate Account and Enrol Multi-Factor Authentication	Preconditions	• An administrator has provisioned a Pending Activation account for this staff member (Story 2). • The staff member has received the

S/ N	Actor	User Story		Details
		<i>As a newly provisioned NICRA staff member, I want to activate my account and enrol my second authentication factor, so that I can securely sign in and begin working within my assigned role and scope.</i>		activation invite through an approved channel.
			Process Flow	1. Staff member opens the activation link or invite. 2. Confirms their identity against the details the administrator entered. 3. Sets their account password, meeting NovalD's password policy. 4. Enrols a second authentication factor — multi-factor authentication is required for privileged users (Section 10). 5. Account status changes from Pending Activation to Active.
			Postconditions	• The staff member can now sign in via the standard NICRA back-office login (Story 5). • The activation event is recorded in the audit log.
			Acceptance Criteria	• Activation cannot complete without a successfully enrolled second factor. • An expired, unused invite cannot be used to activate the account. • The account's role and scope exactly match what the administrator assigned in Story 2 — the staff member cannot change these themselves.
			Error Path	• Invite expired - "This activation link has expired. Contact your administrator for a new invite." • Identity confirmation fails - activation blocked; flagged to the provisioning administrator for review. • MFA enrolment abandoned mid-process - account remains Pending Activation; the staff member can resume later using the same invite until it expires.
4	NICRA (Institutional Access Management)	Register and Onboard a Connected Institution	Preconditions	• The institution has completed NICRA's business-purpose approval, data-protection review, and security assessment (Section 7.18).
		<i>As NICRA, I want to register a connected institution and issue it</i>	Process Flow	1. NICRA registers the institution and records its approved business purpose(s). 2. Defines the identity attributes the

S/N	Actor	User Story		Details
		<i>scoped integration credentials, so that OneHealth, Immigration, Police Services, Social Services, and other approved institutions can only access NovaID within an approved business purpose.</i>		institution may access, and sets transaction and search limits. 3. Issues integration credentials with a defined expiry date. 4. Configures at least one initial Government Verification User (or, for Immigration, an Immigration Officer) account scoped to that institution, following the same provisioning pattern as Story 2.
			Postconditions	- The institution is Active with defined scope, limits, and credential expiry. - At least one institutional user account exists in Pending Activation status, ready to complete activation (Story 3-equivalent).
			Acceptance Criteria	- An institution cannot be onboarded without completing all required approvals: business purpose, data protection, and security. - Credentials issued always carry an expiry date — indefinite credentials are not permitted. - Institution activity becomes subject to periodic access certification from the moment onboarding completes (Section 7.18).
			Error Path	- Required approval missing – onboarding blocked; NICRA prompted to complete the outstanding review before credentials can be issued. - Institution submits a business purpose broader than what was approved – onboarding rejected; institution asked to resubmit within the approved purpose.
5	Citizen	Activate Self-Service Access Using an Existing NSN or NRN <i>As a citizen or resident with an existing NSN or NRN, I want to activate self-service access to my own identity record, so that I can use Log in with</i>	Preconditions	An identity record and NSN (or NRN) already exist, issued via birth registration, naturalized citizen registration, or resident registration. This flow never creates a new identity (Section 3.1: One Person, One Identity).
			Process Flow	1. Citizen opens “Activate My NovaID Account” and enters their NSN or NRN. 2. Provides additional verification: date of birth plus a one-time code sent to the phone number or email address already

S/ N	Actor	User Story		Details
		<i>NovaID and the citizen portal without anyone creating a new identity on my behalf.</i>		on file, or, where no contact details are on file, completes in-person activation at an approved Registration Centre. 3. Sets their account password and enrolls an authentication method (Section 7.10: password/OTP, NovaID PIN, authenticator app, device-based, or on-device biometric). 4. Account activation completes.
			Postconditions	• The citizen can now sign in via Log in with NovaID (Story 6) and access their self-service dashboard. • The activation event is recorded in the audit log.
			Acceptance Criteria	• Activation always requires proof of ownership of an existing NSN/NRN — no path in this flow creates a new identity record. • Where contact details on file are outdated or unavailable, in-person activation at a centre is always offered as a fallback, so a citizen is never permanently locked out of self-service. • Multiple failed verification attempts trigger a temporary lock and a security log entry, not unlimited retries.
			Error Path	• NSN/NRN not found or does not match the verification details – “We could not verify your identity. Please visit an approved Registration Centre to activate your account.” • OTP delivery fails because contact details are outdated – citizen redirected to in-person activation. • Repeated failed attempts – “Too many attempts. Try again later or visit a Registration Centre.” Temporary lock applied and logged.
6	Citizen	Log In with NovaID <i>As a citizen, I want to authenticate using “Log in with NovaID,” so that I can securely access my identity information and NovaID-connected</i>	Preconditions	• Citizen holds an active NSN (or NRN) and has completed NovaID enrolment. • The requesting government platform is an approved, connected service.
			Process Flow	1. Citizen selects “Log in with NovaID” on an approved government platform. 2. The platform redirects the citizen to NovaID.

S/ N	Actor	User Story		Details
		<i>government services without creating a separate identity for each one.</i>		- NovaID displays the name of the requesting service and the information it is requesting. - Citizen authenticates using an approved method: password and one-time password, NovaID PIN, an approved authenticator application, device-based authentication, or biometric authentication performed on the citizen's device. - NovaID confirms the requesting service is authorised. - NovaID returns an authentication result and only the approved identity attributes to the requesting service. - The authentication event is recorded in the audit log. - Citizen is returned to the requesting service, signed in.
			Postconditions	- Citizen is authenticated on the requesting service without a separate credential. - Only the approved identity attributes are shared; the citizen's NovaID password, PIN, or biometric data are never sent to the connected service.
			Acceptance Criteria	- The requesting service and the exact information it is requesting are displayed before authentication proceeds. - No unapproved service can trigger a Log in with NovaID request. - Every login attempt, successful or failed, is captured in the audit log (Section 11).
			Error Path	- Requesting service not authorised – “This service is not approved to use Log in with NovaID.” Authentication blocked. - Authentication method fails, e.g. wrong PIN/OTP or biometric mismatch – “Authentication failed — please try again,” with lockout after repeated failures. - NovaID unavailable – “Service temporarily unavailable — please try again later.” Citizen is not returned to the requesting service.
7	Citizen	View Profile and Self-Service	Preconditions	Citizen has successfully authenticated via Log in with

S/N	Actor	User Story		Details
		Dashboard <i>As a citizen, I want to land on my personal profile after logging in, so that I can view my identity information, NSN, and the status of any requests I've submitted.</i>		NovaID or the citizen self-service portal (Story 1).
			Process Flow	1. Citizen is directed to their self-service dashboard. 2. Dashboard displays permitted identity information, the NSN, and the virtual identity card. 3. Citizen can view registration and correction request status, submit minor update requests, submit correction requests with evidence, report suspected identity misuse, and view selected access history where permitted (Section 7.16).
			Postconditions	• Citizen views their own data only; no other citizen's record is ever visible.
			Acceptance Criteria	• Material identity fields are visible but not directly editable (Section 7.16). • The access-history view is limited to what NICRA has approved for citizen visibility. • Every profile view is logged (Section 11: "Records viewed"). • The citizen's date of birth displays as YYYY-MM-DD; notification and request-history timestamps display as MM/DD/YYYY — the two formats are never mixed on the same field (see Display Conventions note).
			Error Path	• Session expires mid-view - citizen prompted to re-authenticate; any unsaved in-progress request is preserved as a draft where possible.
8	NICRA Staff (Registration Officer, Verification Officer, Senior Approver, Duplicate Review Officer, NICRA Administrator)	Log In to the NICRA Back-Office Console <i>As a NICRA staff member, I want to log in to the NICRA console with multi-factor authentication, so that only verified, authorised staff can access citizen identity data.</i>	Preconditions	• Staff member holds an active NovaID staff account, assigned to a specific role, centre, region, or queue (Section 6).
			Process Flow	1. Staff member enters credentials (username and password). 2. System prompts for a second authentication factor — multi-factor authentication is required for all privileged users (Section 10). 3. System validates the account is active, not suspended, and matches the assigned role and scope. 4. Staff member is signed in.

S/ N	Actor	User Story		Details
			Postconditions	- Session established, scoped to the staff member's assigned role, centre, region, or queue (Section 6, Access Scope). - The login event is recorded in the audit log.
			Acceptance Criteria	- Login is blocked without a valid second factor — no exceptions for any role. - A suspended user is denied login immediately, even with valid credentials (Section 6.1). - Session and role scope match exactly what is defined for that officer's role in Section 6.
			Error Path	- Invalid credentials - "Login failed — check your username and password." - MFA challenge fails - login blocked; repeated failures escalate to a security alert. - Account suspended - "This account has been suspended. Contact your administrator." Login denied and logged.
9	Registration Officer / Registration Centre Administrator	View Profile and Registration Centre Queue <i>As a Registration Officer, I want to land on my centre's operational queue after logging in, so that I can immediately see the registrations and exceptions assigned to me.</i>	Preconditions	Officer authenticated (Story 3), assigned to a specific Registration Centre.
			Process Flow	- Officer is directed to the Registration Centre Dashboard. - Dashboard displays applications created by the centre, pending reviews, applications returned for more information, approved and rejected applications, average processing time, officer activity, and unresolved exceptions (Section 12.3).
			Postconditions	Officer sees only their assigned centre's data — no visibility into other centres.
			Acceptance Criteria	- Metrics match the Registration Centre Dashboard definition in Section 12.3, each with a stated data source and update frequency (Section 12.4). - A Registration Centre Administrator sees centre-wide activity; a Registration Officer's queue is

S/ N	Actor	User Story		Details
				scoped to their own submissions and assignments.
			Error Path	Centre has been suspended or deactivated – “Your centre is currently inactive.” Officer redirected to a read-only historical view (Section 7.17).
10	Verification Officer / Senior Approver / Duplicate Review Officer	View Profile and Assigned Review Queue <i>As a Verification Officer, Senior Approver, or Duplicate Review Officer, I want to land on my assigned review queue after logging in, so that I can immediately see the applications, material changes, or duplicate cases waiting on my decision.</i>	Preconditions	Officer authenticated (Story 3), assigned to a specific queue or region matching their role (Section 6).
			Process Flow	- Officer is directed to their role-specific queue: standard applications for a Verification Officer, escalated/high-risk/material-change decisions for a Senior Approver, or flagged duplicate matches for a Duplicate Review Officer. - Queue displays pending items, priority and age, and the evidence attached to each.
			Postconditions	Officer sees only items within their assigned queue or region scope — never another officer's personal queue or an unrelated region.
			Acceptance Criteria	- A Verification Officer never sees applications they submitted themselves (Section 6.1 conflict-of-interest rule). - Queue composition matches the officer's defined Access Scope in Section 6 exactly.
			Error Path	Officer's queue assignment changes mid-session, e.g. reassigned to a different region – active queue refreshes to the new scope on next load; in-progress reviews are not lost.
11	NICRA National Administrator / NICRA Regional Administrator	View Profile and National or Regional Dashboard <i>As a NICRA National or Regional Administrator, I want to land on the appropriate operational dashboard after logging in, so</i>	Preconditions	Administrator authenticated (Story 3), assigned Nationwide (National Administrator) or to a specific region (Regional Administrator).
			Process Flow	A National Administrator is directed to the National Dashboard (Section 12.1): total registered citizens, NSNs issued, birth/naturalized/death registrations, pending and rejected applications, late birth registrations, potential duplicates, correction requests, active centres and

S/N	Actor	User Story		Details
		<i>that I can monitor registration activity across my scope of authority.</i>		institutions, system availability, and security/compliance alerts. 2. A Regional Administrator is directed to the same operational categories, filtered to their assigned region (Section 12.2).
			Postconditions	Dashboard reflects the administrator's exact scope of authority — national or regional, never broader than assigned.
			Acceptance Criteria	- A Regional Administrator can never view another region's detail beyond what national roll-ups permit. - Each metric states its data source, calculation method, reporting period, and whether it includes personally identifiable information (Section 12.4).
			Error Path	Underlying data source unavailable – dashboard shows a stale-data warning rather than silently displaying outdated or partial figures.
12	Immigration Officer / Government Verification User	Authenticate via Institutional Credentials and Access the Verification Console <i>As an Immigration Officer or another approved institution's Government Verification User, I want to authenticate with my institution's NovaID-issued credentials, so that I can submit naturalization references or verify a citizen's identity within my approved purpose.</i>	Preconditions	- The institution is registered and approved by NICRA (Section 7.18), with defined accessible identity attributes, transaction/search limits, and active integration credentials. - The user holds a valid account scoped to their approved Immigration unit or institution.
			Process Flow	- User authenticates with institutional credentials issued and managed by NICRA. - NovaID validates the credential has not expired or been revoked. - User is directed to a scoped console: Immigration Officers see naturalization-reference submission and tracking; other Government Verification Users see an identity-verification request form. - Every verification or reference action requires the user to state or select an approved purpose before proceeding (Section 6.1).
			Postconditions	Session scoped exactly to the institution's approved business purpose and accessible attributes (Section 7.18).

S/ N	Actor	User Story		Details
			Acceptance Criteria	• No institution can access identity attributes beyond what NICRA has explicitly approved for it. • Credential expiry and revocation are enforced immediately — an expired or revoked credential cannot authenticate. • Institution activity is monitored, and periodic access certification is required to retain access (Section 7.18).
			Error Path	• Credential expired or revoked - “This integration credential is no longer valid — contact NICRA.” Authentication denied. • Verification purpose not provided - “Select an approved purpose before continuing.” Request blocked (Section 6.1).

SECTION 2 | Birth Registration via a OneHealth-Connected Facility

S/N	Actor	User Story		Details
1	OneHealth (System)	Submit Birth Notification to NovaID <i>As OneHealth, I want to submit a birth notification to NovaID at the point of care, so that the birth event is captured centrally and a reference is created for civil registration to follow.</i>	Precondition s	- OneHealth–NovaID birth-notification integration is active and reachable. - The submitting health facility and officer are authorised in NovaID. - The birth event has been recorded in OneHealth.
			Process Flow	- OneHealth captures the required birth fields: child's first name (where known), surname or proposed surname, date and time of birth, place of birth, sex recorded at birth, birth type and order, mother's/father's name and NSN where available, guardian information, attending healthcare professional, health facility, and supporting birth record reference. - OneHealth submits the notification to NovaID via the birth-notification API. - NovaID validates that all required fields are present. - NovaID checks that the health facility and submitting officer are authorised. - NovaID checks for a possible earlier notification of the same birth. - NovaID generates a unique birth-notification reference. - NovaID returns the notification status to OneHealth.
			Postconditio ns	- A birth-notification reference exists in NovaID, linked to the OneHealth record. - Notification status is Received, or the notification sits in the exception queue. - No NSN is generated at this stage.
			Acceptance Criteria	- A notification with all required fields present is accepted and returned a unique reference. - Facility/officer authorisation is checked on every submission, not only the first. - Incomplete or conflicting notifications are routed to an exception queue, never silently dropped.

S/ N	Actor	User Story		Details
				A birth notification alone never triggers NSN generation.
			Error Path	- Missing mandatory fields – “Notification incomplete — missing fields: [list].” Submission rejected; OneHealth prompted to resubmit. - Facility or officer not authorised – “Facility or officer not authorised to submit notifications.” - Possible earlier notification detected – “Possible duplicate notification — routed for review.” Notification placed in the exception queue rather than auto-accepted. - NovaID unreachable – “Unable to reach NovaID — notification queued for retry” (Section 14: Failed connected-system verification).
2	Parent / Guardian	Initiate Civil Registration at a Registration Centre <i>As a parent or guardian, I want to bring my child's birth notification to an approved Registration Centre, so that the birth can be formally registered and my child issued an NSN.</i>	Precondition s	- A birth-notification reference exists (Story 1), or the birth occurred outside a connected facility and the parent/guardian is registering in person. - The Registration Centre is approved and open for civil registration services.
			Process Flow	- Parent or guardian visits an approved Registration Centre within the 60-day statutory period. - Provides the birth-notification reference, if available, or reports the birth directly. - Provides identity and contact details and supporting evidence for civil registration. - Registration Officer retrieves the matching birth notification, or opens a new registration if none exists.
			Postconditio ns	- A registration application is opened, either linked to a notification reference or created fresh. - Application status is Draft or In Progress.
			Acceptance Criteria	- A valid notification reference is correctly retrieved and pre-fills known birth details. - Registration can proceed even where no notification reference exists. - The 60-day statutory window is checked and displayed to the officer.

S/N	Actor	User Story		Details
			Error Path	- Notification reference not found – officer prompted to search by child/parent details or begin a fresh registration. - Centre not approved for civil registration – “This centre is not authorised to process birth registrations.”
3	Registration Officer	Capture and Submit the Registration Application <i>As a Registration Officer, I want to confirm the family's details, capture supporting information, and submit the application for validation, so that the birth can proceed through duplicate and identity checks.</i>	Preconditions	- A registration application (linked or fresh) is open (Story 2). - Officer is authenticated and assigned to the centre.
			Process Flow	- Confirm parent or guardian information. - Capture required residential and contact information. - Review supporting evidence. - Capture a child photograph where required by policy. - Submit the application for validation.
			Postconditions	- Application status changes to Submitted. - Application is queued for NovaID's duplicate and consistency checks (Story 4).
			Acceptance Criteria	- Application cannot be submitted with required fields missing. - Registration source and all supporting evidence are preserved against the application. - The submitting officer is recorded and cannot later approve their own application (Section 6.1). - The child's date of birth displays as YYYY-MM-DD; the application's own system dates (submission date, review timestamps) display as MM/DD/YYYY — the two are never mixed on the same screen (see Display Conventions note).
			Error Path	- Required evidence missing – submission blocked; officer prompted for the missing item. - Officer attempts to approve their own application at a later stage – blocked; reassigned to another Verification Officer.
4	System (NovaID)	Run Duplicate and Consistency Checks	Preconditions	Application status is Submitted (Story 3).

S/ N	Actor	User Story		Details
		<i>As NovaID, I want to check every submitted application against existing identity records and flag inconsistencies, so that duplicate or conflicting identities are caught before an NSN is generated.</i>	Process Flow	1. Check for possible duplicate births or identities using name, date/place of birth, parent information, contact information, and biometric matching where available. 2. Validate parent or guardian NSNs where provided. 3. Flag conflicting names, dates, or parent information. 4. Route standard, consistent applications to a Verification Officer. 5. Route high-risk, late, or flagged applications for additional (Senior Approver) review.
			Postconditions	• Application is routed to either the standard Verification Officer queue or the escalated review queue. • Any potential duplicate match is placed in the Duplicate Review queue and NSN issuance is paused.
			Acceptance Criteria	• Every application is screened before reaching a human reviewer — none bypass this check. • A match above the medium-confidence threshold pauses NSN issuance and routes to a Duplicate Review Officer, not to auto-approval or auto-rejection. • Conflicting parent information is routed for enhanced review, never silently accepted.
			Error Path	• Conflicting parent information - “Route the application for enhanced review” (Section 14). • Potential duplicate detected - “Pause NSN issuance and send the application for review” (Section 14).
5	Verification Officer	Review the Registration Application	Preconditions	• Application has cleared duplicate/consistency checks and is in the standard review queue (Story 4).
		<i>As a Verification Officer, I want to review a standard registration application and its evidence, so that only accurate, consistent applications proceed to</i>	Process Flow	1. Open the application and review captured information against supporting evidence. 2. Request clarification or additional evidence where needed. 3. Approve the application, or return it to the Registration Officer / reject with reason.

S/N	Actor	User Story		Details
		approval.	Postconditions	- Application status changes to Approved, Returned, or Rejected. - Decision, reviewing officer, and timestamp are recorded.
			Acceptance Criteria	- A Verification Officer cannot approve an application they created (Section 6.1). - Every decision (approve/return/reject) is logged with a reason. - Approved applications proceed automatically to NSN generation (Story 7); no manual handoff step is needed.
			Error Path	- Evidence insufficient – application returned to the Registration Officer with the specific gap noted. - Officer attempts self-approval – blocked by the permission rule; reassigned to another Verification Officer.
6	Senior Approver	Approve an Escalated, Late, or High-Risk Registration <i>As a Senior Approver, I want to independently review registrations flagged as late, high-risk, or otherwise escalated, so that only appropriately scrutinised applications result in an identity record.</i>	Preconditions	Application was routed for additional review by NovaID (Story 4) — e.g. submitted more than 60 days after birth, or flagged high-risk.
			Process Flow	- Review the application, the Verification Officer's notes, and all supporting evidence (for late registration: e.g. a school enrolment record, a religious or baptismal record, or a sworn affidavit of age). - Request further evidence where necessary. - Approve or reject the application.
			Postconditions	- Application status changes to Approved or Rejected at the senior level. - The applicant may appeal a rejection.
			Acceptance Criteria	- Every late registration is routed through this step — none bypass senior approval regardless of queue volume. - Rejections include a stated reason and a documented appeal path. - Decision, reviewer, and evidence reviewed are all recorded in the audit log.

S/ N	Actor	User Story		Details
			Error Path	- Insufficient evidence for a late registration – returned with the specific evidence requested, not rejected outright. - Applicant disputes rejection – “Create a formal review or appeal case” (Section 14).
7	System (NovaID)	Generate the NSN and Create the Identity Record <i>As NovaID, I want to generate a unique NSN and create the citizen's identity record only after final approval, so that every issued NSN corresponds to a verified, approved registration.</i>	Preconditions	Application has received final approval (Story 5 or Story 6).
			Process Flow	- Generate a 12-digit NSN using the secure random-number process. - Apply the Luhn (mod-10) check digit. - Check the complete number against all existing NSNs; regenerate on collision. - Create the identity record, preserving registration source and evidence. - Record the date, time, and system event responsible for generation.
			Postconditions	- Identity record exists with status Active and a unique NSN (format XXXX-XXXX-XXXX). - The NSN generation event is recorded in the audit log.
			Acceptance Criteria	- No NSN is generated before final approval, under any path. - No two citizens ever hold the same NSN. - The NSN does not encode date of birth, sex, state, registration centre, citizenship type, or registration date. - Users cannot manually enter or select an NSN.
			Error Path	- Generated number collides with an existing NSN – discarded and regenerated automatically, without officer involvement. - Approval received but registration source data is incomplete – identity-record creation blocked, flagged to NICRA operations for investigation.
8	OneHealth (System)	Receive Birth Registration Confirmation <i>As OneHealth, I want to receive confirmation once a notified birth</i>	Preconditions	Identity record and NSN created (Story 7), linked to the originating OneHealth birth notification.
			Process Flow	- NovaID sends a registration-confirmed callback to OneHealth, referencing the original notification reference. - OneHealth updates the patient record's

S/ N	Actor	User Story		Details
		<i>has been formally registered, so that the patient record can be updated with the confirmed registration status.</i>		registration status.
			Postconditions	- OneHealth's record reflects "Birth Registered" status. - Per the OneHealth integration approach, the NSN is not bulk-migrated into OneHealth's own patient identifier field — it becomes available for future verification calls.
			Acceptance Criteria	- Confirmation is delivered and logged on both sides. - Failure to deliver the callback does not reverse or invalidate the completed registration (Section 14: Failed notification).
			Error Path	Callback delivery fails - retried per configured rules and placed in an operational failure queue; the underlying registration remains valid and unaffected.
9	Parent / Guardian	Receive Confirmation and View the Child's NovaID Record <i>As a parent or guardian, I want to be notified when registration is complete and be able to view my child's NSN and identity summary, so that I have confirmation and a reference for future use.</i>	Preconditions	Identity record and NSN created (Story 7).
			Process Flow	- NovaID sends a notification (in-platform, email, SMS, or an approved government channel) confirming registration and NSN issuance. - Parent/guardian, or the citizen later via self-service, can view the identity summary and NSN.
			Postconditions	- Notification delivered and logged. - NSN viewable via approved citizen self-service channels going forward.
			Acceptance Criteria	- The notification does not include unsecured sensitive personal information (Section 7.19). - The NSN and identity summary are viewable only by the authenticated citizen/guardian, not exposed elsewhere.
			Error Path	Notification channel fails - retried automatically; placed in the operational failure queue; does not block or reverse the registration.
10	NICRA National Administra	Monitor Birth Registration Volumes and Exceptions	Preconditions	Birth registrations are being processed through NovaID.
			Process Flow	Administrator opens the National

S/ N	Actor	User Story		Details
	tor	<i>As a NICRA National Administrator, I want to see birth registration volumes, pending applications, and exceptions on a national dashboard, so that I can track coverage and intervene where processing is stalled.</i>		Dashboard. - Reviews birth registrations, pending applications, late registrations, and potential duplicates for the reporting period. - Drills into flagged exceptions or centres with unusual volumes.
			Postconditions	Dashboard metrics reflect near-real-time registration activity.
			Acceptance Criteria	- Metrics match Section 4 Year-One targets, e.g. 85% of new births registered within the statutory period. - Each metric states its data source, calculation method, and update frequency (Section 12.4).
			Error Path	Dashboard data source unavailable – a stale-data warning is displayed rather than silently showing outdated figures.

SECTION 3 | Naturalized Citizen Registration

S/N	Actor	User Story		Details
1	Immigration Officer	Submit the Naturalization Approval Reference <i>As an Immigration Officer, I want to submit a confirmed naturalization approval reference to NovaID, so that the approved individual can begin identity enrolment.</i>	Preconditions	- Immigration has approved the individual's citizenship application. - The Immigration Officer is authorised in NovaID for their approved Immigration unit.
			Process Flow	- Immigration Officer submits the approval reference, the individual's details, and the citizenship basis to NovaID. - NovaID records the reference as Pending Enrolment.
			Postconditions	A naturalization approval reference exists in NovaID, awaiting identity enrolment.
			Acceptance Criteria	- Only Immigration Officers from an approved unit can submit a reference. - NovaID does not decide citizenship eligibility — it only records and later validates the reference.
			Error Path	Submitting officer/unit not authorised - "Not authorised to submit naturalization references."
2	Citizen (naturalized applicant)	Complete Identity Enrolment <i>As a newly naturalized citizen, I want to complete identity enrolment with NovaID, so that a formal identity record and NSN can be created for me.</i>	Preconditions	A naturalization approval reference exists (Story 1).
			Process Flow	- Citizen attends an approved enrolment channel and provides the approval reference. - Officer captures legal name, previous names, date and place of birth, previous nationality where required, and contact and residential information. - Officer captures photograph and approved biometrics: facial template; fingerprints where they can be reliably captured. - Application submitted for validation.
			Postconditions	Enrolment application status is Submitted.
			Acceptance Criteria	Where fingerprints cannot be captured (disability, injury, age, or another valid reason), the exception

S/ N	Actor	User Story		Details
				is recorded, not treated as a blocking failure. - All mandatory fields are enforced before submission. - Date of birth displays as YYYY-MM-DD; the enrolment application's own system dates display as MM/DD/YYYY — the two are never mixed on the same screen (see Display Conventions note).
			Error Path	- Fingerprints cannot be captured – exception recorded; application routed for enhanced review with alternative verification methods (Section 7.8). - Mandatory field missing – submission blocked, field identified.
3	System (NovaID)	Validate the Naturalization Approval <i>As NovaID, I want to validate the naturalization approval reference before proceeding, so that only genuinely approved individuals can be enrolled.</i>	Preconditions	Enrolment application submitted (Story 2).
			Process Flow	- Validate the naturalization approval reference against Immigration's record. - Confirm the approval is active and has not been withdrawn. - Retain the Immigration reference without exposing restricted immigration records to NovaID users.
			Postconditions	Application proceeds to duplicate checks if the reference is valid; paused if not.
			Acceptance Criteria	- An application never proceeds past this step on an unconfirmed or withdrawn approval. - NovaID stores only the reference, not the underlying immigration case file.
			Error Path	- Reference cannot be verified – “Pause the application and request confirmation from Immigration” (Section 14). - Reference has been withdrawn – application rejected; Immigration and applicant notified.
4	System (NovaID)	Run Demographic and Biometric Duplicate Checks	Preconditions	Naturalization approval validated (Story 3).
			Process Flow	Check name, date/place of birth, contact information, and biometrics against

S/N	Actor	User Story		Details
		<i>As NovaID, I want to check the enrolment application against existing identity records, so that a naturalized citizen is never issued a second, duplicate identity.</i>		existing NSN and NRN records (in case the individual previously held resident status). - Route clean applications to a Verification Officer. - Route possible matches to a Duplicate Review Officer.
			Postconditions	Application routed to the standard review queue or the duplicate review queue.
			Acceptance Criteria	- Where the applicant previously held an NRN (Novaria Resident Number) as a lawful resident, the match is surfaced so the NRN can be retired and linked once the NSN is issued (Section 7.20), not treated as an unrelated duplicate. - No automatic merge or rejection occurs on biometric score alone.
			Error Path	Possible duplicate or prior-NRN match found – routed to a Duplicate Review Officer; NSN issuance paused.
5	Verification Officer	Review the Naturalization Application	Preconditions	Application cleared duplicate checks and is in the standard queue (Story 4).
		<i>As a Verification Officer, I want to review a naturalization enrolment application against Immigration's reference and supporting evidence, so that only complete, consistent applications are approved.</i>	Process Flow	- Review captured identity information against evidence and the Immigration reference. - Approve, return, or reject.
			Postconditions	Application status updated; decision and reviewer recorded.
			Acceptance Criteria	- The reviewer cannot be the same officer who captured the enrolment. - Approved applications proceed directly to NSN generation (Story 8).
			Error Path	Information inconsistent with the Immigration reference – returned for correction or escalated.
6	Duplicate Review Officer	Investigate a Possible Match Against an Existing Record	Preconditions	Application routed to duplicate review (Story 4).
		<i>As a Duplicate Review</i>	Process Flow	- Compare the flagged records side by side, including demographic and biometric match factors. - Request additional evidence where

S/N	Actor	User Story		Details
		<i>Officer, I want to investigate a naturalization application flagged as a possible match, so that separate identities are not merged incorrectly and genuine duplicates or prior NRNs are resolved correctly.</i>		necessary. 3. Recommend: separate identities, link to an existing NRN (retire and convert), merge, or suspected fraud. 4. Send the recommendation to a Senior Approver.
			Postconditions	Recommendation recorded; both original records preserved regardless of outcome.
			Acceptance Criteria	- No merge or fraud classification is finalised without independent Senior Approver sign-off. - The affected individual can dispute an incorrect match.
			Error Path	Evidence insufficient to resolve the match - case held open; additional evidence requested.
7	Senior Approver	Approve the Duplicate Resolution or Naturalization Registration <i>As a Senior Approver, I want to independently approve the Duplicate Review Officer's recommendation, so that identity merges, links, or fraud classifications are never made on a single officer's judgment alone.</i>	Preconditions	Duplicate Review Officer recommendation submitted (Story 6).
			Process Flow	- Review the recommendation and underlying evidence independently. - Approve, request further investigation, or override with a documented reason.
			Postconditions	Decision recorded; application proceeds (merge/link/separate) or is rejected as fraud.
			Acceptance Criteria	Decision, reviewer, and full evidence trail are preserved in the audit log regardless of outcome.
			Error Path	Senior Approver disagrees with the recommendation - returned to the Duplicate Review Officer with reason, not silently overridden without a logged rationale.
8	System (NovaID)	Generate NSN and Create the Naturalized Citizen's Identity Record <i>As NovaID, I want to generate an NSN and create the identity record once the naturalization</i>	Preconditions	Application approved (Story 5), or duplicate resolution approved (Story 7).
			Process Flow	- Generate a unique NSN (same generation and check-digit process as Section 1, Story 7). - Create the identity record, linking the Immigration approval reference. - Where a prior NRN existed, retire it and link the prior identity record (Section

S/N	Actor	User Story		Details
		<i>application is fully approved, so that the naturalized citizen has the same identity foundation as a citizen registered at birth.</i>		7.20) — not delete it.
			Postconditions	Identity record is Active with a unique NSN; a prior NRN, if any, is retired and linked, not deleted.
			Acceptance Criteria	- NSN generation only occurs after full approval, with no exceptions. - A retired NRN remains traceable in the audit history.
			Error Path	NSN collision - regenerated automatically.
9	Citizen (naturalized)	Receive Confirmation and NSN <i>As a newly naturalized citizen, I want to be notified when my registration is complete and receive my NSN, so that I can begin using it to access government services.</i>	Preconditions	Identity record and NSN created (Story 8).
			Process Flow	- NovaID sends a confirmation notification. - Citizen can view the NSN and identity summary via self-service.
			Postconditions	Notification delivered and logged.
			Acceptance Criteria	NSN and summary are accessible only to the authenticated citizen.
			Error Path	Notification delivery fails - retried; does not affect the validity of the issued NSN.

SECTION 4 | Identity Correction and Material Change

S/N	Actor	User Story		Details
1	Citizen	Submit a Minor Update via Self-Service <i>As a citizen, I want to update my phone number, email address, or residential address through self-service, so that my contact details stay current without needing an office visit.</i>	Preconditions	Citizen is authenticated via Log in with NovaID or the citizen self-service portal.
			Process Flow	- Citizen opens “Update My Details.” - Selects the field to update (phone, email, or residential address) and enters the new value. - Completes standard authentication/validation, e.g. an OTP confirmation. - Submits the update.
			Postconditions	- The field is updated immediately; no officer review is required. - The update is logged with previous and new value.
			Acceptance Criteria	- Only minor-update fields (phone, email, address) are directly editable by the citizen; material fields are never exposed for direct edit (Section 7.16). - The previous value is preserved in history even for minor updates.
			Error Path	- Standard authentication fails – update blocked; citizen prompted to re-authenticate. - Invalid format, e.g. a malformed phone number – inline validation error; update not submitted.
2	Citizen / Registration or Verification Officer	Submit a Material Change Request with Evidence <i>As a citizen (or an authorised officer acting on a citizen's behalf), I want to submit a request to correct a material identity field with supporting evidence, so that legitimate corrections can be made without letting</i>	Preconditions	- Citizen or officer is authenticated. - The field being changed is material: legal name, date of birth, place of birth, parentage, citizenship information, sex recorded in the identity record, deceased status, or record linking/merging.
			Process Flow	- Select the field to correct and provide the new value. - Provide evidence appropriate to the change — e.g. a court order, marriage certificate, or government gazette notice for a legal-name change; medical or school records plus a sworn affidavit for a date-of-birth correction.

S/ N	Actor	User Story		Details
		<i>anyone silently alter core identity data.</i>		3. Submit the request.
			Postconditions	- Request status is Submitted, classified as Material. - The previous value remains active and unchanged pending review.
			Acceptance Criteria	- The system correctly classifies the request as material; it is never processed as a minor update. - A request cannot be submitted without the evidence type appropriate to that specific field. - Where the correction is to date of birth itself, both the existing (incorrect) value and the proposed new value display as YYYY-MM-DD — never reformatted to match the surrounding system-date style (see Display Conventions note).
			Error Path	Evidence type doesn't match the change requested – submission blocked, with guidance on the required evidence.
3	System (NovaID)	Classify the Request as Minor or Material <i>As NovaID, I want to automatically classify every update or correction request as minor or material, so that each request follows the correct level of review before it can change the active record.</i>	Preconditions	A request has been submitted (Story 1 or Story 2).
			Process Flow	- Evaluate the field(s) being changed against the minor/material classification. - Route minor updates for immediate processing (Story 1); route material changes to the Verification Officer queue.
			Postconditions	The request is correctly tagged and routed.
			Acceptance Criteria	Classification is deterministic and based on the field list defined in Section 7.13 — never left to reviewer judgment.
			Error Path	Request touches both a minor and a material field – the entire request is treated as material and routed for full review.
4	Verification Officer	Review a Material Change Request <i>As a Verification Officer, I want to</i>	Preconditions	Request classified as Material (Story 3).
			Process Flow	- Review the requested change against the submitted evidence. - Request clarification or additional

S/ N	Actor	User Story		Details
		<i>review a material change request and its evidence, so that only well-supported corrections proceed to senior approval.</i>		evidence where needed. - Recommend approval or rejection, with reason. - Send the recommendation to a Senior Approver.
			Postconditions	Recommendation recorded; the request is still pending final decision.
			Acceptance Criteria	- A Verification Officer cannot independently approve a material change (Section 6.1) — only recommend. - Every recommendation includes a documented reason.
			Error Path	Evidence insufficient – request returned to the citizen/officer for more information, not rejected outright.
5	Senior Approver	Approve or Reject a Material Change <i>As a Senior Approver, I want to independently approve or reject a material identity change, so that no single officer can alter a citizen's core identity data unilaterally.</i>	Preconditions	Verification Officer recommendation submitted (Story 4).
			Process Flow	- Independently review the request, evidence, and the Verification Officer's recommendation. - Approve, reject, or return for more information.
			Postconditions	Final decision recorded, with reviewing officer, approving officer, and reason.
			Acceptance Criteria	- The approver is always a different individual from the Verification Officer who reviewed it. - Rejections include a reason and a citizen appeal path.
			Error Path	Approver rejects the request – citizen notified with reason; may dispute per Section 14 (“Citizen disputes an identity decision”).
6	System (NovaID)	Apply the Approved Change and Preserve History <i>As NovaID, I want to apply an approved change to the active</i>	Preconditions	Material change approved (Story 5), or minor update submitted (Story 1).
			Process Flow	- Update the active identity record with the new value. - Preserve the previous value, reason for change, and initiating/approving officers in record history.

S/ N	Actor	User Story		Details
		<i>identity record while preserving the previous value, so that the record's full correction history remains available for audit.</i>		3. Leave the NSN itself unchanged, regardless of what field was corrected.
			Postconditions	The active record reflects the new value; the full history is retained and viewable to authorised roles.
			Acceptance Criteria	- The NSN never changes as a result of a correction, including a legal-name or date-of-birth correction. - Every previous value remains retrievable in the audit trail.
			Error Path	Update conflicts with a change made concurrently by another process – routed to the exception queue for manual reconciliation rather than silently overwritten.
7	Citizen	Receive Correction Outcome Notification <i>As a citizen, I want to be notified of the outcome of my correction request, so that I know whether my identity record has been updated.</i>	Preconditions	Correction request has reached a final decision (Story 5) or been applied (Story 6).
			Process Flow	- NovaID sends a notification of the outcome: approved, rejected, or applied. - Citizen can view the updated record and correction history via self-service.
			Postconditions	Notification delivered and logged.
			Acceptance Criteria	Sensitive details of the change are not included in unsecured notification channels (Section 7.19).
			Error Path	Notification fails to deliver – retried per configured rules; does not affect the validity of the already-applied change.
8	System (NovaID)	Propagate the Approved Update to Connected Systems <i>As NovaID, I want to send approved identity updates to affected connected systems, so that OneHealth and other services reflect the citizen's current, correct information.</i>	Preconditions	Change applied to the active record (Story 6).
			Process Flow	- Identify connected systems holding a reference to this citizen, e.g. OneHealth via the NSN. - Send the approved update to each affected system. - Log delivery status per system.
			Postconditions	Connected systems' records reflect the update, or the failure is queued for retry.
			Acceptance	Only the approved, changed fields

S/ N	Actor	User Story		Details
			Criteria	are propagated — not the citizen's full record. • A propagation failure does not roll back the already-approved change in NovaID.
			Error Path	• Connected system unreachable - “Display a temporary failure and allow controlled retry” (Section 14); failure logged and retried, underlying NovaID record remains correct.