



**JAWAHAR NEHRU TECHNOLOGICAL UNIVERSITY:  
KAKINADA**

**KAKINADA – 533 003. A P, INDIA.**

***Tender Notice No. JNTUK/DE/2017-18/Furniture & Equipment/2017, dt. 13/10/2017.***

The sealed tenders are invited for the following items.

Furniture, Equipment, Web Cameras, Bio-Metric door lock system, networking etc., as listed for newly constructed “**University Examination Center**” for JNTUK, Kakinada for the year 2017-18 are the tender items. The last date and time for tenders schedule are as given below.

Bid calling date	13-10-2017
Bid closing date/time	25-10-2017 at 02:00 PM
Bid opening date/time	25-10-2017 at 03:00 PM
Bid Document Fee (for each item)	Rs. 2000/-
JNTUK Contact person	Director of Evaluation
JNTUK Reference No.	0884 - 2300911

Sd/-  
**Registrar**

JAWAHARLAL NEHRU TECHNOLOGICAL UNIVERSITY: KAKINADA  
KAKINADA – 533 003. - A P – INDIA.

**TENDER NOTICE**

Tender Notice No. JNTUK/DE/2017-18/Furniture/Networking & Equipment & Transportation /2017, dt. 13/10/2017.

Sealed Tenders are invited for procurement of Furniture & Equipment, Web Cameras, Bio-Metric door lock system, networking etc., as listed for newly constructed University Examination Center, JNTUK.

The Tender application forms can be obtained from the office of the Registrar,  
JNTUK, Kakinada for details visit [www.jntuk.edu.in](http://www.jntuk.edu.in).

Last date of receipt of Tenders is 25-10-2017, at 02:00 PM

Size: 8 X 3

***Sd / REGISTRAR***

# **INVITATION OF TENDER FOR Item No. 1**

**For Procurement of Furniture as listed for  
University Examination Centre, JNTUK, Kakinada**

**Tender Notice No. JNTUK/DE/2017-18/Furniture/Networking & Equipment &  
Transportation /2017, dt. 13/10/2017.**



**JAWAHARLAL NEHRU TECHNOLOGICAL UNIVERSITY KAKINADA**

***(Established by Andhra Pradesh Act No. 30 of 2008)***

***Kakinada – 533 003. Andhra Pradesh, India.***

**Ref: JNTUK/DE/2017-18/Furniture/Networking/ Equipment, Transportation/2017.**

**INVITATION OF TENDER AND INSTRUCTIONS TO TENDERERS**

Jawaharlal Nehru Technological University, Kakinada invites tenders for supply of Furniture & Equipment, Web Cameras, Bio-Metric door lock system, networking etc., as listed for the newly constructed University Examination Center, JNTUK, Kakinada for the year 2017-18.

The tender scheduled fee for each item is Rs. 2,000/- (Rupees Two thousand only) which is not refundable and in the form of crossed Demand Draft on any Nationalized bank drawn in favour of Registrar, JNTUK, Kakinada.

The Tenderer should go through the specifications of the ***“Tender Specifications”*** carefully and strictly abide by the same.

A Company incorporated under the Indian Companies Act – 1996 (Certificate of incorporation to be furnished) with 5 years of existence with infrastructure and facilities for manufacturing and supply of Furniture & Equipment, Black & White Laser Printer, Color Laser Printer, Web cameras, Bio-Metric door lock system, networking etc., as listed.

**SCOPE OF THE WORK**

1. Collection of data purchase orders from the Director of Evaluation for variable purchase of Furniture and Equipment.
2. List of machinery with document proof of procurement.
3. Should have supplied Furniture and equipment to various Universities and Government organizations and Boards in an academic year for the last 3 years.
4. Certified by Auditor that a turnover of Rs. 6 crores is achieved in 3 financial years in similar orders.

**PRE-QUALIFICATIONS CRITERIA**

Keeping in view the sensitiveness and complexity of the work involved the following are prescribed as pre qualifications criteria for Tenderers interested in participating in the Tender specified.

The tendering company incorporated under the Indian companies Act (Certificate of incorporation to be furnished) with 5 years of existence with infrastructure and facilities engaged in manufacturing & supply satisfying the following criteria alone can apply.

1. The firm should have average annual turnover of Rs. 2 crores in the last 3 years (certificate from the company's CA to be furnished). And the firm should furnish the history of the company associated with undertaken supply of similar works of Educational Boards/Universities/Government organizations etc.
2. The firm / company should be ISO certified (valid certification to this effect is to be furnished).

3. The firm / company should have highly sophisticated machinery with all facilities along with online variable data facility only.
4. The Branch office of the firm should be situated with the State of Andhra Pradesh only.
5. The packing, transport and installation of Furniture & Equipment, Web cameras, Bio-Metric door lock system, networking etc., shall be done by supplier/ bidder.
6. The Furniture & Equipment, Web cameras, Bio-Metric door lock system, Networking etc., as listed should be packed firmly and transport them to the premises of the University.
7. The tenderer should furnish the following documents along with the tender form, failing which their tender is liable to be rejected.
  - a. Name and full detailed postal address of the firm with phone numbers.
  - b. Certificate of Registration of the firm
  - c. Latest Income tax certificate along with the PAN number.
  - d. VAT registration photo copy and latest VAT clearance certificate.
  - e. Experience of certificate of similar work form Government /Universities /Boards in the state.
  - f. Details of the relevant critical equipment available with the tenderer to execute the works viz, machinery wise, shift wise capacities, outputs per day, latest improvements made in the machinery (if any), specific advantages with the machinery of the tenderer and all other relevant details, etc.,
  - g. Details of the available skilled personnel with the adequate experience required for execution of the works in this tender.
  - h. Tender schedules technical bid & price bid.
8. The tenderer shall be responsible for the delivery of the material, its successful demonstration, and providing training as required, as per specifications at the destination site.
9. The prices must be quoted in the same format as specified in the Tender Schedule, and should be inclusive of packing, forwarding, insurance, delivery at destination site and all taxes. Price quoted needs to be inclusive of all duties and taxes
10. The firm should not SUB-LET any part/item of work to other firms as the work is sensitive and most confidential in nature. It should undertake all the works on its own. Any Joint Ventures, consortium or MOU among companies are not allowed.
11. The firm should not have been blacklisted or debarred by an Educational Board of University for deficiency in complying the orders entrusted (Declaration to this effect is to be furnished).

12. The tenderer shall undertake the work in a most confidential manner and not to indulge in any kind of malfunction by himself or by his employees for which the tenderer shall be held responsible. In the event of any such incident, the University shall have the power to impound EMD, in addition to taking necessary civil and criminal action as per law.

**13. Earnest Money Deposit (EMD):** A Demand Drafts towards application/ tender fee and EMD for each item as indicated in the item list, shall be drawn in favour of the “**The Registrar, JNTUK, Kakinada**” and the DDs must accompany the tender. The tender without application fee and EMD will be rejected. The EMD will be refunded to all the unsuccessful tenderers only after the purchase orders are placed on the successful tenderer. EMD amount will be refunded as per terms and conditions. Tender fee once paid is neither refundable nor adjustable for other tenders

Item wise Application fee & EMD details

Item No.	Item	Application / Tender Fee	EMD, Rs.
1	Furniture	2000/-	50, 000/-

**Companies may make their representative available on 25-10-2017 at 03:00 PM at the time of opening tenders.**

**Prices:**

**The prices quoted should be inclusive of all taxes.**

**VALIDITY:**

The tender should be valid for acceptance up to period of 3 months.

**DELIVERY:**

The purchase order for manufacturing of Furniture & Equipment, Black & White Laser Printer, Color Laser Printer, Web cameras, Bio-Metric door lock system, Networking etc., as listed shall be supplied as per the enclosed specifications of various furniture and equipment and obtained acknowledgement from the University after due verification by the University.

**FURNITURE/NETWORKING & EQUIPMENT, TRANSPORTATION ETC., AS LISTED.**

The material should be delivered within 30 days from the date of issue of order form to the firm

**TERMS OF PAYMENT:**

- i) 100% of payment shall be made by the JNTUK, Kakinada after receipt of goods in good condition, complete installation / commissioning and satisfactory report by end user.
- ii) Bill of payment shall be as per actual quantities.

### **TERMS AND CONDITIONS OF THE TENDERING FIRMS:**

Printed terms and conditions of the tenderer will not be considered as forming part of their tenders. Invitation to tender is not acceptable to any tenderers. He should clearly specify deviation in his tender. The JNTUK, Kakinada reserves the right to accept or reject them. The JNTUK, Kakinada shall not be bound to give reasons for the refusal to consider the tender with such deviations.

### **INSTRUCTIONS REGARDING FILLING TENDER:**

- iii) If any modifications of the schedule are considered necessary, the tenderers should communicate the same by means of separate letter sent with the tenders.
- iv) The tender is liable to be ignored if complete information is given therein or if the particulars and data (if any) asked for in the schedule to the tender are not fully filled in, the specific attention must be paid to the delivery dates, data processing and also other relevant conditions of the contract to be executed.
- v) The tenderer should submit with the following covers.
  - a. Technical bid**  
(Original Tender document, EMD, forms 7a to 7h, samples & other enclosures)
  - b. Financial bid**  
(Price offered in this sheet only)

Refer Annexure – I : Specification and brochure.

### **DELIVERY OF TENDER:**

The tenderers shall submit their tender documents for each item in separate sealed covers:

The sealed tenders mentioning clearly “**University Examination Centre, JNTUK Campus, KAKINADA.**” on the cover along with the Tender No. JNTUK/DE//2017-18/ Furniture & Equipment/2017 and item No. should be addressed and delivered to **The Registrar, JNTUK, Kakinada – 533 003, (Andhra Pradesh)** and

Superscripted on the right hand side with the Item No. and corresponding item ( Ex. Item No. 1. - Furniture) for JNTUK, Kakinada for the year 2016-17 and should indicate clearly the name and address of the tenderer. In addition, left hand corner of the envelope / container should indicate the tender number, date and time of opening of tender. Right is reserved to ignore any tender which fails to comply with the above instructions. All tenders should be sent by registered post or through messenger handed over to the above named officer or to the person authorized by him to receive the tender on his behalf in this office and acknowledgement obtained. It is responsibility of the tenderer to see that his tender offer is delivered by him within the specified date and time at the above address. All further communications should be addressed to the officer named above and by title only.

***LAST DATE & TIME for receipt of tender:***

The tender must reach the Registrar, JNTUK, Kakinada not later than **25-10-2017 at 2.00 PM**. Tenders submitted after the specified date and time shall not be considered and no intimation will be sent in this regard.

***Companies may depute their representative available on 25-10-2017 at 03:00 PM at the time of opening tenders.***

***Period of which offer will remain open:***

The tender shall remain open for acceptance until 3 months from the last day of the receipt of the tender. If the day up to which the offer is to remain open has been declared to be closed holiday by the University, the offer shall remain open till next working day. The tenders qualified by such vague and indefinite expression such as subject to immediate acceptance subject to prior sale will not be considered.

***Right to Acceptance:***

The University does not bind itself to accept the lowest on any tender and reserves to himself the right of accepting the whole or any part of the tender or portion of the quantity offered and the tenderer shall supply the same at the rate quoted. The University reserves the right to reject any or all offers received in response to tender or cancel, withdraw the tender notice without assigning any reason.

***Results of Tender:***

Acceptance of Tender shall be communicated by letter of acceptance of formal acceptance of the tender to the successful tenderer.

***The University reserves to reject to cancel the tenders without assigning any reason.***

***Warranty declaration:***

We warrant that everything to be supplied by us hereunder shall be brand new, free from all defects and faults in material, workmanship and manufacture and shall be of the highest grade and quality and material of the type ordered, shall be in full conformity with the specification, drawings, of samples, if any. We shall be fully responsible for its quality. This warranty shall survive inspection of equipment and acceptance of the goods, but shall expire (exact in respect of complaints of which the contractor has been notified prior to such date) 12 months after their successful scanning & processing of data, functioning satisfactory and acceptance by the University.

The obligations under the warranty expressed above shall include all costs relating to the quality of the material and transport charge from site to the desired destination.

***Signature of the witness***

***Signature of the Tenderer***



**BID PARTICULARS:**

1. Name of the Bidder :
2. Address of the Bidder :
3. Availability of Scanners spare parts :
4. Bidders proposal number and date :
5. Application/ Tender fee Enclosed : Yes/No If yes
- DD No.\_\_\_\_\_ Bank \_\_\_\_\_ Amount\_\_\_\_\_
6. EMD enclosed : Yes/No If yes
- DD No.\_\_\_\_\_ Bank \_\_\_\_\_ Amount\_\_\_\_\_
7. Samples enclosed : Yes/No  
(As per the specifications mentioned in the tender schedule)
8. Name and address of the office to whom all reference shall be made regarding this tender enquiry.
- Telephone No. :
- Fax No. :
- Mobile No. :
- E-mail :
- Witness Signature :                      Witness Signature :
- Name :                                      Name :
- Designation :                              Designation :
- Address with seal :                              Address with seal :
- Date :                                      Date :

## **TENDERER**

### **EVALUATION OF TENDERS**

1. The tenderer has to meet the pre qualification criteria prescribed in tender schedule and abide by all the terms and conditions stipulated in tender schedule before the rates quoted by them are considered.
2. Any effort by the agency to influence the University in the process of selection may result in the rejection for the tender.
3. In order to prove that the firm has the capacity to undertake the works the tenderer has to furnish all the relevant data, documents, certificates, equipment and man power available documentary evidence of works executed etc., in the prescribed formats along with the EMD, in the sealed cover.
4. All the tenderers have to deposit application / tender fee and EMD as given in list of items of tender schedule. The tender received without required application fee and EMD shall be rejected without further reference. The EMD will be returned the unsuccessful bidder.
5. The University is not bound to accept the lowest quotation and the decision of the University in this regard to the acceptance of quotations is final and conclusive in view of the sensitivity and urgency involved.
6. The University can inspect the infrastructure facilities of all operations involved in the process.
7. The University reserves the right to negotiate with any of the tenderer.
8. The University reserves the right to vary the qualities and / or split the order among the selected bidders.
9. The University reserves the right to accept or reject any or all bids without assigning reasons.

### **The tender is subjected to the following conditions:**

1. The company has to quote basic price. The price should be FOR destination as per the direction of University. Rate should be inclusive of all taxes. Any vague statements and such as “Extra” are not accepted.
2. The payment will be as per the directions of University.
3. The Company invoice should be submitted to the University.

4. The quotation must accompany the experience list of reputed organizations and educational institutions for having supplied similar furniture at least in the last 5 years
5. Performance certificates about the performance of the similar type of works from the heads of at least three reputed organizations should be submitted along with the tender.
6. It is not binding on the University to accept the lowest of the tenders.
7. The University reserves the right to place order for individual items with different tenders. The quantities indicated herein can be modified without any intimation/notice. The University reserves the right to differ the purchase of any item without any intimation/notice.
8. University reserves right to modify the quantity of the Furniture and all or any one or two of the three options (types of furniture) depending upon the requirement.
9. The tenders should be valid for acceptance up to a period of 12 months.
10. The envelope must be superscribed with reference No. for which quotations are being submitted.
11. The tenderer should mention the correct address of the organization located and registration number etc., duly enclosing certificate of registration in support of ownership of the firm for inspection and for other purpose. **The registered office of the firm should be situated within the state of Andhra Pradesh.**
12. **The tenderer must be ready to demonstrate the list of machinery, equipment and other infrastructure requirement along with support documents / invoices to execute the job with them to an expert committee (deputed by the University) at your working site as and when University desires.**
13. The successful tenderer should execute an agreement (in the prescribed format) on a non-judicial bond paper worth of Rs. 100/- (Rupees one hundred only) in duplicate duly signed by the authorized officer/Managing director of firm of execution of agreement within 10 days from the date of finalization of selection.
14. All disputes if any which may arise out of the transaction have to be settled within the jurisdiction; of Courts/High Court of Andhra Pradesh situated at Hyderabad.
15. It should be certified by the tenderer stating that the factory is not black listed by any state Government/Union territory/Government of India or any other organization. The firms which are either black listed or any case is pending for inferior quality supplied will be rejected from participating in the tender.

16. Certificates of experience in this field must be enclosed with samples and works under taken for supply of Furniture in large volumes will be preferred over others.
17. The EMD of the successful bidder will be retained with the University for the warrantee / one year whichever is earlier or bank guarantee.
- i) In the event of non-supply, this deposit shall be forfeited to the extent of items not supplied. Further, if the University has to procure the items/services part of it from any other supplier because of failure to supply in full or part by the successful bidder, the difference in payment may be made be made good from this security deposit, besides, penalty.
  - ii) The University, against EMD, can also make any other adjustments for default on part of seller/service provider.
  - iii) The EMD deposit shall be returned after the supply of all the contracted items/services and their successful installation & execution at all the intended sites. No interest will be payable for the EMD by the University.

***REGISTRAR***

**CERTIFICATE:**

Certified that all the terms and conditions mentioned in the tender documents are perused thoroughly before quoting above indent unit rates.

**Station:**

**Date:**

**Signature of tenderer:**

**Name & Designation :**

**With office seal :**

	Item No-1 Furniture in University Examination Center		
S No	Description of Item	Unit	Rate
1	<p>Supply of Modular L-Shaped Workstation size 1500wx1500x1200ht</p> <p>Supply and fixing of 70mm thick double skinned slide on based modular work stations of specified model NEO, Size of workstation is 1500 x 1500 mm Length (clear inner length) x 600mm Depth (clear inner) x 1200mm Height Core section of workstation shall consist of metallic frames of CRCA steel duly powder coated to 50-60 micron of approved shade and colour as per manufacturer's specifications. All the frames shall be fitted with leveling bolts and fixed with epoxy powder coated aluminum trims confirming to IS – 733 and all other connectors/connections.</p> <p>Table top shall be made out of 25mm thick prelaminated particle board with edge finished and shall be provided with 65mm Dia Grommets of required size for cable entry at specified locations with ABS cover</p> <p>The above the work surface 6mm thick MDF fabric tiles with approved shade, Left Side-Magnetic Board, Right Side Glass Marker board and Below the work surface 6mm thick Pre-Laminate tiles with approved finishes as per ISO-12923</p> <p>The partition has two integrated raceways one at skirting level and another below the tabletop level thus ensuring separation of power and networking cables. The wire management slots in the frames are large enough to manage high volume of data cables (CAT-6) approx-60-70 CAT-6 Cables.</p> <p>The work station shall be provided with one mobile drawer unit of size 450mm (W)x450mm(D) x 640mm (H) consisting of 2 No's sliding Drawers and 1 No. File Drawer made with prelaminated particle board and provided with suitable locks &amp; anodized finish recessed handles</p> <p>ABS key board tray with Mousepad and MS powder coated Mobile CPU trolley as per BIFMA INTERNATIONAL CERTIFICATE AND ISO 9001; ISO 14001;ISO 18001 CERTIFICATES</p>	24 Nos	
2	<p>Supply of Modular Linear Workstation size 1200wx600x1200ht</p> <p>Supply and fixing of 70mm thick double skinned slide on based modular work stations of specified model NEO, Size of workstation is 1200 mm Length (clear inner length) x 600mm Depth (clear inner) x 1200mm Height Core section of workstation shall consist of metallic frames of CRCA steel duly powder coated to 50-60 micron of approved shade and colour as per manufacturer's specifications. All the frames shall be fitted with leveling bolts and fixed with epoxy powder coated aluminum trims confirming to IS – 733 and all other connectors/connections.</p> <p>Table top shall be made out of 25mm thick prelaminated particle board with edge finished and shall be provided with 65mm Dia Grommets of required size for cable entry at specified locations with ABS cover</p> <p>The above the work surface 6mm thick MDF fabric tiles with approved shade, Left Side-Magnetic Board, Right Side Glass Marker board and Below the work surface 6mm thick Pre-Laminate tiles with approved finishes as per ISO-12923</p> <p>The partition has two integrated raceways one at skirting level and another below the tabletop level thus ensuring separation of power and networking cables. The wire management slots in the frames are large enough to manage high volume of data cables (CAT-6) approx-60-70 CAT-6 Cables.</p> <p>The work station shall be provided with one mobile drawer unit of size 450mm (W)x450mm(D) x 640mm (H) consisting of 2 No's sliding Drawers and 1 No. File Drawer made with prelaminated particle board and provided with suitable locks &amp; anodized finish recessed handles</p> <p>ABS key board tray with Mousepad and MS powder coated Mobile CPU trolley as per BIFMA INTERNATIONAL CERTIFICATE AND ISO 9001; ISO 14001;ISO 18001 CERTIFICATES</p>	21 Nos	
3	<p>Supply of VALUATION TABLE size 2400wx1200x1200ht</p> <p>TABEL TOP – 25mm thick Pre laminate Particle board EDGE – All exposed edges with 2mm thick Imported PVC edge banding.SUPPORTS – 25mm thick Pre laminated board with Imported PVC edge banding Gable EndsMODESTY PANEL - 18mm Thk Pre lam Board with 2mm pvc Edge Lipping as per BIFMA INTERNATIONAL CERTIFICATE AND ISO 9001; ISO 14001;ISO 18001 CERTIFICATES</p>	16 Nos	

4	<p>Supply of U-SHAPE 21-PERSON CONFERNCE TABLE : SIZE - 7350 W X 1800D X 750HT mm</p> <p>TABEL TOP – 25mm thick Pre laminate Particle board EDGE – All exposed edges with 2mm thick Imported PVC edge banding. SUPPORTS – Supported on Powder-coated MS legs MODESTY PANEL - 18mm Thk Pre lam Board with 2mm pvc Edge Lipping and Height 600mm WIRE MANAGEMENT -Anodised Finish 11 nos 350 x 150 Flip up box (with soft closure) without sockets &amp; switches are provided, MS Cable Tray &amp; vertical wire entry is considered for wire entry from the floor to the table top as per BIFMA INTERNATIONAL CERTIFICATE AND ISO 9001; ISO 14001;ISO 18001 CERTIFICATES</p>	1 Nos	
5	<p>Supply of Executive Series CABIN TABLE Main Table Size: L 1800 x B 900 x H 750 mm Side Table Size: L1200 x B450 x H690mmht</p> <p>TABLE TOP: Main/Side Table Top is made of 25mm thick Pre-Laminated Particle Board (PLPB) finished with 2mm thick PVC Edge Binding SUPPORTS – 25mm thick Pre laminated board with Imported PVC edge banding Gable Ends MODESTY PANEL - 18mm Thk Pre lam Board with 2mm pvc Edge Lipping Mobile Pedestal Size: L400xB435xH640mm is Made out of 18mm thick Prelaminated Board(PLPB) Board with 2 equal Drawer + 1 Filing Drawer arrangement. Castors are provided for easy mobility of the pedestal. Recessed Aluminium Handles and central locking System. Model No. V-MT 1890 + V-ST1245 + V-2D+1F as per BIFMA INTERNATIONAL CERTIFICATE AND ISO 9001; ISO 14001;ISO 18001 CERTIFICATES</p>	10 Nos	
6	<p>Supply of Sr. Executive Series CABIN TABLE</p> <p>" Executive Main table top made out of 25mm thick Prelaminated particle board with 2 mm thick PVC edge binding for all the exposed edges supported by modesty panel and Gable ends made out of MDF with black powder coated all the exposed edges SIZE 2200 X 1000 X 760 The side return consisting of 2 door+3 Drawer Unit, top made out of 25mm thick Prelaminated particle board with 2mm thick PVC edge binding for all the exposed edges finish for door and front drawer, complete with wooden runner, solid nickle knob and handles. Size: 1360x450x640 ht Mobile Pedestal top made out of 33mm thick Prelaminated particle board with Teak Finish with understructure made out of powdercoated prelaminated wood 2 mm thick PVC edge binding for all the exposed edges. Size: 420x510x560 ht Back Storage Unit consisting of 4 door Unit top made out of 25mm thick Prelaminated particle board with 2mm thick PVC edge binding for all the exposed edges finish for door and front drawer, complete with wooden runner, solid nickle knob and handles. Size: 1810x460x740 ht as per BIFMA INTERNATIONAL CERTIFICATE AND ISO 9001; ISO 14001;ISO 18001 CERTIFICATES</p>	2 Nos	

7	<p>Supply of Director CABIN TABLE</p> <p>Executive Table: Main Table made up of 54mm thick Prelaminated Particle Board(PLB) in Walnut colour with PVC edge binding and Aluminium lining in anodized finish. Overall size: 2000Length x 800Width x 780 height including side unit. Table top size 1800x800x54mm thick supported on 3 Draw Pedestal of size: 780lengthx500widthx650 height on one side Pedestal top and body made of 18mm thick Prelaminated Particle Board with single key locking facility. The Table is provided with 18mm thick PLB keyboard tray front modesty in PLB of 400mm height Side Runner of Size: 1800lengthx500widthx650 height. The side unit is projection of 1000mm from the main table. Side Runner is having 2 open shelves &amp; 2 shelves with 1 Openable shutters. Top shelves made up of 18 mm thick PLB with edge binding in walnut finish</p> <p>CABINET: Top and Body made up of 25mm thick PreLaminated Particle Board Size: 2000 length x 400 Width x 2000 height Back Unit is having 4 No's hinged doors and 3 open shelves in 18 mm thick PLB with PVC edge binding in Walnut finish as per BIFMA INTERNATIONAL CERTIFICATE AND ISO 9001; ISO 14001; ISO 18001 CERTIFICATES</p>	1 Nos	
8	<p>Supply of Sofa Set in Director CABIN</p> <p>Supply of Three Seater Pearl Series Imported Sofa Size 1800w X 72d5 X 700ht made of kiln dried solid hardwood and thick plywood, high density resilient polyurethane foam, German Artificial Leatherite upholstery with high quality polyester fiber and durable rubber webbings for softer feeling seat and back - 1 No</p> <p>Single Seater Pearl Series Imported Sofa Size 800w X 725d X 700ht made of kiln dried solid hardwood and thick plywood, high density resilient polyurethane foam, German Artificial Leatherite upholstery with high quality polyester fiber and durable rubber webbings for softer feeling seat and back-2 NOS as per BIFMA INTERNATIONAL CERTIFICATE AND ISO 9001; ISO 14001; ISO 18001 CERTIFICATES</p>	3 Nos	
9	<p>Supply of Centre Table in Director CABIN</p> <p>Supply of Centre Table of size 1200Wx600Dx420Hmm, Top is 12mm thick Plain Glass, frames &amp; legs with chrome finish, as per BIFMA INTERNATIONAL CERTIFICATE AND ISO 9001; ISO 14001; ISO 18001 CERTIFICATES</p>	3 Nos	
10	<p>Supply of Conference Table in Director CABIN SIZE 2400L X 1200D X 750HT</p> <p>TABEL TOP – Table: Main Table made up of 54mm thick Prelaminated Particle Board(PLB) in Walnut colour with PVC edge binding and Aluminium lining in anodized finish.</p> <p>SUPPORTS – 54mm thick Pre laminated board with Imported PVC edge banding Gable Ends</p> <p>MODESTY PANEL - 18mm Thk Pre lam Board with 2mm pvc Edge Lipping and Height 450mm WIRE MANAGEMENT -Anodised Finish 1 no 450 x 150 Flip up box (with soft closure) without sockets &amp; switches are provided, MS Cable Tray &amp; vertical wire entry is considered for wire entry from the floor to the table top as per BIFMA INTERNATIONAL CERTIFICATE AND ISO 9001; ISO 14001; ISO 18001 CERTIFICATES</p>	1 Nos	
11	<p>Supply of Chair</p> <p>High and Medium Back</p> <p>MATERIAL: Mesh &amp; Fabrics</p> <p>SHELL: Seat -- Plastic Inner Board and outer Shell.</p> <p>FRAME: PP Black.</p> <p>BASE: Chromed Steel Base</p> <p>GASLIFT: Height Adjustment gaslift made by MDI.</p> <p>CASTORS: Twin- Wheel 65mm Nylon Castors.</p> <p>ARMREST: Height Adjustment, forward and Backward &amp; Pivot for PU Pads.</p> <p>MECHANISM: Height Adjustment, angle lock for back, Seat Slide Mechanism.</p> <p>HEADREST: Forward, Backward and Height Adjustment</p> <p>CHAIR SIZE: w710Xd680Xh1170~1060 TO 1260MM. sh: 430~520 MM as per</p>	1 Nos	

	BIFMA INTERNATIONAL CERTIFICATE AND ISO 9001; ISO 14001; ISO 18001 CERTIFICATES		
12	<p>Supply of Chair</p> <p>High aBack chairs.  BASE: Five pronged 26" dia Nylon Base ensures greater stability in complete reclined positions  CASTORS: 60mm PU Castors complying to ANSI/ BIFMA X5.1-2011, tested for 1,00,000 Cycles.  GASLIFT: Height Adjustable Gaslift, made by MDI DIN 4550: 2004-12, Class III, comply ANSI/BIFMA tested for 100000 Cycles.  SEATING STRUCTURE: Seat rest shall be of 12mm moulded ply with PU foam density of 50-55 for better stability and aesthetic purpose.  BACK REST: Mesh Back with Plastic Frame. Lumbar of the back can be adjusted by turning side knob with Aluminium Back which connects Seat and Back.  MECHANISM: Shall be BIFMA complaint mechanism- Kneetilt Multilock Mechanism, it is designed in ergonomic way for long hour seating. It can be locked in one position and can be locked and unlocked by lever.  TENSION CONTROL: Adjustment range is 45- 90 Kgs . Tension control is below the side fixed with Mechanism, Active telescopic, rotating motion.  ARMREST: The arms are made out of Polypropylene Injection moulding component which offers the smooth finishes and scratch resistance and the arm pad in PU finish and it can be adjusted in 3 Way i.e., Height, Width, Adjustment and Right and Left. as per BIFMA international certificate and ISO 9001; ISO 14001; ISO 18001 certificate</p> <p>CHAIR SIZE: 600w X 540d X 1160hmm  MATERIAL: Imported Mesh and Fabric.  SHELL: Seat Plastic inner Board and outer Shell- Back Plastic Frame with Aluminium Frame.</p>	2 Nos	
13	<p>Supply of Chair</p> <p>DESCRIPTION : Chair Size: W600 X D575 X H1060-1160(mm) SH:450~550(mm)  Base – The 700mm five pronged base is made out of GF nylon – 6 with an embedded metal rings and bottom ribs for additional support and strength.  CASTORS: Specially designed imported twin wheel castors made of 100% Nylon which are abrasive resistant and have free movement on any flooring.  STEM ASSEMBLY (GASLIFT)- Suspa gaslift from Germany Y-5/Y-42 with 100mm travel for quick and comfortable adjustment of seat for swivel chairs. Gaslift are maintenance free and are tested for over 50,000 cycles using the state-of-the-production technique and stringent quality assurance system. Reliability is enhanced by the use of high quality materials. Gas used is non toxic, non-inflammable and gives a pleasant cushioning effect on seating.  SYNCHRO TILT MECHANISM: The tilt mechanism is of cold rolled carbon steel sheets- IS-513-1963. Tension spring made out of grade II material conforming to IS 4454. The mechanism is lockable in Zero (Front) position.  POWDER COATING: Thermoset powder coating by epoxy polyester hybrids of hardness (pencil) HB- 7H and impact resistant (in lab) 60-160 Kgs cm and to thickness of 40-50 microns is carried out after 7 step pre-treatment process.  SEATING STRUCTURE AND UPHOLSTERY Seat and back is made out of 2 pieces of 4mm &amp; 15mm moulded hot pressed plywood in ergonomic shape fitted with Japanese Nagayama T- nuts and revited in to the wood. They are cushioned with high Density cold cured self skinned premoulded foam of 55-60 density in the same shape as the plywood. Upholstery is done by using High-pressure pneumatic spray glue and pneumatic presses. The backrest has height adjustment as well as built-in contoured lumbar support.  FASTNERS: High Quality metal screws and high-tension fasteners conforming to IS-2269 and 6761-DIN-6912-ISO-4762 Hardness HRC-38-44 and tensile strength-1300 N/mm<sup>2</sup>.  POLYURETHANE ARMS: Moulded self-skinned polyurethane arms conforming to IS-</p>	10 Nos	



	7078 with steel inserts for long and maintenance free usage with density 400-500 g/lit and hardness 50-70 A (Shore scale) typical. as per BIFMA INTERNATIONAL CERTIFICATE AND ISO 9001; ISO 14001;ISO 18001 CERTIFICATES		
14	<p>Supply of Visitor Chair</p> <p>DESCRIPTION :Chair Size: W600 X D520 X H1040(mm) BASE: Chrome Base</p> <p>SEATING STRUCTURE: Seat and Back is made out of 12mm moulded hot pressed plywood in ergonomic shaped fitted with Japanese Nagayama nuts and revited in to the wood.</p> <p>UPHOLSTERY: Cushion with high desnity cold cured soft skinned pre moulded foam of 50-60 density in the shape of Plywood, Uohlstery is done by using high-pressure pneumatic spray glue and pneumatic press. The back rest and height adjustment Density---52 Kg/m3 Hardness-- 12.6 Kgs at 25%.</p> <p>BACK: Back frame is upholstered with Thinner Mesh. Seat Support : Embossed metal Plate with Powdercoating Seat Shell to be moulded with enough rims for stiffness. The outside is covered with HIPS moulded plastic of 3mm thickness .</p> <p>ARMREST: Moulded self skinned polyurethene Arms confirming to IS 7078 with steel inserts for long life with fixed arms</p> <p>FABRIC: Seat are Duly Upholstered with approved fabric as per BIFMA INTERNATIONAL CERTIFICATE AND ISO 9001; ISO 14001;ISO 18001 CERTIFICATES</p>	14 Nos	
15	<p>Supply of Visitor Chair</p> <p>DESCRIPTION :Chair Size: W520 X D470 X H860(mm)</p> <p>SEATING STRUCTURE/ UPHOLSTRY : a. ERW steel tuber structure- Internation 3/4" dia 16g. b. Premoulded polyurethene foam-55 density thickness 37mm backed by 1" kurlon. c. Crosslon Fabric or any special Fabric supplied by the client.</p> <p>SURFACE COATING: Thermostat powder coating by Epoxy polyester Hybrids.</p> <p>FASTNERS: High quality metal screw and high tension fastners confirmaing to IS 2269 and 6761 DIN 6912 ISO 4762. Threads ISO metric as per IS 4218 . a. Hardness HRC- 38-44 b. Tensile strenght- 1300 N/mm2.</p> <p>POLYURETHENE ARMS: Moulded self skinning polyurethene arms confirming to IS 7078 with steel inserts for long life and maintainance free usage. as per BIFMA INTERNATIONAL CERTIFICATE AND ISO 9001; ISO 14001;ISO 18001 CERTIFICATES</p>	145 Nos	
16	<p>Supply of Work station Chairs</p> <p>DESCRIPTION :Chair Size: W660 X D585 X H970-1070(mm)</p> <p>Back Rest: Unique see through mesh Fabric Takes the Shape of the back and distributes weight evenly thereby reducing pressure on the back and providing for aeration.</p> <p>Base: Five Pronged 26" Dia (GF Nylon Base ensures greater stability in complete inclined position.</p> <p>Castors: Twin Wheel Nylon Castors ensures smooth movement on hard and soft surfaces.</p> <p>Gaslift : Recommended adjustment should be 18" to 21 " from the floor level.</p> <p>Mechanism: Co-active Synchro Mechanism 3:1 Ration supports various movements and enables the feet to remain even to the floor while reclining.</p> <p>Foam: Moulded cushion of 52 density.</p> <p>Arm rests: Moulded self-skin Polymethene arms which move vertically with a tilted back angle to allow user to move in to the table fully.</p> <p>as per BIFMA INTERNATIONAL CERTIFICATE AND ISO 9001; ISO 14001;ISO 18001 CERTIFICATES</p>	75 Nos	
17	<p>Supply of Single Column Six Door Locker (1STARTER &amp; 2 ADD ON)</p> <p>Size: 380w x457dx1830Ht ( 18 Lockers together 1 unit ) made up of Material Thickness - 0.6mm CRCA Sheet , Finishes - Power coated with 60-80 micron thickness and Pre-treatment - Iron Phosphating , Metal Hinges and Cam lock with keys as per BIFMA INTERNATIONAL CERTIFICATE AND ISO 9001; ISO 14001;ISO 18001 CERTIFICATES</p>	17 Nos	

**Tender conditions :**

Eligibility of the supplier to submit their tender bids

FACTORY MADE FURNITURE REQUIRED FROM REPUTED FURNITURE MANUFACTURERS

THOSE WHO ARE HAVING BIFMA INTERNATIONAL CERTIFICATE AND ISO 9001; ISO 14001;

ISO 18001 CERTIFICATES OR ITS AUTHORISED DEALERS

\*\*\*