9.2 corrections




IdentifiableObject
Command
Path
- _destination:Location
- _direction:Location
+ Path
+ Destination:Location
+ Direction direction => _direction
MoveCommand
+ MoveCommand() : base(new string[] { "move", "go", "head", "leave" })
+ Execute: Override string
Location
- _inventory: Inventory
- _paths: Dictionary<string, Path>
+ Location(string[] ids, string name, string description) : base(ids, name, description)
+ Inventory Inventory => _inventory;
+ AddPath(Path path) : void
+ GetPath(string direction): Path
+Locate(string id): GameObject


user
player
movecommand
Location
Path
move north
execute ("move north")
GetPath("north")
Find Path
Return destination
Move to Location
update location

Program.cs:

```
using System;
using SwinAdventure;

class Program
{
    static void Main(string[] args)
    {
        // Step 1: Set up the player with their name and description.
        Console.Write("Enter your player's name: ");
        string playerName = Console.ReadLine();

        Console.Write("Enter a description for your player: ");
        string playerDescription = Console.ReadLine();

        Player player = new Player(playerName, playerDescription);
        Console.WriteLine($"\nWelcome, {playerName}, {playerDescription}!\n");

        // Step 2: Set up locations and paths
        Location forest = new Location(new string[] { "forest" }, "Dark Forest", "A dark and ominous forest.");
        Location village = new Location(new string[] { "village" }, "Small Village", "A peaceful village with friendly folk.");
        Location mountain = new Location(new string[] { "mountain" }, "Snowy Mountain", "A tall, snowy mountain peak.");
        Location lake = new Location(new string[] { "lake" }, "Crystal Lake", "A clear, sparkling lake.");

        // Connect locations with paths
        forest.AddPath(new SwinAdventure.Path(SwinAdventure.Path.Direction.North, village));
        village.AddPath(new SwinAdventure.Path(SwinAdventure.Path.Direction.South, forest));
        village.AddPath(new SwinAdventure.Path(SwinAdventure.Path.Direction.East, mountain));
        mountain.AddPath(new SwinAdventure.Path(SwinAdventure.Path.Direction.West, village));
```

```
mountain.AddPath(new SwinAdventure.Path(SwinAdventure.Path.Direction.North, lake));
lake.AddPath(new SwinAdventure.Path(SwinAdventure.Path.Direction.South, mountain));

// Step 3: Place the player in the initial location
player.Location = forest;

// Step 4: Add some items to the player's inventory
Item sword = new Item(new string[] { "sword" }, "Sword", "A sharp, shiny sword.");
Item shield = new Item(new string[] { "shield" }, "Shield", "A sturdy wooden shield.");
player.Inventory.Put(sword);
player.Inventory.Put(shield);

Bag smallBag = new Bag(new string[] { "bag", "small bag" }, "a small bag", "A small leather bag.");
player.Inventory.Put(smallBag);
Console.WriteLine("A small bag has been added to your inventory.\n");

Item gem = new Item(new string[] { "gem" }, "a gem", "A shiny, valuable gem.");
smallBag.Inventory.Put(gem);
Console.WriteLine("Item 'gem' has been placed inside the small bag.\n");

Item torch = new Item(new string[] { "torch" }, "a torch", "A torch that provides light.");
forest.Inventory.Put(torch);
Console.WriteLine("Item 'torch' has been placed in the forest.\n");

// Initialize commands
LookCommand lookCommand = new LookCommand();
MoveCommand moveCommand = new MoveCommand();

// Step 5: Main game loop
while (true)
```

```
{
    Console.WriteLine("\nEnter a command (or type 'exit' to quit):");
    string command = Console.ReadLine();

    if (command.ToLower() == "exit")
    {
        break; // End the game
    }

    // Split the command into an array of words
    string[] commandWords = command.Split(' ');

    // Determine which command to execute
    string result;
    if (lookCommand.AreYou(commandWords[0]))
    {
        result = lookCommand.Execute(player, commandWords);
    }
    else if (moveCommand.AreYou(commandWords[0]))
    {
        result = moveCommand.Execute(player, commandWords);
    }
    else
    {
        result = "I don't understand that command.";
    }

    Console.WriteLine(result);
}

Console.WriteLine("Goodbye!");
```

```
    }
}
```

Location.cs:

```
namespace SwinAdventure
{
    public class Location : GameObject, IHaveInventory
    {
        private Inventory _inventory;
        private Dictionary<string, Path> _paths;
        public Location(string[] ids, string name, string description) : base(ids, name, description)
        {
            _inventory = new Inventory();
            _paths = new Dictionary<string, Path>();
        }

        public Inventory Inventory => _inventory;
        public void AddPath(Path path)
        {
            _paths[path.direction.ToString().ToLower()] = path;
        }

        // Method to retrieve a Path based on direction
        public Path GetPath(string direction)
        {
            _paths.TryGetValue(direction.ToLower(), out Path path);
            return path;
        }

        public GameObject Locate(string id)
        {
```

```
            if (AreYou(id))
            {
                return this;
            }
            return _inventory.Fetch(id);
        }
        public string AvailablePaths()
        {
            if (_paths.Count == 0)
            {
                return "There are no paths from here.";
            }

            string pathList = "You see paths leading to:\n";
            foreach (var path in _paths.Values)
            {
                pathList += $"- Move {path.direction} to {path.Destination.Name}.\n";
            }
            return pathList.TrimEnd();
        }

    }
}
```

Path.cs:

```
using static MiNET.Entities.Entity;

namespace SwinAdventure
{
    public class Path : GameObject
    {
```

```
        private Location _destination;
        private Direction _direction;
        public enum Direction
        {
            North,
            South,
            East,
            West,

        }
        public Path(Direction direction, Location destination)
            : base(new string[] { direction.ToString().ToLower() }, direction.ToString(), $"A path to the
{direction}")
        {
            _direction = direction;
            _destination = destination;
        }

        public Location Destination => _destination;

        public Direction direction => _direction;
    }
}
```

Movecommand.cs:

```
namespace SwinAdventure
{
    public class MoveCommand : Command
    {
        public MoveCommand() : base(new string[] { "move", "go", "head", "leave" }) { }
```

```
        public override string Execute(Player player, string[] text)
        {
            if (text.Length != 2)
            {
                return "Where do you want to go?";
            }

            string directionString = text[1];
            Path path = player.Location?.GetPath(directionString);

            if (path == null)
            {
                return "You can't go that way.";
            }

            player.Location = path.Destination;


            // Show the current location description and paths
            return $"You move {directionString} to the {path.Destination.Name}.\n\n" +
                $"{path.Destination.GetFullDescription()}\n\n" +
                $"{path.Destination.AvailablePaths()}";
        }
    }
}
```