


core-periphery structure


introduction to *network science in Python* (*NetPy*)

Lovro Šubelj
University of Ljubljana
4th July 2024


core-periphery *block model*




community block model [GN02]



disassortative (bipartite) block model [NL07]



core-periphery block model [Sei83]




random block model [ER59]

* origin of core-periphery structure in international relations (e.g. trade)


core-periphery *structure*

- *core/periphery nodes* have *higher/lower degrees* k
- *core/periphery nodes* are on *shorter/longer distances* ℓ
- *core/periphery nodes* have *higher/lower clustering* C^i




core-periphery *SBM*

- $G(\{C_1, C_2\}, \{p_{11}, p_{12}, p_{22}\})$ *stochastic block model* [HLL83]
 - n_i is *size* of *cluster* C_i & p_{ij} is *link density* between C_i and C_j
- *density-based core-periphery* structure for $p_{11} \gg p_{12} \gg p_{22}$
- *lookalike core-periphery* for $n_1 p_{11} \gg 1, n_1 p_{12} \ll 1, n_2 p_{22} \approx 1$




non-corrected block model $p_{11} > p_{12} > p_{22}$



degree-corrected block model $p_{11} \approx p_{22} > p_{12}$


core-periphery *k*-cores

- *k*-cores are *subgraphs of nodes* with $\geq k$ neighbors [Sei83]
remove nodes with degree $< k$ until no such node remains [BZ11]
- *k*-shells are *nodes of k-cores* that are *not in $k + 1$ -cores*
- *k*-cores are *nested* while *k*-shells form *decomposition*



1-cores are connected components w/o isolates & *k*-cores can be disconnected

core-periphery *nestedness*



nested cores & whiskers communities [LLDM09, YL13]

core-periphery *references*



V. Batagelj and M. Zaveršnik.

An $O(m)$ algorithm for cores decomposition of networks.
Adv. Data Anal. Classif., 5(2):129–145, 2011.



P. Erdős and A. Rényi.

On random graphs I.
Publ. Math. Debrecen, 6:290–297, 1959.



M. Girvan and M. E. J Newman.

Community structure in social and biological networks.
P. Natl. Acad. Sci. USA, 99(12):7821–7826, 2002.



Paul W. Holland, Kathryn Blackmond Laskey, and Samuel Leinhardt.

Stochastic blockmodels: First steps.
Soc. Networks, 5(2):109–137, 1983.



Jure Leskovec, Kevin J Lang, Anirban Dasgupta, and Michael W Mahoney.

Community structure in large networks: Natural cluster sizes and the absence of large well-defined clusters.
Internet Math., 6(1):29–123, 2009.



Tilen Marc and Lovro Šubelj.

Convexity in complex networks.
Netw. Sci., 6(2):176–203, 2018.



M. E. J Newman and E. A Leicht.

Mixture models and exploratory analysis in networks.
P. Natl. Acad. Sci. USA, 104(23):9564–9569, 2007.



Stephen B. Seidman.

Network structure and minimum degree.
Soc. Networks, 5(3):269–287, 1983.

core-periphery *references*



J. Yang and Jure Leskovec.

Overlapping community detection at scale: A nonnegative matrix factorization approach.

In *Proceedings of the ACM International Conference on Web Search and Data Mining*, pages 587–596, Rome, Italy, 2013.