### network *learning*

introduction to network analysis (ina)

Lovro Šubelj University of Ljubljana spring 2021/22

### learning tasks

#### modern machine learning with network data

#### — node-level tasks

- node classification (e.g. finding hoaxes on Wikipedia)
- node ranking (e.g. finding top influencers on Instagram)
- network clustering (e.g. research areas of scientific papers)

#### — edge-level tasks

- link prediction (e.g. product recommendation on Amazon)
- strength of ties (e.g. close friends/acquaintances on Facebook)

#### — graph-level tasks

- graph classification (e.g. playing strategy in football)
- graph generation (e.g. good candidates for new drugs)
- etc.

### learning since $\sim$ 2000

#### use network analysis techniques directly

- node ranking tasks
   node centrality, link analysis, graphlets, egonets etc.
- link prediction tasks
   link bridging, prediction indices, matrix factorization etc.
- network clustering tasks
   community detection, (stochastic) blockmodeling etc.










— etc.

### learning *until* $\sim$ 2010

#### use *network analysis* techniques for *features*

- 1. generate node/link/graph features from network structure
- 2. feed generated features into machine learning method



but features are task dependent & redesigned every time!

for survey see [ZPS+16]

### learning modern


#### use machine learning methods for embeddings/directly

- dimensionality reduction/matrix factorization (e.g. NMF) decomposition of adjacency matrix A or graph Laplacian L
- 2. random walks on network (e.g. node2vec [GL16], struct2vec [FRS17]) similar nodes have similar embeddings independently of task
- 3. graph neural networks (e.g. GCN [KW17], GAT, GraphSAGE [HYL17]) node/edge/graph representations are learned for specific task


for survey see [MKNŠ21]

# learning GraphSAGE


$$h_i^0 = x_i$$
 
$$h_i^k = \sigma\left( \frac{W_k \cdot \text{CONCAT}(h_i^{k-1}, \text{AGGREGATE}_k(\{h_j^{k-1} \mid j \in \Gamma_i\}))}{} \right)$$



1. Sample neighborhood



2. Aggregate feature information from neighbors



Predict graph context and label using aggregated information

for *paper* see [HYL17]

### learning references



A.-L. Barabási.

Network Science.

Cambridge University Press, Cambridge, 2016.



Wouter de Nooy, Andrej Mrvar, and Vladimir Batagelj.

Exploratory Social Network Analysis with Pajek: Expanded and Revised Second Edition.

Cambridge University Press, Cambridge, 2011.



David Easley and Jon Kleinberg.

Networks, Crowds, and Markets: Reasoning About a Highly Connected World.
Cambridge University Press. Cambridge, 2010.



Ernesto Estrada and Philip A. Knight.

A First Course in Network Theory.
Oxford University Press, 2015.



Daniel R. Figueiredo, Leonardo F. R. Ribeiro, and Pedro H. P. Saverese.

struc2vec: Learning node representations from structural identity.

In Proceedings of the ACM SIGKDD International Conference on Knowledge Discovery and Data Mining, pages 1–9, 2017.



Aditya Grover and Jure Leskovec.

node2vec: Scalable feature learning for networks.

In Proceedings of the ACM SIGKDD International Conference on Knowledge Discovery and Data Mining, pages 855–864, 2016.



Will Hamilton, Zhitao Ying, and Jure Leskovec.

Inductive representation learning on large graphs.

In I. Guyon, U. V. Luxburg, S. Bengio, H. Wallach, R. Fergus, S. Vishwanathan, and R. Garnett, editors, Advances in Neural Information Processing Systems, volume 30. Curran Associates, Inc., 2017.

## learning references



Thomas N. Kipf and Max Welling.

Semi-Supervised Classification with Graph Convolutional Networks.

In Proceedings of the 5th International Conference on Learning Representations, ICLR '17, 2017.



Ilya Makarov, Dmitry Kiselev, Nikita Nikitinsky, and Lovro Šubelj.

Survey on graph embeddings and their applications to machine learning problems on graphs. PeerJ Comput. Sci., 7:e357, 2021.



Mark E. J. Newman.

Networks.

Oxford University Press, Oxford, 2nd edition, 2018.



M. Zanin, D. Papo, P. A. Sousa, E. Menasalvas, A. Nicchi, E. Kubik, and S. Boccaletti.

Combining complex networks and data mining: Why and how.

Phys. Rep., 635:1-44, 2016.