

Full Stack Web Development



By The Lowell Dev Club Team



Web Pages / Frontend

Creating the visible part of a website also known as the frontend of your website


We will use Hyper Text Markup Language (HTML) to add content and Cascading Style Sheets (CSS) to edit and style html content

- Intro

The Workshop

- Go to
<u>https://www.lowelld</u>
<u>ev.club</u>


Check out
 /workshop or the
 link on our home
 page



- Workshop page
- Intro

- Sign up for REPL.IT
- Repl.it is an online code processor

- Sign in if you already have an account




By continuing, you agree to Replit's Terms of Service and Privacy Policy, and to receiving emails with updates.

- Signup for repl.it
- Workshop page
- Intro

Create a new repl

Choose Python (Make sure its not Python 2.7)

Import the workshop from this link:
 https://github.com/lowell-dev-club/flask-workshop



- Import repo to repl
- Signup for repl.it
- Workshop page
- Intro

Run the program!

Run the Code! Repl.it will display your webpage in a side pane it also provides a link you can use to view your whole site.



Customize the index.html

- Running the program
- Import repo to repl
- Signup for repl.it
- Workshop page
- Intro

- Head to
 https://www.lowelldev.club
 /workshop/hack1
- You can use css
 (stylesheets) and or add
 other html tags to create
 your own custom
 webpage.

Feel free to ask any leaders for help

Part III: The CSS File

So what is CSS? CSS, also known as Cascading Style Sheets, is a language used for styling the tags (or "elements") on a web page.

While HTML oversees the content and the way it's structured, CSS is how you'll specify how you'd like your content to look --- with it you can set things like colors, spacing, and more.

1) Using CSS

We already have an style.css in the file tree and this is called an external style sheet because the CSS file is external to the HTML file (i.e., the stylesheet is not inside the HTML file).



Flask / Backend

Creating the hidden part of a website also known as the backend of your website

We will use Flask a python framework to create the web server that hosts your website and allows for dynamic web pages

We will used Jinja a template builder for flask that allows for dynamic web pages

Flask Create Routes

- Customizi ng html
- Import needed variables and functions
- Running the program
- **Import** repo to
- Signup for repl.it

repl

- Workshop page
- Intro

- Create routes (URLS) @app.route("/whatever-youwant") and choose any html method you would like to allow for the route
 - Create functions below flask route decorators and return rendered html files or Jinja templates

```
# Imports
     from workshop import app
     from flask import render_template, redirect, url_for
     # Views
     # Creating a route always requires a "/". You can assign
     # Assign request method to routes to control if users can
     @app.route("/", methods=['GET'])
     @app.route("/home", methods=['GET'])
10
     def index():
11
         # Render template renders webpage with data creating
12
         return render template('index.html')
13
14
     # python array containg any data a developer would like
     array = ['Hello', 'World', "Dev Club", "Lowell!", "Free f
15
16
     @app.route("/advanced", methods=['GET'])
17
18
     def advanced():
19
         # Using Jinja and flasks ability to create dynamic we
20
         return render template('advanced.html', array=array)
21
     # Error Handelers
     # You can create custom error pages for any html error co
23
     # 404 error handler returns 404 page
24
25
     @app.errorhandler(404)
26
     def page_not_found(e):
         return render template('404.html')
27
```

Creating Dynamic Pages (Flask)

- Creating
 Flask
 Routes
- Create variable containing any data. Lists, Dictionaries, Strings, etc.

- Customizi ng html
- Pass in the variable with the data into the render template function so Jinja can render it in the template create your dynamic page
- Running the program
- Import repo to repl
- Signup for repl.it
- Workshop page
- Intro

```
# python array containg any data a developer would like
array = ['Hello', 'World', "Dev Club", "Lowell!", "Free food!", "CODE", "PYTHON IS SUPERIOR"]

@app.route("/advanced", methods=['GET'])
def advanced():
    # Using Jinja and flasks ability to create dynamic webpages we pass in the array in to the Jin return render_template('advanced.html', array=array)
```

Jinja preparations

- Creating Dynamic Pages (Flask)
- SEO and meta data setup in base.html
- Creating Flask
 - Routes

46

47

48

49

50

54

56

57

58

59 60

61

63 64

- Customizi ng html
- Running the
 - program
- **Import** repo to repl
- Signup for repl.it

Create custom blocks and link and needed files

{% block head css %}

{% block head_js %}

{% block content %}

{% block trailing_js %}

{% include "footer.html" %}

{% endblock %}

{% endblock %}

{% endblock %}

{% endblock %}

</head>

<body>

</body> </html>

```
<html>
                                                                                   <head>
                                                                                           <!-- Title -->
                                                                                           <title>{% block title %}{% endblock %}</title>
                                                                                           <!-- Meta Data -->
                                                                                           <meta charset="utf-8">
                                                                                           <meta name="robots" content="index,follow">
                                                                              10
                                                                                           <meta name="theme-color" content="#ffffff">
                                                                                           <meta name="viewport" content="width=device-width.initial-scale=1">
                                                                                           <meta name="keywords" content="Lowell High School Dev Club Hack Club">
                                                                                           <meta name="description" content="Website for Lowell High School's Dev Club.">
                                                                                           <meta name="msapplication-TileColor" content="#da532c">
                                                                              16
                                                                                           <!-- Favicon -->
                                                                                           <link rel="/static/img/apple-touch-icon" sizes="180x180" href="/apple-touch-icon.png">
                                                                              18
                                                                                           <link rel="icon" type="image/png" sizes="32x32" href="/static/img/favicon-32x32.png">
                                                                                           <link rel="icon" type="image/png" sizes="16x16" href="/static/img/favicon-16x16.png">
                                                                              20
                                                                                           <link rel="manifest" href="/static/img/site.webmanifest">
                                                                                           <link rel="mask-icon" href="/static/img/safari-pinned-tab.svg" color="#5bbad5">
<link rel="stylesheet" type="text/css" href={{ url_for('static', filename='footer.css') }}>
```

<!DOCTYPE html>

Past slides	Creating Dynamic Pages (Jinja)	<pre>1 {% extends "base.html" %} 2 <!--Extend from base.html and use Jinja block system and allowing</pre--></pre>
_		3
- Prepare	 Extend base.html file 	<pre>4 <!--Jinja custom block allowing for easy title changes--></pre>
Jinja		5 {% block title %}Advanced Flask!{% endblock %}
- Creating		7 {% block head_css%}
	 Use custom Jinja blocks 	8 <pre></pre>
Dynamic	•	9 {% endblock %}
Pages	created in base.html	10
(Flask)		11 Content block from base.html
		12 {% block content %}
- Creating	 Use Jinja to create a for 	13
Flask	loop to put the data	<pre>14 <!--Ordered list of all the item in the python array--></pre>
Routes		15 <01>
- Customizi	passed by Flask into html	16
	tags	17 Loop through every item in array
ng html	3	18 {% for items in array %}
- Running		20 Add each item to ordered list
the	Link atylophoet using fleek	21 { items }
	 Link stylesheet using flask 	22
program	url_for function and inside	23 Jinja end loop
- Import	of custom Jinja block	24 {% endfor %}
repo to		25 01
		26
repl		27 {% endblock %}

Customize the index.html

- Dynamic Pages (Jinja)
- Prepare Jinja
- CreatingDynamicPages(Flask)
- CreatingFlaskRoutes
- Customizi ng html
- Running the program

- Head tohttps://www.lowelldev.club/workshop/hack2
- Check out Flask docs or ask club leaders and we can help teach specific flask things you may wanna know

 Ask club leaders of any questions you have!

Variable Rules

You can add variable sections to a URL by marking sections with <variable_name>. Your function then receives
the <variable_name> as a keyword argument. Optionally, you can use a converter to specify the type of the argument like <converter:variable_name>.

```
@app.route('/user/<username>')
def show_user_profile(username):
    # show the user profile for that user
    return 'User %s' % escape(username)

@app.route('/post/<int:post_id):
    # show the post with the given id, the id is an integer
    return 'Post %d' % post_id

@app.route('/path/<path:subpath>')
def show_subpath(subpath):
    # show the subpath after /path/
    return 'Subpath %s' % escape(subpath)
```

Converter types:

string	(default) accepts any text without a slash	
int	accepts positive integers	
float	accepts positive floating point values	
path	like string but also accepts slashes	
uuid	accepts UUID strings	

The End

This is the end of our work shop this week

We hope you enjoyed learning about Flask and Frontend code

If you want to learn more come back next week!

If you want to refer to the workshop go to https://www.lowelldev.club/workshop/old

Our website will be updated over the school year with new and old workshops as well as any resources we have to offer and Club info