Certificate of Analysis

CTLA ID:	190010
Date Received:	7/23/2026
Sample Name:	Synthetic Sample
Lot Number:	101706-2
Customer:	Powder Ops 281 E 1600 N, Vineyard, UT 84059

Analysis	Method	MDL	Specification	Result	Units
Total Aerobic Microbial Count (USP)	USP <2021>	100	Report	<100	cfu/g
Total Coliforms (BAM) (MOD)	BAM CH. 4	10	Report	<10	cfu/g
E.Coli BAM (MOD)	BAM CH. 4		Report	Absent	
Salmonella	BAM CH. 5		Report	Absent	
Staphylococcus aureus	USP <2022>	10	Report	<10	cfu/g
Yeast & Mold	USP <2021>	10	Report	<10	cfu/g

Specifications provided by the Customer. This report does not constitute a guarantee of quality for the entire product.

Analysis	Method	MDL	Specification	Result	Units
Arsenic	USP <233>	0.005	Report	0.008	ppm
Cadmium	USP <233>	0.005	Report	<0.005	ppm
Mercury	USP <233>	0.005	Report	<0.005	ppm
Lead	USP <233>	0.005	Report	0.012	ppm
Gluten Allergen	ELISA	4	Report	<4	ppm

Specifications provided by the Customer. This report does not constitute a guarantee of quality for the entire product.

8/11/2026