# **Currency Exchange Service API Documentation**

Link to interactive API documentation: http://localhost:8080/swagger-ui/index.html

#### **Overview**

This API provides endpoints for foreign exchange functionalities, including retrieving exchange rates, currency conversion, and accessing conversion history.

#### **Base URL**

The base URL for accessing the API is <a href="http://localhost:8080">http://localhost:8080</a>.

### **Endpoints**

### 1. Exchange Rate Endpoint

**Description**: Retrieve the current exchange rate between two currencies.

```
URL: /exchange-rate ?sourceCurrency={ sourceCurrency }&targetCurrency={
    targetCurrency }

Method: GET

Parameters:
sourceCurrency: The source currency code (e.g., EUR).
targetCurrency: The target currency code (e.g., BGN).

Response:
HTTP Status Code: 200 OK
Body:
{
    "from": "EUR",
```

```
"to": "BGN",
  "rate": 1.957338
}
Error Response:
HTTP Status Code: 400 Bad Request
Body:
{
  "from": "EUR",
  "to": "BGN2",
  "errorMessage": "Not found rate by given currencies! Please ensure that both the
source and target currencies are valid and supported for conversion."
}
2. Currency Conversion Endpoint
Description: Convert an amount from one currency to another.
URL: /currency-conversion ?sourceCurrency={ sourceCurrency }
&targetCurrency={ targetCurrency } &sourceAmount={ sourceAmount }
Method: GET
sourceCurrency: The source currency code (e.g., EUR).
targetCurrency: The target currency code (e.g., BGN).
sourceAmount: The amount of source currency (e.g., 1 EUR).
Response:
HTTP Status Code: 200 OK
Body:
{
```

```
"transactionId": 4,
  "convertedAmount": 1.95734,
  "currency": "BGN"
}
Error Response:
HTTP Status Code: 400 Bad Request
Body:
  "currency": "B2GN",
  "error": "Currency Conversion Error: Unable to convert between the specified
currencies. Please ensure that both the source and target currencies are valid and
supported for conversion."
}
3. Conversion History Endpoint
Description: Retrieve a paginated list of currency conversions.
```

```
URL: /conversion-history? transactionId={ transactionId } ?transactionDate={
transactionDate } &page=1&size=2
Method: GET
Parameters:
transactionId (optional): The unique transaction identifier.
transactionDate (optional): The date of the transaction.
page (optional): The number of page.
size(optional): the size of page.
```

At least one of the parameters *transactionId or transactionDate* should be passed!

**Response** with passed *transactionId*:

```
HTTP Status Code: 200 OK
Body:
"transactionId": 1,
    "convertedAmount": 1.96,
    "currency": "BGN"
  }
]
Response with NOT passed transactionId, but passed transactionDate:
HTTP Status Code: 200 OK
Body:
"transactionId": 1,
    "convertedAmount": 51.09,
    "currency": "EUR"
  },
    "transactionId": 2,
    "convertedAmount": 51.09,
    "currency": "EUR"
```

```
},
{
    "transactionId": 3,
    "convertedAmount": 51.09,
    "currency": "EUR"
},
{
    "transactionId": 4,
    "convertedAmount": 1.96,
    "currency": "BGN"
}
```

## **Error** Response in case of not passed any parameters:

## **Error** Response in case of not found based on the provided criteria:

HTTP Status Code: 400 Bad Request

Body:

```
[
    "error": "Information Not Found: No information was found based on the provided criteria. Please check your input and try again."
}
```