

Curl

```
curl -X 'POST' \
  'https://localhost:7135/api/Categorias' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
  "nombre": "bebidas"
}'
```

Request URL

https://localhost:7135/api/Categorias

Server response

Code

Details

201

undocumented

Response body

```
{
  "id": 2,
  "nombre": "bebidas"
}
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Fri, 09 Oct 2020 04:44:25 GMT
location: https://localhost:7135/api/Categorias/2
server: Kestrel
x-firefox-spy: h2
```

Responses

Code	Description	Links
200	OK	No links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
{
  "id": 0,
  "nombre": "string"
}
```



Responses

Curl

```
curl -X 'GET' \
  'https://localhost:7135/api/Categorias' \
  -H 'accept: */*'
```

Request URL

https://localhost:7135/api/Categorias

Server response

Code

Details

200

Response body

```
[
  {
    "id": 1,
    "nombre": "Bebidas"
  },
  {
    "id": 2,
    "nombre": "bebidas"
  }
]
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Fri, 09 Oct 2020 04:47:32 GMT
server: Kestrel
x-firefox-spy: h2
```

Responses

Code	Description	Links
200	OK	No links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
{
  "id": 0,
  "nombre": "string"
}
```

Responses

Curl

```
curl -X 'POST' \
  'https://localhost:7135/api/Categorias' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "nombre": "jugo de fresa",
    "precio": 15.5,
    "categoriaId": 1
  }'
```

Request URL

https://localhost:7135/api/Categorias

Server response

CodeDetails

201

Undocumented

Response body

```
{
  "id": 3,
  "nombre": "jugo de fresa"
}
```

Response headers

```
content-type: application/json; charset=utf-8
date: Fri, 09 Oct 2026 04:53:04 GMT
location: https://localhost:7135/api/Categorias/3
server: Kestrel
x-firefox-spdy: h2
```

Responses

Code	Description	Links
200	OK	No links


Media type

application/json

Controls Accept header.

Example Value | Schema

```
{
  "id": 0,
  "nombre": "string"
}
```



Responses

Code	Description	Links
200	OK	No links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
{
  "id": 0,
  "nombre": "string"
}
```



Responses

Curl

```
curl -X 'PUT' \
  'https://localhost:7135/api/Categorias/1' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
  "nombre": "string"
}'
```

Request URL

https://localhost:7135/api/Categorias/1

Server response

Code	Details
204	Response headers <pre>date: Fri, 09 Oct 2026 04:57:15 GMT server: Kestrel x-firefox-spy: h2</pre>

Responses

Code	Description	Links
200	OK	No links



Responses

Curl

```
curl -X 'DELETE' \
  'https://localhost:7135/api/Categorias/1' \
  -H 'accept: */*'
```

Request URL

https://localhost:7135/api/Categorias/1

Server response

Code	Details
204	Response headers <pre>date: Fri, 09 Oct 2026 04:58:38 GMT server: Kestrel x-firefox-spy: h2</pre>

Responses

Code	Description	Links
200	OK	No links