

MySQL Workbench

MySql@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- new1
- new2
- pr_1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- practice
- project
- salary
- tushar

Administration Schemas

Information

No object selected

Query 1

```
4  
5 create table Customers(  
6   CustomerID int primary key,  
7   Name varchar(25) not null,  
8   Email text,  
9   Address text
```

Result Grid

CustomerID	Name	Email	Address

Customers 1 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 1	23:27:20	create database pr_1	1 row(s) affected	0.000 sec
✓ 2	23:27:28	use pr_1	0 row(s) affected	0.000 sec
✓ 3	23:27:36	create table Customers(CustomerID int primary key, Name varchar(25) not null, Email text, Address text)	0 row(s) affected	0.016 sec
✓ 4	23:27:39	select * from Customers	0 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

MySql@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- new1
- new2
- pr_1
 - Tables
 - Views
 - Stored Procedures
 - Functions
- practice
- project
- salary
- tushar

Administration Schemas

Information

No object selected

Query 1

```
4
5 create table Customers(
6   CustomerID int primary key,
7   Name varchar(25) not null,
8   Email text,
9   Address text
```

Result Grid

CustomerID	Name	Email	Address

Customers 1

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 1	23:27:20	create database pr_1	1 row(s) affected	0.000 sec
✓ 2	23:27:28	use pr_1	0 row(s) affected	0.000 sec
✓ 3	23:27:36	create table Customers(CustomerID int primary key, Name varchar(25) not null, Email text, Address text)	0 row(s) affected	0.016 sec
✓ 4	23:27:39	select * from Customers	0 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Mysql@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Schemas

Filter objects

- new1
- new2
- practice
- project
- salary
- tushar

Administration Schemas

Information

No object selected

Query 1

```
8 Email text,  
9 Address text  
10 );  
11  
12 * select * from Customers;
```

Result Grid

CustomerID	Name	Email	Address
*	NULL	NULL	NULL

Customers 1

Output

#	Time	Action	Message	Duration / Fetch
✓ 1	23:31:00	DROP DATABASE 'pr_1'	1 row(s) affected	0.062 sec
✓ 2	23:31:07	create database pr_1	1 row(s) affected	0.047 sec
✓ 3	23:31:18	use pr_1	0 row(s) affected	0.000 sec
✓ 4	23:31:22	create table Customers(CustomerID int primary key, Name varchar(25) not null, Email text, Address text)	0 row(s) affected	0.109 sec
✓ 5	23:31:27	select * from Customers	0 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

MySql@127.0.0.1:3306

File Edit View Query Database Server Tools Scripting Help

Navigator: Schemas

Filter objects

- new1
- new2
- practice
- project
- salary
- tushar

Query 1

```
12 • select * from Customers;
13
14 • insert into Customers values(1,"Alice","alice123@gmail.com","Ahmedabad"),(2,"Laxman","laxman234@gmail.com","Delhi"),(3,"virendra","virendra45@gmail.com","
15
16 • select * from Customers;
```

Result Grid

	CustomerID	Name	Email	Address
1	Alice	alice123@gmail.com	Ahmedabad	
2	Laxman	laxman234@gmail.com	Delhi	
3	virendra	virendra45@gmail.com	Bihar	
4	Tushar	tushar19@gmail.com	Banglore	
5	Dhruv	dhruv33@gmail.com	Mumbai	

Administration Schemas

Information

No object selected

Customers 2

Output

Action Output

#	Time	Action	Message	Duration / Fetch
2	23:31:07	create database pr_1	1 row(s) affected	0.047 sec
3	23:31:18	use pr_1	0 row(s) affected	0.000 sec
4	23:31:22	create table Customers(CustomerID int primary key, Name varchar(25) not null, Email text, Address text)	0 row(s) affected	0.109 sec
5	23:31:27	select * from Customers	0 row(s) returned	0.000 sec / 0.000 sec
6	23:31:54	insert into Customers values(1,"Alice","alice123@gmail.com","Ahmedabad"),(2,"Laxman","laxman234@gmail.com","Delhi"),(3,"virendra","virendra45@gmail.com","Bihar"),(4,"Tushar","tushar19@gmail.com","Banglore"),(5,"Dhruv","dhruv33@gmail.com","Mumbai")	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.031 sec
7	23:31:59	select * from Customers	5 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

MySQL@127.0.0.1:3306

File Edit View Query Database Server Tools Scripting Help

Navigator: SCHEMAS

Filter objects

- new1
- new2
- practice
- project
- salary
- tushar

Query 1

```
17
18 • update Customers set Address="Rajasthan" where CustomerID=1;
19
20
21 • select * from Customers;
```

Result Grid

CustomerID	Name	Email	Address
1	Alice	alice123@gmail.com	Rajasthan
2	Laxman	laxman234@gmail.com	Delhi
3	Virendra	virendra45@gmail.com	Bihar
4	Tushar	tushar19@gmail.com	Bangalore
5	Dhruv	dhruv33@gmail.com	Mumbai

Customers 3

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 4	23:31:22	create table Customers(CustomerID int primary key, Name varchar(25) not null, Email text, Address text)	0 row(s) affected	0.109 sec
✓ 5	23:31:27	select * from Customers	0 row(s) returned	0.000 sec / 0.000 sec
✓ 6	23:31:54	insert into Customers values(1,"Alice","alice123@gmail.com","Ahmedabad"),(2,"Laxman","laxman234@gmail.com")	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.031 sec
✓ 7	23:31:59	select * from Customers	5 row(s) returned	0.000 sec / 0.000 sec
✓ 8	23:32:24	update Customers set Address="Rajasthan" where CustomerID=1	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.047 sec
✓ 9	23:32:30	select * from Customers	5 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

MySQL@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator: [new1](#) [new2](#) [practice](#) [project](#) [salary](#) [tushar](#)

SCHEMAS

Filter objects

new1
new2
practice
project
salary
tushar

Query 1

```
21 • select * from Customers;  
22  
23 • delete from Customers where CustomerID=3;  
24  
25 • select * from Customers;
```

Result Grid

CustomerID	Name	Email	Address
1	Alice	alice123@gmail.com	Rajasthan
2	Laxman	laxman234@gmail.com	Delhi
4	Tushar	tushar19@gmail.com	Banglore
5	Dhruv	dhruv33@gmail.com	Mumbai

Administration Schemas

Information

No object selected

Customers 4

Output

Action Output

#	Time	Action	Message	Duration / Fetch
6	23:31:54	insert into Customers values(1,"Alice","alice123@gmail.com","Ahmedabad");(2,"Laxman","laxman234@gmail.com");	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.031 sec
7	23:31:59	select * from Customers	5 row(s) returned	0.000 sec / 0.000 sec
8	23:32:24	update Customers set Address="Rajasthan" where CustomerID=1	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.047 sec
9	23:32:30	select * from Customers	5 row(s) returned	0.000 sec / 0.000 sec
10	23:32:50	delete from Customers where CustomerID=3	1 row(s) affected	0.047 sec
11	23:32:57	select * from Customers	4 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

mysql@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Schemas

Filter objects

- new1
- new2
- practice
- project
- salary
- tushar

Query 1

```
23 • delete from Customers where CustomerID=3;
24
25 • select * from Customers;
26
27 • select * from Customers where Name="Alice";
```

Result Grid

CustomerID	Name	Email	Address
1	Alice	alice123@gmail.com	Rajasthan

Administration Schemas

Information

No object selected

Customers 5

Output

Action Output

#	Time	Action	Message	Duration / Fetch
7	23:31:59	select * from Customers	5 row(s) returned	0.000 sec / 0.000 sec
8	23:32:24	update Customers set Address="Rajasthan" where CustomerID=1	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.047 sec
9	23:32:30	select * from Customers	5 row(s) returned	0.000 sec / 0.000 sec
10	23:32:50	delete from Customers where CustomerID=3	1 row(s) affected	0.047 sec
11	23:32:57	select * from Customers	4 row(s) returned	0.000 sec / 0.000 sec
12	23:33:32	select * from Customers where Name="Alice"	1 row(s) returned	0.015 sec / 0.000 sec

Object Info Session

MySQL Workbench

mysql@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator: mysql@127.0.0.1:3306

SCHEMAS

Filter objects

- new1
- new2
- practice
- project
- salary
- tushar

Query 1

```
33 OrderDate Date,  
34 TotalAmount int  
35 );  
36  
37 • select * from Orders;
```

Result Grid

OrderID	CustomerID	OrderDate	TotalAmount
•	NULL	NULL	NULL

Administration Schemas

Information

No object selected

Orders 6

Apply Revert

Output

#	Time	Action	Message	Duration / Fetch
✓ 9	23:32:30	select * from Customers	5 row(s) returned	0.000 sec / 0.000 sec
✓ 10	23:32:50	delete from Customers where CustomerID=3	1 row(s) affected	0.047 sec
✓ 11	23:32:57	select * from Customers	4 row(s) returned	0.000 sec / 0.000 sec
✓ 12	23:33:32	select * from Customers where Name="Alice"	1 row(s) returned	0.015 sec / 0.000 sec
✓ 13	23:34:23	create table Orders(OrderID int primary key, CustomerID int unique not null, OrderDate Date, TotalAmount int)	0 row(s) affected	0.062 sec
✓ 14	23:34:29	select * from Orders	0 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

mysql@127.0.0.1:3306

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHMAS

Filter objects

- new1
- new2
- practice
- project
- salary
- tushar

Administration Schemas

Information

No object selected

Query 1

```
36
37 • select * from Orders;
38
39 • insert into Orders values(101,1,"2026-08-21",590),(102,2,"2026-07-13",955),(103,3,"2026-08-26",1160),(104,4,"2026-08-02",5900),(105,5,"2026-09-01",239);
40
41 • select * from Orders;
42
43 • select * from Orders where CustomerID=3;
44
45 • update Orders set TotalAmount=4850 where OrderID=104;
46
47 • select * from Orders;
48
49 • delete from Orders where OrderID=102;
50
51 • select * from Orders;
52
53 • select * from Orders where OrderDate between (select concat(year(current_date()),"-",month(current_date())-1,"-",day(current_date()))) and current_date()
```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 10	23:32:50	delete from Customers where CustomerID=3	1 row(s) affected	0.047 sec
✓ 11	23:32:57	select * from Customers	4 row(s) returned	0.000 sec / 0.000 sec
✓ 12	23:33:32	select * from Customers where Name="Alice"	1 row(s) returned	0.015 sec / 0.000 sec
✓ 13	23:34:23	create table Orders(OrderID int primary key, CustomerID int unique not null, OrderDate Date, TotalAmount int)	0 row(s) affected	0.062 sec
✓ 14	23:34:29	select * from Orders	0 row(s) returned	0.000 sec / 0.000 sec
✓ 15	23:34:54	insert into Orders values(101,1,"2026-08-21",590),(102,2,"2026-07-13",955),(103,3,"2026-08-26",1160),(104,4,"2026-08-02",5900),(105,5,"2026-09-01",239);	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.032 sec

Object Info Session

MySQL Workbench

MySql@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator: SCHEMAS

Filter objects

- new1
- new2
- practice
- project
- salary
- tushar

Query 1

```
39 • insert into Orders values(101,1,"2026-08-21",590),(102,2,"2026-07-13",955),(103,3,"2026-08-26",1160),(104,4,"2026-08-02",5900),(105,5,"2026-09-01",239);
40
41 • select * from Orders;
42
43 • select * from Orders where CustomerID=3;
```

Result Grid

OrderID	CustomerID	OrderDate	TotalAmount
103	3	2026-08-26	1160

Administration Schemas

Information

No object selected

Object Info Session

Output

#	Time	Action	Message	Duration / Fetch
11	23:32:57	select * from Customers	4 row(s) returned	0.000 sec / 0.000 sec
12	23:33:32	select * from Customers where Name="Alice"	1 row(s) returned	0.015 sec / 0.000 sec
13	23:34:23	create table Orders(OrderID int primary key, CustomerID int unique not null, OrderDate Date, TotalAmount int)	0 row(s) affected	0.062 sec
14	23:34:29	select * from Orders	0 row(s) returned	0.000 sec / 0.000 sec
15	23:34:54	insert into Orders values(101,1,"2026-08-21",590),(102,2,"2026-07-13",955),(103,3,"2026-08-26",1160),(104,4,"2026-08-02",5900),(105,5,"2026-09-01",239);	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.032 sec
16	23:35:26	select * from Orders where CustomerID=3	1 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

MySql@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator:

SCHEMAS

Filter objects

- new1
- new2
- practice
- project
- salary
- tushar

Administration Schemas

Information

No object selected

Query 1

```
43 • select * from Orders where CustomerID=3;
44
45
46 • update Orders set TotalAmount=4850 where OrderID=104;
47
48 • select * from Orders;
49
50 • delete from Orders where OrderID=102;
51
52 • select * from Orders;
53
54 • select * from Orders where OrderDate between (select concat(year(current_date()),"-",month(current_date())-1,"-",day(current_date()))) and current_date();
55
56 • select max(TotalAmount),min(TotalAmount),avg(TotalAmount) from Orders;
57
58
59 • create table Products(
60   ProductID int primary key,
```

Output:

#	Time	Action	Message	Duration / Fetch
✓ 12	23:33:32	select * from Customers where Name="Alice"	1 row(s) returned	0.015 sec / 0.000 sec
✓ 13	23:34:23	create table Orders(OrderID int primary key, CustomerID int unique not null, OrderDate Date, TotalAmount int)	0 row(s) affected	0.062 sec
✓ 14	23:34:29	select * from Orders	0 row(s) returned	0.000 sec / 0.000 sec
✓ 15	23:34:54	insert into Orders values(101,1,"2026-08-21",590),(102,2,"2026-07-13",955),(103,3,"2026-08-26",1160),(104,4...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.032 sec
✓ 16	23:35:26	select * from Orders where CustomerID=3	1 row(s) returned	0.000 sec / 0.000 sec
✓ 17	23:36:04	update Orders set TotalAmount=4850 where OrderID=104	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.047 sec

MySQL Workbench

MySQL@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Schemas

Filter objects

- new1
- new2
- practice
- project
- salary
- tushar

Query 1 x

```
44
45
46 • update Orders set TotalAmount=4850 where OrderID=104;
47
48 • select * from Orders;
```

Result Grid

OrderID	CustomerID	OrderDate	TotalAmount
101	1	2026-08-21	590
102	2	2026-07-13	955
103	3	2026-08-26	1160
104	4	2026-08-02	4850
105	5	2026-09-01	239

Administration Schemas

Information

No object selected

Orders 8 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
13	23:34:23	create table Orders(OrderID int primary key, CustomerID int unique not null, OrderDate Date, TotalAmount int)	0 row(s) affected	0.062 sec
14	23:34:29	select * from Orders	0 row(s) returned	0.000 sec / 0.000 sec
15	23:34:54	insert into Orders values(101,1,"2026-08-21",590),(102,2,"2026-07-13",955),(103,3,"2026-08-26",1160),(104,4,...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.032 sec
16	23:35:26	select * from Orders where CustomerID=3	1 row(s) returned	0.000 sec / 0.000 sec
17	23:36:04	update Orders set TotalAmount=4850 where OrderID=104	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.047 sec
18	23:36:19	select * from Orders	5 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

MySQL@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator: MySQL Workbench

SCHEMAS

Filter objects

- new1
- new2
- practice
- project
- salary
- tushar

Administration Schemas

Information

No object selected

Query 1


```
46 • update Orders set TotalAmount=4850 where OrderID=104;
47
48 • select * from Orders;
49
50 • delete from Orders where OrderID=102;
51
52 • select * from Orders;
53
54 • select * from Orders where OrderDate between (select concat(year(current_date()),"-",month(current_date())-1,"-",day(current_date()))) and current_date();
55
56 • select max(TotalAmount),min(TotalAmount),avg(TotalAmount) from Orders;
57
58
59 • create table Products(
60     ProductID int primary key,
61     ProductName varchar(30) not null,
62     Price float not null,
63     Stock int not null
```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 14	23:34:29	select * from Orders	0 row(s) returned	0.000 sec / 0.000 sec
✓ 15	23:34:54	insert into Orders values(101,1,"2026-08-21",590),(102,2,"2026-07-13",955),(103,3,"2026-08-26",1160),(104,4,"2026-08-26",1160)	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.032 sec
✓ 16	23:35:26	select * from Orders where CustomerID=3	1 row(s) returned	0.000 sec / 0.000 sec
✓ 17	23:36:04	update Orders set TotalAmount=4850 where OrderID=104	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.047 sec
✓ 18	23:36:19	select * from Orders	5 row(s) returned	0.000 sec / 0.000 sec
✓ 19	23:36:33	delete from Orders where OrderID=102	1 row(s) affected	0.063 sec

Object Info Session



MySQL Workbench

MySql@127.0.0.1:3306

FileEditViewQueryDatabaseServerToolsScriptingHelp

Navigator

SCHEMAS

Filter objects

new1

new2

practice

project

salary

tushar

Query 1

Don't Limit

52

•

select * from Orders;

53

•

54

•

select * from Orders where OrderDate between (select concat(year(current_date()),"-",month(current_date())-1,"-",day(current_date()))) and current_date();

55

•

56

•

select max(TotalAmount),min(TotalAmount),avg(TotalAmount) from Orders;

Result Grid

Filter Rows

Edit

Export/Import

Wrap Cell Contents

OrderID	CustomerID	OrderDate	TotalAmount
101	1	2025-08-21	590
103	3	2025-08-25	1160
105	5	2025-09-01	239
NULL	NULL	NULL	NULL

Administration

Schemas

Information

No object selected

Orders 10

Apply

Revert

Output

Action Output

#	Time	Action	Message	Duration / Fetch
16	23:35:25	select * from Orders where CustomerID=3	1 row(s) returned	0.000 sec / 0.000 sec
17	23:36:04	update Orders set TotalAmount=4850 where OrderID=104	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.047 sec
18	23:36:19	select * from Orders	5 row(s) returned	0.000 sec / 0.000 sec
19	23:36:33	delete from Orders where OrderID=102	1 row(s) affected	0.063 sec
20	23:36:48	select * from Orders	4 row(s) returned	0.000 sec / 0.000 sec
21	23:37:12	select * from Orders where OrderDate between (select concat(year(current_date()),"-",month(current_date())-1,"-",day(current_date()))) and current_date();	3 row(s) returned	0.031 sec / 0.000 sec

Object Info

Session

MySQL Workbench

MySQL@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator:

SCHEMAS

Filter objects

- new1
- new2
- practice
- project
- salary
- tushar

Administration Schemas

Information

No object selected

Query 1

Don't Limit

```
52 * select * from Orders;
53
54 * select * from Orders where OrderDate between (select concat(year(current_date()),"-",month(current_date())-1,"-",day(current_date()))) and current_date()
55
56 * select max(TotalAmount),min(TotalAmount),avg(TotalAmount) from Orders;
```

Result Grid

	max(TotalAmount)	min(TotalAmount)	avg(TotalAmount)
▶	4850	239	1709.7500

Result 11

Read Only

Output

#	Time	Action	Message	Duration / Fetch
✓	17 23:36:04	update Orders set TotalAmount=4850 where OrderID=104	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.047 sec
✓	18 23:36:19	select * from Orders	5 row(s) returned	0.000 sec / 0.000 sec
✓	19 23:36:33	delete from Orders where OrderID=102	1 row(s) affected	0.063 sec
✓	20 23:36:48	select * from Orders	4 row(s) returned	0.000 sec / 0.000 sec
✓	21 23:37:12	select * from Orders where OrderDate between (select concat(year(current_date()),"-",month(current_date())-1,"-",day(current_date()))) and current_date()	3 row(s) returned	0.031 sec / 0.000 sec
✓	22 23:37:29	select max(TotalAmount),min(TotalAmount),avg(TotalAmount) from Orders	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

MySql@127.0.0.1:3306

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- new1
- new2
- practice
- project
- salary
- tushar

Administration Schemas

Information

No object selected

Query 1

```
60 ProductID int primary key,
61 ProductName varchar(30) not null,
62 Price float not null,
63 Stock int not null
64 );
65
66 • insert into Products values(151,"Watch",799.00,3),(172,"Mobile",12000.00,6),(199,"Bag",670.00,5),(123,"TV",23000.00,2),(147,"Laptop",89999.00,7);
67
68 • select * from Products;
69
70 • select * from Products
71   order by Price desc;
72
73 • update Products set Price=19999.00 where ProductName="TV";
74
75 • select * from Products;
76
77 • delete from Products where Stock=0;
```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 18	23:36:19	select * from Orders	5 row(s) returned	0.000 sec / 0.000 sec
✓ 19	23:36:33	delete from Orders where OrderID=102	1 row(s) affected	0.063 sec
✓ 20	23:36:48	select * from Orders	4 row(s) returned	0.000 sec / 0.000 sec
✓ 21	23:37:12	select * from Orders where OrderDate between (select concat(year(current_date()),"-",month(current_date()))-1,"...	3 row(s) returned	0.031 sec / 0.000 sec
✓ 22	23:37:29	select max(TotalAmount),min(TotalAmount),avg(TotalAmount) from Orders	1 row(s) returned	0.000 sec / 0.000 sec
✓ 23	23:39:07	create table Products(ProductID int primary key, ProductName varchar(30) not null, Price float not null, Stock I...	0 row(s) affected	0.063 sec

Object Info Session

MySQL Workbench

mysql@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Filter objects

SCHMAS

- new1
- new2
- practice
- project
- salary
- tushar

Query 1

```
64 );
65
66 • insert into Products values(151,"Watch",799.00,3),(172,"Mobile",12000.00,0),(199,"Bag",670.00,5),(123,"TV",23000.00,2),(147,"Laptop",89999.00,7);
67
68 • select * from Products;
```

Result Grid

ProductID	ProductName	Price	Stock
123	TV	23000	2
147	Laptop	89999	7
151	Watch	799	3
172	Mobile	12000	0
199	Bag	670	5

Products 12

Output

#	Time	Action	Message	Duration / Fetch
20	23:36:48	select * from Orders	4 row(s) returned	0.000 sec / 0.000 sec
21	23:37:12	select * from Orders where OrderDate between (select concat(year(current_date()),"-",month(current_date()))-1,"..."	3 row(s) returned	0.031 sec / 0.000 sec
22	23:37:29	select max(TotalAmount),min(TotalAmount),avg(TotalAmount) from Orders	1 row(s) returned	0.000 sec / 0.000 sec
23	23:39:07	create table Products(ProductID int primary key, ProductName varchar(30) not null, Price float not null, Stock I...	0 row(s) affected	0.063 sec
24	23:39:19	insert into Products values(151,"Watch",799.00,3),(172,"Mobile",12000.00,0),(199,"Bag",670.00,5),(123,"TV"...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.062 sec
25	23:39:23	select * from Products	5 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

MySQL@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Schemas

Filter objects

- new1
- new2
- practice
- project
- salary
- tushar

Query 1

```
69
70 • select * from Products
71   order by Price desc;
72
73 • update Products set Price=19999.00 where ProductName="TV";
```

Result Grid

ProductID	ProductName	Price	Stock
147	Laptop	89999	7
123	TV	23000	2
172	Mobile	12000	0
151	Watch	799	3
199	Bag	670	5

Administration Schemas

Information

No object selected

Products 13 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
21	23:37:12	select * from Orders where OrderDate between (select concat(year(current_date()),"-",month(current_date()))-1,"...	3 row(s) returned	0.031 sec / 0.000 sec
22	23:37:29	select max(TotalAmount),min(TotalAmount),avg(TotalAmount) from Orders	1 row(s) returned	0.000 sec / 0.000 sec
23	23:39:07	create table Products(ProductID int primary key, ProductName varchar(30) not null, Price float not null, Stock i...	0 row(s) affected	0.063 sec
24	23:39:19	insert into Products values(151,"Watch",799.00,3),(172,"Mobile",12000.00,0),(199,"Bag",670.00,5),(123,"TV"...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.062 sec
25	23:39:23	select * from Products	5 row(s) returned	0.000 sec / 0.000 sec
26	23:39:43	select * from Products order by Price desc	5 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

MySql@127.0.0.1:3306

File Edit View Query Database Server Tools Scripting Help

Navigator: SCHEMAS

Filter objects

- new1
- new2
- practice
- project
- salary
- tushar

Administration Schemas

Information

No object selected

Query 1

```
71 order by Price desc;
72
73 • update Products set Price=19999.00 where ProductName="TV";
74
75 • select * from Products;
76
77 • delete from Products where Stock=0;
78
79 • select * from Products;
80
81 • select * from Products
82   where Price between 500 and 2000;
83
84 • select * from Products
85   where price=(select max(price) from Products) or price=(select min(price) from Products) ;
86
87 • create table OrderDetails(
88   OrderDetailID int primary key,
```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 22	23:37:29	select max(TotalAmount),min(TotalAmount),avg(TotalAmount) from Orders	1 row(s) returned	0.000 sec / 0.000 sec
✓ 23	23:39:07	create table Products(ProductID int primary key, ProductName varchar(30) not null, Price float not null, Stock I...	0 row(s) affected	0.063 sec
✓ 24	23:39:19	insert into Products values(151,"Watch",799.00,3),(172,"Mobile",12000.00,0),(199,"Bag",670.00,5),(123,"TV"...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.062 sec
✓ 25	23:39:23	select * from Products	5 row(s) returned	0.000 sec / 0.000 sec
✓ 26	23:39:43	select * from Products order by Price desc	5 row(s) returned	0.000 sec / 0.000 sec
✓ 27	23:39:56	update Products set Price=19999.00 where ProductName="TV"	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.062 sec

Object Info Session

MySQL Workbench

MySQL@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator: www.mysql.com/doc/relnotes/...
SCHEMAS
Filter objects
new1
new2
practice
project
salary
tushar

Query 1 x
71 order by Price desc;
72
73 • update Products set Price=19999.00 where ProductName="TV";
74
75 • select * from Products;

Result Grid
Filter Rows: Edit: Export/Import: Wrap Cell Contents: X

ProductID	ProductName	Price	Stock
123	TV	19999	2
147	Laptop	89999	7
151	Watch	799	3
172	Mobile	12000	0
199	Bag	670	5

Administration Schemas
Information
No object selected

Products 14 x
Output
Action Output

#	Time	Action	Message	Duration / Fetch
23	23:39:07	create table Products(ProductID int primary key, ProductName varchar(30) not null, Price float not null, Stock i...	0 row(s) affected	0.063 sec
24	23:39:19	insert into Products values(151,"Watch",799.00,3),(172,"Mobile",12000.00,0),(199,"Bag",670.00,5),(123,"TV"...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.062 sec
25	23:39:23	select * from Products	5 row(s) returned	0.000 sec / 0.000 sec
26	23:39:43	select * from Products order by Price desc	5 row(s) returned	0.000 sec / 0.000 sec
27	23:39:56	update Products set Price=19999.00 where ProductName="TV"	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.062 sec
28	23:40:11	select * from Products	5 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

MySQL@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator: [new1](#) [new2](#) [practice](#) [project](#) [salary](#) [tushar](#)

SCHEMAS

Filter objects

new1
new2
practice
project
salary
tushar

Query 1

```
75 * select * from Products;  
76  
77 * delete from Products where Stock=0;  
78  
79 * select * from Products;
```

Result Grid

ProductID	ProductName	Price	Stock
123	TV	19999	2
147	Laptop	89999	7
151	Watch	799	3
199	Bag	670	5

Products 15 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 25	23:39:23	select * from Products	5 row(s) returned	0.000 sec / 0.000 sec
✓ 26	23:39:43	select * from Products order by Price desc	5 row(s) returned	0.000 sec / 0.000 sec
✓ 27	23:39:56	update Products set Price=19999.00 where ProductName="TV"	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.062 sec
✓ 28	23:40:11	select * from Products	5 row(s) returned	0.000 sec / 0.000 sec
✓ 29	23:40:24	delete from Products where Stock=0	1 row(s) affected	0.047 sec
✓ 30	23:40:27	select * from Products	4 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

mysql@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- new1
- new2
- practice
- project
- salary
- tushar

Administration Schemas

Information

No object selected

Query 1

```
80
81 * select * from Products
82 where Price between 500 and 2000;
83
84 * select * from Products
```

Result Grid

ProductID	ProductName	Price	Stock
151	Watch	799	3
199	Bag	670	5

Products 16

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 26	23:39:43	select * from Products order by Price desc	5 row(s) returned	0.000 sec / 0.000 sec
✓ 27	23:39:56	update Products set Price=19999.00 where ProductName="TV"	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.062 sec
✓ 28	23:40:11	select * from Products	5 row(s) returned	0.000 sec / 0.000 sec
✓ 29	23:40:24	delete from Products where Stock=0	1 row(s) affected	0.047 sec
✓ 30	23:40:27	select * from Products	4 row(s) returned	0.000 sec / 0.000 sec
✓ 31	23:40:43	select * from Products where Price between 500 and 2000	2 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

MySQL@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

new1

new2

practice

project

salary

tushar

Query 1

Don't Limit

83

84 • `select * from Products`

85 `where price=(select max(price) from Products) or price=(select min(price) from Products) ;`

86

87 • `create table OrderDetails(`

Result Grid

Filter Rows:

ProductID ProductName Price Stock

147 Laptop 89999 7

199 Bag 670 5

more more more more

Administration

Schemas

Information

No object selected

Products 17

Apply Revert

Output

Action Output

Time Action Message Duration / Fetch

27 23:39:56 update Products set Price=19999.00 where ProductName="TV" 1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0 0.062 sec

28 23:40:11 select * from Products 5 row(s) returned 0.000 sec / 0.000 sec

29 23:40:24 delete from Products where Stock=0 1 row(s) affected 0.047 sec

30 23:40:27 select * from Products 4 row(s) returned 0.000 sec / 0.000 sec

31 23:40:43 select * from Products where Price between 500 and 2000 2 row(s) returned 0.000 sec / 0.000 sec

32 23:40:55 select * from Products where price=(select max(price) from Products) or price=(select min(price) from Products) 2 row(s) returned 0.000 sec / 0.000 sec

MySQL Workbench

MySql@127.0.0.1:3306

File Edit View Query Database Server Tools Scripting Help

Navigator:

SCHEMAS

Filter objects

- new1
- new2
- practice
- project
- salary
- tushar

Query 1

```
83
84 • select * from Products
85   where price=(select max(price) from Products) or price=(select min(price) from Products) ;
86
87 • create table OrderDetails(
```

Result Grid

ProductID	ProductName	Price	Stock
147	Laptop	89999	7
199	Bag	670	5
NULL	NULL	NULL	NULL

Administration Schemas

Information

No object selected

Products 17

Output

Action Output

*	Time	Action	Message	Duration / Fetch
✓	27 23:39:56	update Products set Price=19999.00 where ProductName="TV"	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.062 sec
✓	28 23:40:11	select * from Products	5 row(s) returned	0.000 sec / 0.000 sec
✓	29 23:40:24	delete from Products where Stock=0	1 row(s) affected	0.047 sec
✓	30 23:40:27	select * from Products	4 row(s) returned	0.000 sec / 0.000 sec
✓	31 23:40:43	select * from Products where Price between 500 and 2000	2 row(s) returned	0.000 sec / 0.000 sec
✓	32 23:40:55	select * from Products where price=(select max(price) from Products) or price=(select min(price) from Products)	2 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

MySQL@127.0.0.1:3306

FileEditViewQueryDatabaseServerToolsScriptingHelp

Navigator

SCHEMAS

Filter objects

new1

new2

practice

project

salary

tushar

Query 1

Quantity int not null,
SubTotal int not null
);

select * from OrderDetails;

Result Grid

Filter Rows

Edit

Export/Import

Wrap Cell Contents

OrderDetailID	OrderID	ProductID	Quantity	SubTotal
1				

Delete selected rows

Administration

Schemas

Information

No object selected

OrderDetails 18

Apply

Revert

Output

Action Output

#	Time	Action	Message	Duration / Fetch
29	23:40:24	delete from Products where Stock=0	1 row(s) affected	0.047 sec
30	23:40:27	select * from Products	4 row(s) returned	0.000 sec / 0.000 sec
31	23:40:43	select * from Products where Price between 500 and 2000	2 row(s) returned	0.000 sec / 0.000 sec
32	23:40:55	select * from Products where price=(select max(price) from Products) or price=(select min(price) from Products)	2 row(s) returned	0.000 sec / 0.000 sec
33	23:41:37	create table OrderDetails(OrderDetailID int primary key, OrderID int not null, ProductID int not null, Quantity int ...	0 row(s) affected	0.062 sec
34	23:41:39	select * from OrderDetails	0 row(s) returned	0.000 sec / 0.000 sec

Object Info

Session

MySQL Workbench

MySQL@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator: new1 new2 practice project salary tushar

SCHEMAS

Filter objects

new1 new2 practice project salary tushar

Query 1

```
95 • select * from OrderDetails;
96
97 • insert into OrderDetails values(1,101,201,2,1000),(2,101,202,1,500),(3,102,201,3,1500),(4,103,203,2,800),(5,104,202,4,2000);
98
99 • select * from OrderDetails;
```

Result Grid

OrderDetailID	OrderID	ProductID	Quantity	SubTotal
1	101	201	2	1000
2	101	202	1	500
3	102	201	3	1500
4	103	203	2	800
5	104	202	4	2000

Administration Schemas

Information

No object selected

OrderDetails 19 x

Apply Revert

Output

#	Time	Action	Message	Duration / Fetch
31	23:40:43	select * from Products where Price between 500 and 2000	2 row(s) returned	0.000 sec / 0.000 sec
32	23:40:55	select * from Products where price=(select max(price) from Products) or price=(select min(price) from Products)	2 row(s) returned	0.000 sec / 0.000 sec
33	23:41:37	create table OrderDetails(OrderDetailID int primary key, OrderID int not null, ProductID int not null, Quantity int ...	0 row(s) affected	0.062 sec
34	23:41:39	select * from OrderDetails	0 row(s) returned	0.000 sec / 0.000 sec
35	23:41:49	insert into OrderDetails values(1,101,201,2,1000),(2,101,202,1,500),(3,102,201,3,1500),(4,103,203,2,800),(5,1...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.031 sec
36	23:41:53	select * from OrderDetails	5 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Mysql@127.0.0.1:3306

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- new1
- new2
- practice
- project
- salary
- tushar

Query 1

98

99 • select * from OrderDetails;

100

101 • select * from OrderDetails

102 where OrderDetailID=3;

Result Grid

OrderDetailID	OrderID	ProductID	Quantity	SubTotal
3	102	201	3	1500

Administration Schemas

Information

No object selected

OrderDetails 20

Apply Revert

Output

Action Output

#	Time	Action	Message	Duration / Fetch
32	23:40:55	select * from Products where price=(select max(price) from Products) or price=(select min(price) from Products)	2 row(s) returned	0.000 sec / 0.000 sec
33	23:41:37	create table OrderDetails(OrderDetailID int primary key, OrderID int not null, ProductID int not null, Quantity int ...	0 row(s) affected	0.062 sec
34	23:41:39	select * from OrderDetails	0 row(s) returned	0.000 sec / 0.000 sec
35	23:41:49	insert into OrderDetails values(1,101,2,1000),(2,101,202,1,500),(3,102,201,3,1500),(4,103,203,2,800),(5,1...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.031 sec
36	23:41:53	select * from OrderDetails	5 row(s) returned	0.000 sec / 0.000 sec
37	23:42:10	select * from OrderDetails where OrderDetailID=3	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

MySql@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator:

SCHEMAS

Filter objects

- new1
- new2
- practice
- project
- salary
- tushar

Administration Schemas

Information

No object selected

Query 1 x

Don't Limit

```
100
101 • select * from OrderDetails
102   where OrderDetailID=3;
103
104 • select sum(SubTotal) as Total_revenue from OrderDetails;
```

Result Grid

Filter Rows:

Exports

Wrap Cell Content:

Total_revenue
5800

Result Grid

Form Editor

Field Types

Query Status

Result 21 x

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 33	23:41:37	create table OrderDetails(OrderDetailID int primary key, OrderID int not null, ProductID int not null, Quantity int ...	0 row(s) affected	0.062 sec
✓ 34	23:41:39	select * from OrderDetails	0 row(s) returned	0.000 sec / 0.000 sec
✓ 35	23:41:49	insert into OrderDetails values(1,101,201,2,1000),(2,101,202,1,500),(3,102,201,3,1500),(4,103,203,2,800),(5,1...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.031 sec
✓ 36	23:41:53	select * from OrderDetails	5 row(s) returned	0.000 sec / 0.000 sec
✓ 37	23:42:10	select * from OrderDetails where OrderDetailID=3	1 row(s) returned	0.000 sec / 0.000 sec
✓ 38	23:42:21	select sum(Sub Total) as Total_revenue from OrderDetails	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

MySql@127.0.0.1:3306

File Edit View Query Database Server Tools Scripting Help

Navigator: Filter objects

SCHMAS

- new1
- new2
- practice
- project
- salary
- tushar

Query 1

```
102 where OrderDetailID=3;
103
104 • select sum(SubTotal) as Total_revenue from OrderDetails;
105
106 • select * from OrderDetails;
```

Result Grid

OrderDetailID	OrderID	ProductID	Quantity	SubTotal
1	101	201	2	1000
2	101	202	1	500
3	102	201	3	1500
4	103	203	2	800
5	104	202	4	2000
NULL	NULL	NULL	NULL	NULL

Administration Schemas

Information

No object selected

OrderDetails 22

Output

Action Output

#	Time	Action	Message	Duration / Fetch
34	23:41:39	select * from OrderDetails	0 row(s) returned	0.000 sec / 0.000 sec
35	23:41:49	insert into OrderDetails values(1,101,201,2,1000),(2,101,202,1,500),(3,102,201,3,1500),(4,103,203,2,800),(5,104,202,4,2000);	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.031 sec
36	23:41:53	select * from OrderDetails	5 row(s) returned	0.000 sec / 0.000 sec
37	23:42:10	select * from OrderDetails where OrderDetailID=3	1 row(s) returned	0.000 sec / 0.000 sec
38	23:42:21	select sum(SubTotal) as Total_revenue from OrderDetails	1 row(s) returned	0.000 sec / 0.000 sec
39	23:42:39	select * from OrderDetails	5 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

MySQL@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator: SCHEMAS

Filter objects

- new1
- new2
- practice
- project
- salary
- tushar

Administration Schemas

Information

No object selected

Query 1

```
106 • select * from OrderDetails;
107
108 • select ProductID, sum(Quantity) from OrderDetails
109 group by ProductID
110 order by sum(Quantity) desc;
```

Result Grid

ProductID	sum(Quantity)
201	5
202	5
203	2

Result 23

Output

#	Time	Action	Message	Duration / Fetch
35	23:41:49	Insert into OrderDetails values(1,101,201,2,1000),(2,101,202,1,500),(3,102,201,3,1500),(4,103,203,2,800),(5,1...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.031 sec
36	23:41:53	select * from OrderDetails	5 row(s) returned	0.000 sec / 0.000 sec
37	23:42:10	select * from OrderDetails where OrderDetailID=3	1 row(s) returned	0.000 sec / 0.000 sec
38	23:42:21	select sum(SubTotal) as Total_revenue from OrderDetails	1 row(s) returned	0.000 sec / 0.000 sec
39	23:42:39	select * from OrderDetails	5 row(s) returned	0.000 sec / 0.000 sec
40	23:42:53	select ProductID, sum(Quantity) from OrderDetails group by ProductID order by sum(Quantity) desc	3 row(s) returned	0.016 sec / 0.000 sec

MySQL Workbench

MySQL@127.0.0.1:3306

FileEditViewQueryDatabaseServerToolsScriptingHelp

Navigator

SCHEMAS

Filter objects

new1

new2

practice

project

salary

tushar

Query 1

group by ProductID
order by sum(Quantity) desc;

select count(ProductID) from OrderDetails
where ProductID=202;

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

count(ProductID)
2

Administration

Schemas

Information

No object selected

Result 24

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
36	23:41:53	select * from OrderDetails	5 row(s) returned	0.000 sec / 0.000 sec
37	23:42:10	select * from OrderDetails where OrderDetailID=3	1 row(s) returned	0.000 sec / 0.000 sec
38	23:42:21	select sum(SubTotal) as Total_revenue from OrderDetails	1 row(s) returned	0.000 sec / 0.000 sec
39	23:42:39	select * from OrderDetails	5 row(s) returned	0.000 sec / 0.000 sec
40	23:42:53	select ProductID,sum(Quantity) from OrderDetails group by ProductID order by sum(Quantity) desc	3 row(s) returned	0.016 sec / 0.000 sec
41	23:43:33	select count(ProductID) from OrderDetails where ProductID=202	1 row(s) returned	0.031 sec / 0.000 sec

Object Info

Session

MySQL Workbench

MySQL@127.0.0.1:3306 x

File Edit View Query Database Server Tools Scripting Help

Navigator

Filter objects

- new1
- new2
- practice
- project
- salary
- tushar

Query 1

```
111
112 * select count(ProductID) from OrderDetails
113 where ProductID=202;
114
115 * select * from OrderDetails;
```

Result Grid

	OrderDetailID	OrderID	ProductID	Quantity	SubTotal
1	101	201	2	1000	
2	101	202	1	500	
3	102	201	3	1500	
4	103	203	2	800	
5	104	202	4	2000	
*	NULL	NULL	NULL	NULL	NULL

OrderDetails 25 x

Output

#	Time	Action	Message	Duration / Fetch
37	23:42:10	select * from OrderDetails where OrderDetailID=3	1 row(s) returned	0.000 sec / 0.000 sec
38	23:42:21	select sum(SubTotal) as Total_revenue from OrderDetails	1 row(s) returned	0.000 sec / 0.000 sec
39	23:42:39	select * from OrderDetails	5 row(s) returned	0.000 sec / 0.000 sec
40	23:42:53	select ProductID,sum(Quantity) from OrderDetails group by ProductID order by sum(Quantity) desc	3 row(s) returned	0.016 sec / 0.000 sec
41	23:43:33	select count(ProductID) from OrderDetails where ProductID=202	1 row(s) returned	0.031 sec / 0.000 sec
42	23:43:43	select * from OrderDetails	5 row(s) returned	0.000 sec / 0.000 sec