

No object selected

	CustomerID	FirstName	LastName	Email	RegistrationDate
▶	1	John	Doe	john.doe@email.com	2022-03-15
	2	Jane	Smith	jane.smith@email.com	2021-11-02
•	NULL	NULL	NULL	NULL	NULL

customers 1 x

Apply

Revert

Context Help

Snippets

Output :

#	Time	Action	Message	Duration / Fetch
1	16:17:07	Use data_transformer	0 row(s) affected	0.000 sec
2	16:17:10	Create table Customers (CustomerID int primary key, FirstName varchar(50), LastName varchar(50), E...	0 row(s) affected	0.047 sec
3	16:17:14	Insert into Customers values (1, 'John', 'Doe', 'john.doe@email.com', '2022-03-15'), (2, 'Jane', 'Smith', 'jane.smith...	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.016 sec
4	16:17:34	select from customers	2 row(s) returned	0.000 sec / 0.000 sec

Query 1 Data_Transformer_Project(1)* x

[illegible]

◀ ▶ | I? ⚡ I2 | Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

SCHEMAS

- ▶ new1
- ▶ new2
- ▶ pr_1
- ▶ practice
- ▶ project
- ▶ salary
- ▶ tushar

```

22         TotalAmount decimal(10,2),
23         foreign key (CustomerID) references Customers(CustomerID)
24     );
25
26 • Insert into Orders values
27     (101, 1, '2023-07-01', 150.50),
28     (102, 2, '2023-07-03', 200.75);
29 • select * from orders;
30 • Create table Employees (
31     EmployeeID int primary key,

```

Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:

	OrderID	CustomerID	OrderDate	TotalAmount
▶	101	1	2023-07-01	150.50
	102	2	2023-07-03	200.75
✱	NULL	NULL	NULL	NULL

Administration Schemas

Information

No object selected

orders 3 ×

Apply Revert Context Help Snippets

Output :

Action Output

#	Time	Action	Message	Duration / Fetch
3	16:17:14	Insert into Customers values (1, 'John', 'Doe', john.doe@email.com, '2022-03-15'), (2, 'Jane', 'Smith', jane.smith...	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.016 sec
4	16:17:34	select *from customers	2 row(s) returned	0.000 sec / 0.000 sec
5	16:18:17	Create table Orders (OrderID int primary key, CustomerID int, OrderDate date, TotalAmount decimal(...	0 row(s) affected	0.047 sec
6	16:18:25	Insert into Orders values (101, 1, '2023-07-01', 150.50), (102, 2, '2023-07-03', 200.75)	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.031 sec
7	16:18:39	select *from orders	2 row(s) returned	0.000 sec / 0.000 sec
8	16:18:52	select *from orders	2 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Query 1 Data_Transformer_Project(1)* x

- ▶ new1
- ▶ new2
- ▶ pr_1
- ▶ practice
- ▶ project
- ▶ salary
- ▶ tushar

Information:

No object selected

Data_Transformer_Project(1)* x

```

31 EmployeeID int primary key,
32     FirstName varchar(50),
33     LastName varchar(50),
34     Department varchar(50),
35     HireDate date,
36     Salary decimal(10,2)
37 );
38 • select*from employees;
39 • Insert into Employees values
40     (1, 'Mark', 'Johnson', 'Sales', '2020-01-15', 50000.00),
41     (2, 'Susan', 'Lee', 'HR', '2021-03-20', 55000.00);
42
43 • Select
44     o.OrderID,
45     c.CustomerID,
46     c.FirstName,
47     c.LastName,
48     c.Email,
49     o.OrderDate,
50     o.TotalAmount
51 from Orders o

```

[illegible]

◀ ▶ | I? ⚡ I? | [Jump to](#)

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output :

Action Output

#	Time	Action	Message	Duration / Fetch
✓	4 16:17:34	select * from customers	2 row(s) returned	0.000 sec / 0.000 sec
✓	5 16:18:17	Create table Orders (OrderID int primary key, CustomerID int, OrderDate date, TotalAmount decimal(...	0 row(s) affected	0.047 sec
✓	6 16:18:25	Insert into Orders values (101, 1, '2023-07-01', 150.50), (102, 2, '2023-07-03', 200.75)	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.031 sec
✓	7 16:18:39	select * from orders	2 row(s) returned	0.000 sec / 0.000 sec
✓	8 16:18:52	select * from orders	2 row(s) returned	0.000 sec / 0.000 sec
✓	9 16:19:20	Create table Employees (EmployeeID int primary key, FirstName varchar(50), LastName varchar(50), ...	0 row(s) affected	0.016 sec

Object Info Session

```

31 EmployeeID int primary key,
32 FirstName varchar(50),
33 LastName varchar(50),
34 Department varchar(50),
35 HireDate date,
36 Salary decimal(10,2)
37 );
38 • select*from employees;
39 • Insert into Employees values
40 (1, 'Mark', 'Johnson', 'Sales', '2020-01-15', 50000.00);

```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content: |

	EmployeeID	FirstName	LastName	Department	HireDate	Salary
1	NULL	NULL	NULL	NULL	NULL	NULL

Information : :::::

No object selected

employees 4 x

Apply

Revert

Context Help

Snippets

Output

 Action Output

#	Time	Action	Message	Duration / Fetch
5	16:18:17	Create table Orders (OrderID int primary key, CustomerID int, OrderDate date, TotalAmount decimal(...	0 row(s) affected	0.047 sec
6	16:18:25	Insert into Orders values (101, 1, '2023-07-01', 150.50), (102, 2, '2023-07-03', 200.75)	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.031 sec
7	16:18:39	select *from orders	2 row(s) returned	0.000 sec / 0.000 sec
8	16:18:52	select *from orders	2 row(s) returned	0.000 sec / 0.000 sec
9	16:19:20	Create table Employees (EmployeeID int primary key, FirstName varchar(50), LastName varchar(50), ...	0 row(s) affected	0.016 sec
10	16:19:29	select *from employees	0 row(s) returned	0.000 sec / 0.000 sec

Query 1 Data_Transformer_Project(1)*

```

37 );
38 • select*from employees;
39 • Insert into Employees values
40 (1, 'Mark', 'Johnson', 'Sales', '2020-01-15', 50000.00),
41 (2, 'Susan', 'Lee', 'HR', '2021-03-20', 55000.00);
42 • select*from employees;
43
44 • Select
45     o.OrderID,
46     c.CustomerID,

```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content: |

	EmployeeID	FirstName	LastName	Department	HireDate	Salary
▶	1	Mark	Johnson	Sales	2020-01-15	50000.00
	2	Susan	Lee	HR	2021-03-20	55000.00
✱	NULL	NULL	NULL	NULL	NULL	NULL

Information :

No object selected

employees 5 x

Apply Revert Context Help Snippets

Output :

Action Output

#	Time	Action	Message	Duration / Fetch
7	16:18:39	select from orders	2 row(s) returned	0.000 sec / 0.000 sec
8	16:18:52	select from orders	2 row(s) returned	0.000 sec / 0.000 sec
9	16:19:20	Create table Employees (EmployeeID int primary key, FirstName varchar(50), LastName varchar(50), ...	0 row(s) affected	0.016 sec
10	16:19:29	select from employees	0 row(s) returned	0.000 sec / 0.000 sec
11	16:19:42	Insert into Employees values (1, 'Mark', 'Johnson', 'Sales', '2020-01-15', 50000.00), (2, 'Susan', 'Lee', 'HR', '202...	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.046 sec
12	16:19:54	select from employees	2 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

SQLAdditions

◀ ▶ | I? ⚡ I? | [Jump to](#)

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Query 1 Data_Transformer_Project(1)* x

```

40 (1, 'Mark', 'Johnson', 'Sales', '2020-01-15', 50000.00),
41 (2, 'Susan', 'Lee', 'HR', '2021-03-20', 55000.00);
42 • select*from employees;
43
44 • Select o.OrderID, c.CustomerID, c.FirstName, c.LastName, c.Email, o.OrderDate, o.TotalAmount
45 from Orders o
46 inner join Customers c
47 on o.CustomerID = c.CustomerID;
48
49 • Select

```

Export:  Wrap Cell Content: 

	OrderID	CustomerID	FirstName	LastName	Email	OrderDate	TotalAmount
▶	101	1	John	Doe	john.doe@email.com	2023-07-01	150.50
	102	2	Jane	Smith	jane.smith@email.com	2023-07-03	200.75

Information

No object selected

Read Only

Context Help Snippets

Output :

Action Output

#	Time	Action	Message	Duration / Fetch
8	16:18:52	select*from orders	2 row(s) returned	0.000 sec / 0.000 sec
9	16:19:20	Create table Employees (EmployeeID int primary key, FirstName varchar(50), LastName varchar(50), ...	0 row(s) affected	0.016 sec
10	16:19:29	select*from employees	0 row(s) returned	0.000 sec / 0.000 sec
11	16:19:42	Insert into Employees values (1, 'Mark', 'Johnson', 'Sales', '2020-01-15', 50000.00), (2, 'Susan', 'Lee', 'HR', '202...	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.046 sec
12	16:19:54	select*from employees	2 row(s) returned	0.000 sec / 0.000 sec
13	16:20:50	Select o.OrderID, c.CustomerID, c.FirstName, c.LastName, c.Email, o.OrderDate, o.TotalAmount from Orders o ...	2 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

SQLAdditions : : : : :

◀ ▶ | I? ⚡ I? | Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result
Grid

Form
EditorField
Types

- ▶ new1
- ▶ new2
- ▶ pr_1
- ▶ practice
- ▶ project
- ▶ salary
- ▶ tushar

No object selected

```
55 • Select o.OrderID, o.OrderDate, o.TotalAmount, c.CustomerID, c.FirstName, c.LastName
56 from Customers c
57 right join Orders o
58 on c.CustomerID = o.CustomerID;
59
60 • Select
61     c.CustomerID,
62     c.FirstName,
63     c.LastName,
64     o.OrderID,
```

Result Grid Filter Rows: Export: Wrap Cell Content:

	OrderID	OrderDate	TotalAmount	CustomerID	FirstName	LastName
▶	101	2023-07-01	150.50	1	John	Doe
	102	2023-07-03	200.75	2	Jane	Smith

Output :

 Action Output

#	Time	Action	Message	Duration / Fetch
✓	10 16:19:29	select * from employees	0 row(s) returned	0.000 sec / 0.000 sec
✓	11 16:19:42	Insert into Employees values (1, 'Mark', 'Johnson', 'Sales', '2020-01-15', 50000.00), (2, 'Susan', 'Lee', 'HR', '202...	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.046 sec
✓	12 16:19:54	select * from employees	2 row(s) returned	0.000 sec / 0.000 sec
✓	13 16:20:50	Select o.OrderID, c.CustomerID, c.FirstName, c.LastName, c.Email, o.OrderDate, o.TotalAmount from Orders o ...	2 row(s) returned	0.000 sec / 0.000 sec
✓	14 16:21:30	Select c.CustomerID, c.FirstName, c.LastName, o.OrderID, o.OrderDate, o.TotalAmount from Customers c le...	2 row(s) returned	0.000 sec / 0.000 sec
✓	15 16:23:30	Select o.OrderID, o.OrderDate, o.TotalAmount, c.CustomerID, c.FirstName, c.LastName from Customers c right...	2 row(s) returned	0.000 sec / 0.000 sec

Query 1 Data_Transformer_Project(1)* x

```
60 • Select
61     c.CustomerID, c.FirstName, c.LastName, o.OrderID, o.OrderDate, o.TotalAmount from Customers c
62 left join Orders o
63 on c.CustomerID = o.CustomerID
64 union
65 Select c.CustomerID, c.FirstName, c.LastName, o.OrderID, o.OrderDate, o.TotalAmount from Customers c
66 right join Orders o
67 on c.CustomerID = o.CustomerID;
68
69 • Select CustomerID, FirstName, LastName
```


	CustomerID	FirstName	LastName	OrderID	OrderDate	TotalAmount
▶	1	John	Doe	101	2023-07-01	150.50
	2	Jane	Smith	102	2023-07-03	200.75

Information : :::::

No object selected

Result 9 

Read Only

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
11	16:19:42	Insert into Employees values (1, 'Mark', 'Johnson', 'Sales', '2020-01-15', 50000.00), (2, 'Susan', 'Lee', 'HR', '202...	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.046 sec
12	16:19:54	select * from employees	2 row(s) returned	0.000 sec / 0.000 sec
13	16:20:50	Select o.OrderID, c.CustomerID, c.FirstName, c.LastName, c.Email, o.OrderDate, o.TotalAmount from Orders o ...	2 row(s) returned	0.000 sec / 0.000 sec
14	16:21:30	Select c.CustomerID, c.FirstName, c.LastName, o.OrderID, o.OrderDate, o.TotalAmount from Customers c le...	2 row(s) returned	0.000 sec / 0.000 sec
15	16:23:30	Select o.OrderID, o.OrderDate, o.TotalAmount, c.CustomerID, c.FirstName, c.LastName from Customers c right...	2 row(s) returned	0.000 sec / 0.000 sec
16	16:24:55	Select c.CustomerID, c.FirstName, c.LastName, o.OrderID, o.OrderDate, o.TotalAmount from Customers c le...	2 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Filter objects

- ▶ new1
- ▶ new2
- ▶ pr_1
- ▶ practice
- ▶ project
- ▶ salary
- ▶ tushar

```
67 on c.CustomerID = o.CustomerID;
68
69 • Select CustomerID, FirstName, LastName
70 from Customers
71 where CustomerID in (
72     Select CustomerID
73     from Orders
74     where TotalAmount > (Select avg(TotalAmount) from Orders)
75 );
76
```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid   Filter Rows: Edit:    Export/Import:   Wrap Cell Content: 

	CustomerID	FirstName	LastName
▶	2	Jane	Smith
*	NULL	NULL	NULL

Administration Schemas

Information : : : : :

No object selected

Customers 10 x

Apply

Revert

Context Help

Snippets


Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓	12 16:19:54	select * from employees	2 row(s) returned	0.000 sec / 0.000 se
✓	13 16:20:50	Select o.OrderID, c.CustomerID, c.FirstName, c.LastName, c.Email, o.OrderDate, o.TotalAmount from Orders o ...	2 row(s) returned	0.000 sec / 0.000 se
✓	14 16:21:30	Select c.CustomerID, c.FirstName, c.LastName, o.OrderID, o.OrderDate, o.TotalAmount from Customers c le...	2 row(s) returned	0.000 sec / 0.000 se
✓	15 16:23:30	Select o.OrderID, o.OrderDate, o.TotalAmount, c.CustomerID, c.FirstName, c.LastName from Customers c right...	2 row(s) returned	0.000 sec / 0.000 se
✓	16 16:24:55	Select c.CustomerID, c.FirstName, c.LastName, o.OrderID, o.OrderDate, o.TotalAmount from Customers c le...	2 row(s) returned	0.000 sec / 0.000 se
✓	17 16:25:09	Select CustomerID, FirstName, LastName from Customers where CustomerID in (Select CustomerID from ...	1 row(s) returned	0.016 sec / 0.000 se

Object Info

Query 1 Data_Transformer_Project(1)* x



```

83         month(OrderDate) as OrderMonth
84     from Orders;
85
86 • Select OrderID, OrderDate,
87         datediff(curdate(), OrderDate) as DateDifference
88     from Orders;
89
90 • Select OrderID, OrderDate,
91         date_format(OrderDate, '%d-%b-%Y') as FormattedOrderDate
92     from Orders;

```


	OrderID	OrderDate	DateDifference
▶	101	2023-07-01	1174
	102	2023-07-03	1172

Information

No object selected

Field
Types

Result 14

Read Only

Context Help Snippets


Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓	16:24:55	Select c.CustomerID, c.FirstName, c.LastName, o.OrderID, o.OrderDate, o.TotalAmount from Customers c le...	2 row(s) returned	0.000 sec / 0.000 sec
✓	16:25:09	Select CustomerID, FirstName, LastName from Customers where CustomerID in (Select CustomerID from ...	1 row(s) returned	0.016 sec / 0.000 sec
✓	16:25:19	Select EmployeeID, FirstName, LastName, Department, HireDate, Salary from Employees where Salary > (Sele...	1 row(s) returned	0.000 sec / 0.000 sec
✓	16:25:30	Select OrderID, OrderDate, year(OrderDate) as OrderYear, month(OrderDate) as OrderMonth from Ord...	2 row(s) returned	0.000 sec / 0.000 sec
✓	16:25:44	Select OrderID, OrderDate, year(OrderDate) as OrderYear, month(OrderDate) as OrderMonth from Ord...	2 row(s) returned	0.000 sec / 0.000 sec
✓	16:25:52	Select OrderID, OrderDate, datediff(curdate(), OrderDate) as DateDifference from Orders	2 row(s) returned	0.016 sec / 0.000 sec

Object Info Session

Query 1 Data_Transformer_Project(1)* x



```
89
90 • Select OrderID, OrderDate,
91     date_format(OrderDate, '%d-%b-%Y') as FormattedOrderDate
92 from Orders;
93
94 • Select EmployeeID,
95     concat(FirstName, ' ', LastName) as FullName
96 from Employees;
97
98 • Select CustomerID, FirstName,
```

Result Grid Filter Rows: Export: Wrap Cell Content:

	EmployeeID	FullName
▶	1	Mark Johnson
	2	Susan Lee

Information ::::::::::::::::::::::::::::::::::

No object selected

Result 16

Read Only

Context Help Snippets

Output :

Action Output

#	Time	Action	Message	Duration / Fetch
✓	18 16:25:19	Select EmployeeID, FirstName, LastName, Department, HireDate, Salary from Employees where Salary > (Sele...	1 row(s) returned	0.000 sec / 0.000 sec
✓	19 16:25:30	Select OrderID, OrderDate, year(OrderDate) as OrderYear, month(OrderDate) as OrderMonth from Ord...	2 row(s) returned	0.000 sec / 0.000 sec
✓	20 16:25:44	Select OrderID, OrderDate, year(OrderDate) as OrderYear, month(OrderDate) as OrderMonth from Ord...	2 row(s) returned	0.000 sec / 0.000 sec
✓	21 16:25:52	Select OrderID, OrderDate, datediff(curdate(), OrderDate) as DateDifference from Orders	2 row(s) returned	0.016 sec / 0.000 sec
✓	22 16:26:03	Select OrderID, OrderDate, date_format(OrderDate, '%d-%b-%Y') as FormattedOrderDate from Orders	2 row(s) returned	0.000 sec / 0.000 sec
✓	23 16:26:15	Select EmployeeID, concat(FirstName, ' ', LastName) as FullName from Employees	2 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Session

[illegible]

◀ ▶ | I? ⚡ I2 | Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.



Navigator

SCHEMAS

Filter objects

- new1
- new2
- pr_1
- practice
- project
- salary
- tushar

Query 1

Data_Transformer_Project(1)* x



```
92  from Orders;
93
94  •  Select EmployeeID,
95         concat(FirstName, ' ', LastName) as FullName
96  from Employees;
97
98  •  Select CustomerID, FirstName,
99         replace(FirstName, 'John', 'Jonathan') as UpdatedFirstName
100 from Customers;
101
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

	CustomerID	FirstName	UpdatedFirstName
▶	1	John	Jonathan
	2	Jane	Jane

Administration Schemas

Information

No object selected

Result 17 x

Output

Action Output

#	Time	Action	Message
✓ 19	16:25:30	Select OrderID, OrderDate, year(OrderDate) as OrderYear, month(OrderDate) as OrderMonth from Ord...	2 row(s) returned
✓ 20	16:25:44	Select OrderID, OrderDate, year(OrderDate) as OrderYear, month(OrderDate) as OrderMonth from Ord...	2 row(s) returned
✓ 21	16:25:52	Select OrderID, OrderDate, datediff(curdate(), OrderDate) as DateDifference from Orders	2 row(s) returned
✓ 22	16:26:03	Select OrderID, OrderDate, date_format(OrderDate, '%d-%b-%Y') as FormattedOrderDate from Orders	2 row(s) returned
✓ 23	16:26:15	Select EmployeeID, concat(FirstName, ' ', LastName) as FullName from Employees	2 row(s) returned
✓ 24	16:26:25	Select CustomerID, FirstName, replace(FirstName, 'John', 'Jonathan') as UpdatedFirstName from Customers	2 row(s) returned

Query 1 Data_Transformer_Project(1)* x

```
101
102 • Select EmployeeID,
103         upper(FirstName) as FirstNameUpper,
104         lower(LastName) as LastNameLower
105 from Employees;
106
107 • Select CustomerID, Email,
108         trim(Email) as TrimmedEmail
109 from Customers;
110
```



Result Grid

Form
Editor

Field

Context Help Snippets

Read Only

Action Output

Object Info Session

```
102 • Select EmployeeID,  
103         upper(FirstName) as FirstNameUpper,  
104         lower(LastName) as LastNameLower  
105 from Employees;  
106  
107 • Select CustomerID, Email,  
108         trim(Email) as TrimmedEmail  
109 from Customers;  
110
```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid		Filter Rows:	Export:
	CustomerID	Email	TrimmedEmail
▶	1	john.doe@email.com	john.doe@email.com
	2	jane.smith@email.com	jane.smith@email.com

Result 19 x ! Read Only

📄 Action Output ▼

#	Time	Action	Message	Duration / Fetch
21	16:25:52	Select OrderID, OrderDate, datediff(curdate(), OrderDate) as DateDifference from Orders	2 row(s) returned	0.016 sec / 0.000 sec
22	16:26:03	Select OrderID, OrderDate, date_format(OrderDate, '%d-%b-%Y') as FormattedOrderDate from Orders	2 row(s) returned	0.000 sec / 0.000 sec
23	16:26:15	Select EmployeeID, concat(FirstName, ' ', LastName) as FullName from Employees	2 row(s) returned	0.000 sec / 0.000 sec
24	16:26:25	Select CustomerID, FirstName, replace(FirstName, 'John', 'Jonathan') as UpdatedFirstName from Customers	2 row(s) returned	0.016 sec / 0.000 sec
25	16:26:55	Select EmployeeID, upper(FirstName) as FirstNameUpper, lower(LastName) as LastNameLower from ...	2 row(s) returned	0.000 sec / 0.000 sec
26	16:27:02	Select CustomerID, Email, trim(Email) as TrimmedEmail from Customers	2 row(s) returned	0.000 sec / 0.000 sec

Information :

No object selected

```

107 • Select CustomerID, Email,
108         trim(Email) as TrimmedEmail
109 from Customers;
110
111 • Select OrderID, OrderDate, TotalAmount,
112         sum(TotalAmount) over (
113             order by OrderDate, OrderID
114         ) as RunningTotal
115 from Orders;
116

```

	OrderID	OrderDate	TotalAmount	RunningTotal
►	101	2023-07-01	150.50	150.50
	102	2023-07-03	200.75	351.25

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result
Grid

Form
EditorField
Times

Result 20

Read Only

Context Help Snippets

Action Output

#	Time	Action	Message	Duration / Fetch
✓	22 16:26:03	Select OrderID, OrderDate, date_format(OrderDate, '%d-%b-%Y') as FormattedOrderDate from Orders	2 row(s) returned	0.000 sec / 0.000 sec
✓	23 16:26:15	Select EmployeeID, concat(FirstName, ' ', LastName) as FullName from Employees	2 row(s) returned	0.000 sec / 0.000 sec
✓	24 16:26:25	Select CustomerID, FirstName, replace(FirstName, 'John', 'Jonathan') as UpdatedFirstName from Customers	2 row(s) returned	0.016 sec / 0.000 sec
✓	25 16:26:55	Select EmployeeID, upper(FirstName) as FirstNameUpper, lower(LastName) as LastNameLower from ...	2 row(s) returned	0.000 sec / 0.000 sec
✓	26 16:27:02	Select CustomerID, Email, trim(Email) as TrimmedEmail from Customers	2 row(s) returned	0.000 sec / 0.000 sec
✓	27 16:27:11	Select OrderID, OrderDate, TotalAmount, sum(TotalAmount) over (order by OrderDate, OrderID ...	2 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Filter objects

- ▶ new1
- ▶ new2
- ▶ pr_1
- ▶ practice
- ▶ project
- ▶ salary
- ▶ tushar

```

111 • Select OrderID, OrderDate, TotalAmount,
112         sum(TotalAmount) over (
113             order by OrderDate, OrderID
114         ) as RunningTotal
115 from Orders;
116
117 • Select OrderID, TotalAmount,
118         rank() over (order by TotalAmount desc) as OrderRank
119 from Orders;
120

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	OrderID	TotalAmount	OrderRank
►	102	200.75	1
	101	150.50	2

Administration Schemas

[illegible]

No object selected

Result 21

Read Only

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
23	16:26:15	Select EmployeeID, concat(FirstName, ' ', LastName) as FullName from Employees	2 row(s) returned	0.000 sec / 0.000 sec
24	16:26:25	Select CustomerID, FirstName, replace(FirstName, 'John', 'Jonathan') as UpdatedFirstName from Customers	2 row(s) returned	0.016 sec / 0.000 sec
25	16:26:55	Select EmployeeID, upper(FirstName) as FirstNameUpper, lower(LastName) as LastNameLower from ...	2 row(s) returned	0.000 sec / 0.000 sec
26	16:27:02	Select CustomerID, Email, trim(Email) as TrimmedEmail from Customers	2 row(s) returned	0.000 sec / 0.000 sec
27	16:27:11	Select OrderID, OrderDate, TotalAmount, sum(TotalAmount) over (order by OrderDate, OrderID ...	2 row(s) returned	0.000 sec / 0.000 sec
28	16:27:24	Select OrderID, TotalAmount, rank() over (order by TotalAmount desc) as OrderRank from Orders	2 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

No object selected

```
119 from Orders;
120
121 • Select OrderID, TotalAmount,
122     case
123         when TotalAmount > 700 then '10% Off'
124         when TotalAmount > 500 then '5% Off'
125         else 'No Discount'
126     end as Discount
127 from Orders;
128
```

Result Grid Filter Rows: Export: Wrap Cell Content:

	OrderID	TotalAmount	Discount
▶	101	150.50	No Discount
	102	200.75	No Discount

Result 22 ✕

Read Only

Context Help Snippets

Output :

Action Output

#	Time	Action	Message	Duration / Fetch
✓	24 16:26:25	Select CustomerID, FirstName, replace(FirstName, 'John', 'Jonathan') as UpdatedFirstName from Customers	2 row(s) returned	0.016 sec / 0.000 sec
✓	25 16:26:55	Select EmployeeID, upper(FirstName) as FirstNameUpper, lower(LastName) as LastNameLower from ...	2 row(s) returned	0.000 sec / 0.000 sec
✓	26 16:27:02	Select CustomerID, Email, trim(Email) as TrimmedEmail from Customers	2 row(s) returned	0.000 sec / 0.000 sec
✓	27 16:27:11	Select OrderID, OrderDate, TotalAmount, sum(TotalAmount) over (order by OrderDate, OrderID ...	2 row(s) returned	0.000 sec / 0.000 sec
✓	28 16:27:24	Select OrderID, TotalAmount, rank() over (order by TotalAmount desc) as OrderRank from Orders	2 row(s) returned	0.000 sec / 0.000 sec
✓	29 16:27:35	Select OrderID, TotalAmount, case when TotalAmount > 700 then '10% Off' when TotalAmo...	2 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Mysql@127.0.0.1:3306 x

FileEditViewQueryDatabaseServerToolsScriptingHelp

SQLSQL

Navigator

SCHEMAS

Filter objects

new1

new2

pr_1

practice

project

salary

tushar

Query 1Data_Transformer_Project(1)*

Don't Limit

127

from Orders;

128

129 • Select EmployeeID, FirstName, LastName, Salary,

130 case

131 when Salary >= 70000 then 'High'

132 when Salary >= 50000 then 'Medium'

133 else 'Low'

134 end as SalaryCategory

135 from Employees;

136

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

Result Grid

Form Editor

Field Types

	EmployeeID	FirstName	LastName	Salary	SalaryCategory
▶	1	Mark	Johnson	50000.00	Medium
	2	Susan	Lee	55000.00	Medium

AdministrationSchemas

Information

No object selected

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result 23 x

Read Only

Context Help

Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 25	16:26:55	Select EmployeeID, upper(FirstName) as FirstNameUpper, lower(LastName) as LastNameLower from ...	2 row(s) returned	0.000 sec / 0.000 sec
✓ 26	16:27:02	Select CustomerID, Email, trim(Email) as TrimmedEmail from Customers	2 row(s) returned	0.000 sec / 0.000 sec
✓ 27	16:27:11	Select OrderID, OrderDate, TotalAmount, sum(TotalAmount) over (order by OrderDate, OrderID ...	2 row(s) returned	0.000 sec / 0.000 sec
✓ 28	16:27:24	Select OrderID, TotalAmount, rank() over (order by TotalAmount desc) as OrderRank from Orders	2 row(s) returned	0.000 sec / 0.000 sec
✓ 29	16:27:35	Select OrderID, TotalAmount, case when TotalAmount > 700 then '10% Off' when TotalAmo...	2 row(s) returned	0.000 sec / 0.000 sec
✓ 30	16:27:46	Select EmployeeID, FirstName, LastName, Salary, case when Salary >= 70000 then 'High' w...	2 row(s) returned	0.000 sec / 0.000 sec

Object Info

Session