






MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
Administration Schemas
Information
No object selected
Object Info Session
Query 1
Don't Limit
1 • Drop database if exists studenttracker;
2 • Create database studenttracker;
3 • Use studenttracker;
4
5 • Create table departments (
6 department_id int primary key auto_increment,
7 department_name varchar(100) not null
8);
9
10 • Create table faculty (
11 faculty_id int primary key auto_increment,
12 name varchar(100) not null,
13 email varchar(100),
14 phone_number varchar(15),
15 department_id int,
16 experience_years int default 0,
17 Foreign key (department_id) references departments(department_id) on delete set null
18);
19
20 • Create table students (
21 student_id int primary key auto_increment,
22 name varchar(100) not null,
23 dob date,
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or tc toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
1 15:51:13 Create database studenttracker 1 row(s) affected 0.016 sec
2 15:51:15 Use studenttracker 0 row(s) affected 0.000 sec
3 15:51:18 Create table departments (department_id int primary key auto_increment, department_name varchar(100) not... 0 row(s) affected 0.015 sec
4 15:51:21 Create table faculty (faculty_id int primary key auto_increment, name varchar(100) not null, email varchar(... 0 row(s) affected 0.016 sec
5 15:51:25 Create table students (student_id int primary key auto_increment, name varchar(100) not null, dob date, ... 0 row(s) affected 0.032 sec



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
Administration Schemas
Information
No object selected
Object Info Session
Query 1
Don't Limit
20 Create table students (
21 student_id int primary key auto_increment,
22 name varchar(100) not null,
23 dob date,
24 gender varchar(10),
25 email varchar(100),
26 phone_number varchar(15),
27 address varchar(255),
28 admission_date date,
29 department_id int,
30 Foreign key (department_id) references departments(department_id) on delete set null
31);
33 Create table courses (
34 course_id int primary key auto_increment,
35 course_name varchar(100) not null,
36 faculty_id int,
37 Foreign key (faculty_id) references faculty(faculty_id) on delete set null
38);
40 Create table enrollments (
41 enrollment_id int primary key auto_increment,
42 student_id int,
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
1 15:51:13 Create database studenttracker 1 row(s) affected 0.016 sec
2 15:51:15 Use studenttracker 0 row(s) affected 0.000 sec
3 15:51:18 Create table departments (department_id int primary key auto_increment, department_name varchar(100) not... 0 row(s) affected 0.015 sec
4 15:51:21 Create table faculty (faculty_id int primary key auto_increment, name varchar(100) not null, email varchar(... 0 row(s) affected 0.016 sec
5 15:51:25 Create table students (student_id int primary key auto_increment, name varchar(100) not null, dob date, ... 0 row(s) affected 0.032 sec



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
Administration Schemas
Information
No object selected
Object Info Session
Query 1
Don't Limit
dob date,
gender varchar(10),
email varchar(100),
phone_number varchar(15),
address varchar(255),
admission_date date,
department_id int,
Foreign key (department_id) references departments(department_id) on delete set null
);
Create table courses (
course_id int primary key auto_increment,
course_name varchar(100) not null,
faculty_id int,
Foreign key (faculty_id) references faculty(faculty_id) on delete set null
);
Create table enrollments (
enrollment_id int primary key auto_increment,
student_id int,
course_id int,
enrollment_date date,
Foreign key (student_id) references students(student_id) on delete cascade,
SQL Additions
Jump to
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or to toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
2 15:51:15 Use studenttracker 0 row(s) affected 0.000 sec
3 15:51:18 Create table departments (department_id int primary key auto_increment, department_name varchar(100) n... 0 row(s) affected 0.015 sec
4 15:51:21 Create table faculty (faculty_id int primary key auto_increment, name varchar(100) not null, email varchar... 0 row(s) affected 0.016 sec
5 15:51:25 Create table students (student_id int primary key auto_increment, name varchar(100) not null, dob date, ... 0 row(s) affected 0.032 sec
6 15:52:06 Create table courses (course_id int primary key auto_increment, course_name varchar(100) not null, fac... 0 row(s) affected 0.016 sec



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
Administration Schemas
Information
No object selected
Object Info Session
Query 1
Don't Limit
47 Constraint unique_student_course unique (student_id, course_id)
48);
49
50 Create table attendance (
51 attendance_id int primary key auto_increment,
52 student_id int,
53 course_id int,
54 attendance_date date,
55 status enum('Present', 'Absent', 'Late'),
56 Foreign key (student_id) references students(student_id) on delete cascade,
57 Foreign key (course_id) references courses(course_id) on delete cascade
58);
59
60 Create table grades (
61 grade_id int primary key auto_increment,
62 student_id int,
63 course_id int,
64 marks_obtained int,
65 grade varchar(5),
66 Foreign key (student_id) references students(student_id) on delete cascade,
67 Foreign key (course_id) references courses(course_id) on delete cascade
68);
69
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or tc toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
5 15:51:25 Create table students (student_id int primary key auto_increment, name varchar(100) not null, dob date, ... 0 row(s) affected 0.032 sec
6 15:52:06 Create table courses (course_id int primary key auto_increment, course_name varchar(100) not null, fac... 0 row(s) affected 0.016 sec
7 15:52:11 Create table enrollments (enrollment_id int primary key auto_increment, student_id int, course_id int, e... 0 row(s) affected 0.031 sec
8 15:52:15 Create table attendance (attendance_id int primary key auto_increment, student_id int, course_id int, ... 0 row(s) affected 0.046 sec
9 15:52:18 Create table grades (grade_id int primary key auto_increment, student_id int, course_id int, marks_obt... 0 row(s) affected 0.047 sec



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
Administration Schemas
Information
No object selected
Object Info Session
Query 1
Don't Limit
80 ('pooja patel', null, '9876543213', 3, 2),
81 ('unassigned faculty', 'unassigned@univ.edu', '9876543214', null, 1);
83 Insert into students (name, dob, gender, email, phone_number, address, admission_date, department_id) values
84 ('aarav kumar', '2002-05-15', 'male', 'aarav@gmail.com', '9998887771', 'delhi', '2021-08-01', 1),
85 ('bhavna singh', '2001-09-20', 'female', null, '9998887772', 'mumbai', '2020-08-01', 1),
86 ('chirag patel', '2003-01-10', 'male', 'chirag@gmail.com', '9998887773', 'ahmedabad', '2022-08-01', 2),
87 ('divya sharma', '2002-11-05', 'female', 'divya@gmail.com', '9998887774', 'bangalore', '2021-08-01', 1),
88 ('eshan gupta', '2001-03-30', 'male', null, '9998887775', 'kolkata', '2020-08-01', 3),
89 ('dropped student', '2000-01-01', 'male', 'dropped@gmail.com', '9998887776', 'pune', '2019-08-01', 4);
91 Insert into courses (course_name, faculty_id) values
92 ('database systems', 1),
93 ('data structures', 2),
94 ('thermodynamics', 3),
95 ('robotics', null);
97 Insert into enrollments (student_id, course_id, enrollment_date) values
98 (1, 1, '2021-08-05'),
99 (1, 2, '2021-08-05'),
100 (2, 1, '2020-08-05'),
101 (3, 3, '2022-08-05'),
102 (4, 1, '2021-08-05'),
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or tc toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
9 15:52:18 Create table grades (grade_id int primary key auto_increment, student_id int, course_id int, marks_obt... 0 row(s) affected 0.047 sec
10 15:52:23 Insert into departments (department_name) values ('computer science'), ('mechanical'), ('electrical'), ('civil') 4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0 0.000 sec
11 15:52:29 Insert into faculty (name, email, phone_number, department_id, experience_years) values ('dr. ramesh sharma', 'r... 5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0 0.015 sec
12 15:52:33 Insert into students (name, dob, gender, email, phone_number, address, admission_date, department_id) values ... 6 row(s) affected Records: 6 Duplicates: 0 Warnings: 0 0.000 sec
13 15:52:35 Insert into courses (course_name, faculty_id) values ('database systems', 1), ('data structures', 2), ('thermodynam... 4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0 0.000 sec



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
Administration Schemas
Information
No object selected
Object Info Session
Query 1
Don't Limit
('robotics', null);
Insert into enrollments (student_id, course_id, enrollment_date) values
(1, 1, '2021-08-05'),
(1, 2, '2021-08-05'),
(2, 1, '2020-08-05'),
(3, 3, '2022-08-05'),
(4, 1, '2021-08-05'),
(4, 2, '2021-08-05');
Insert into attendance (student_id, course_id, attendance_date, status) values
(1, 1, '2023-09-01', 'Present'), (1, 1, '2023-09-02', 'Present'), (1, 1, '2023-09-03', 'Present'),
(2, 1, '2023-09-01', 'Absent'), (2, 1, '2023-09-02', 'Absent'), (2, 1, '2023-09-03', 'Absent'),
(3, 3, '2023-09-01', 'Present'), (3, 3, '2023-09-02', 'Late'), (3, 3, '2023-09-03', 'Absent'),
(4, 1, '2023-09-01', 'Present'), (4, 1, '2023-09-02', 'Present'), (4, 1, '2023-09-03', 'Present');
Insert into attendance (student_id, course_id, attendance_date, status)
Select 2, 1, date_add('2023-09-03', interval seq day), 'Absent'
From (select 1 as seq union select 2 union select 3 union select 4 union select 5
union select 6 union select 7 union select 8 union select 9 union select 10) t;
Insert into grades (student_id, course_id, marks_obtained, grade) values
(1, 1, 95, 'A+'),
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or to toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
11 15:52:29 Insert into faculty (name, email, phone_number, department_id, experience_years) values ('dr. ramesh sharma', 'r... 5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0 0.015 sec
12 15:52:33 Insert into students (name, dob, gender, email, phone_number, address, admission_date, department_id) values ... 6 row(s) affected Records: 6 Duplicates: 0 Warnings: 0 0.000 sec
13 15:52:35 Insert into courses (course_name, faculty_id) values ('database systems', 1), ('data structures', 2), ('thermodynam... 4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0 0.000 sec
14 15:52:41 Insert into enrollments (student_id, course_id, enrollment_date) values (1, 1, '2021-08-05'), (1, 2, '2021-08-05'), (... 6 row(s) affected Records: 6 Duplicates: 0 Warnings: 0 0.000 sec
15 15:52:48 Insert into attendance (student_id, course_id, attendance_date, status) values (1, 1, '2023-09-01', 'Present'), (1,... 12 row(s) affected Records: 12 Duplicates: 0 Warnings: 0 0.016 sec



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
Administration Schemas
Information
No object selected
Object Info Session
Query 1
Don't Limit
(3, 3, '2022-08-05'),
(4, 1, '2021-08-05'),
(4, 2, '2021-08-05');
Insert into attendance (student_id, course_id, attendance_date, status) values
(1, 1, '2023-09-01', 'Present'), (1, 1, '2023-09-02', 'Present'), (1, 1, '2023-09-03', 'Present'),
(2, 1, '2023-09-01', 'Absent'), (2, 1, '2023-09-02', 'Absent'), (2, 1, '2023-09-03', 'Absent'),
(3, 3, '2023-09-01', 'Present'), (3, 3, '2023-09-02', 'Late'), (3, 3, '2023-09-03', 'Absent'),
(4, 1, '2023-09-01', 'Present'), (4, 1, '2023-09-02', 'Present'), (4, 1, '2023-09-03', 'Present');
Insert into attendance (student_id, course_id, attendance_date, status)
Select 2, 1, date_add('2023-09-03', interval seq day), 'Absent'
From (select 1 as seq union select 2 union select 3 union select 4 union select 5
union select 6 union select 7 union select 8 union select 9 union select 10) t;
Insert into grades (student_id, course_id, marks_obtained, grade) values
(1, 1, 95, 'A+'),
(1, 2, 88, 'A'),
(2, 1, 42, 'F'),
(3, 3, 78, 'B'),
(4, 1, 92, 'A+');
Insert into faculty (name, email, phone_number, department_id, experience_years) values ('vikram seth', 'vikram@univ.edu', '9876543299', 1, 4);
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or to toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
13 15:52:35 Insert into courses (course_name, faculty_id) values ('database systems', 1), ('data structures', 2), (thermodynam... 4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0 0.000 sec
14 15:52:41 Insert into enrollments (student_id, course_id, enrollment_date) values (1, 1, '2021-08-05'), (1, 2, '2021-08-05'), (... 6 row(s) affected Records: 6 Duplicates: 0 Warnings: 0 0.000 sec
15 15:52:48 Insert into attendance (student_id, course_id, attendance_date, status) values (1, 1, '2023-09-01', 'Present'), (1,... 12 row(s) affected Records: 12 Duplicates: 0 Warnings: 0 0.016 sec
16 15:52:57 Insert into attendance (student_id, course_id, attendance_date, status) Select 2, 1, date_add('2023-09-03', inter... 10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0 0.000 sec
17 15:53:08 Insert into grades (student_id, course_id, marks_obtained, grade) values (1, 1, 95, 'A+'), (1, 2, 88, 'A'), (2, 1, 42, '... 5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0 0.000 sec



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
Administration Schemas
Information
No object selected
Object Info Session
Query 1
Don't Limit
104
105 Insert into attendance (student_id, course_id, attendance_date, status) values
106 (1, 1, '2023-09-01', 'Present'), (1, 1, '2023-09-02', 'Present'), (1, 1, '2023-09-03', 'Present'),
107 (2, 1, '2023-09-01', 'Absent'), (2, 1, '2023-09-02', 'Absent'), (2, 1, '2023-09-03', 'Absent'),
108 (3, 3, '2023-09-01', 'Present'), (3, 3, '2023-09-02', 'Late'), (3, 3, '2023-09-03', 'Absent'),
109 (4, 1, '2023-09-01', 'Present'), (4, 1, '2023-09-02', 'Present'), (4, 1, '2023-09-03', 'Present');
110
111 Insert into attendance (student_id, course_id, attendance_date, status)
112 Select 2, 1, date_add('2023-09-03', interval seq day), 'Absent'
113 From (select 1 as seq union select 2 union select 3 union select 4 union select 5
114 union select 6 union select 7 union select 8 union select 9 union select 10) t;
115
116 Insert into grades (student_id, course_id, marks_obtained, grade) values
117 (1, 1, 95, 'A+'),
118 (1, 2, 88, 'A'),
119 (2, 1, 42, 'F'),
120 (3, 3, 78, 'B'),
121 (4, 1, 92, 'A+');
122
123 Insert into faculty (name, email, phone_number, department_id, experience_years) values ('vikram seth', 'vikram@univ.edu', '9876543299', 1, 4);
124 Insert into students (name, dob, gender, email, phone_number, address, admission_date, department_id) values ('neha roy', '2003-04-12', 'femal
125 Insert into courses (course_name, faculty_id) values ('algorithms', 6);
126 Insert into enrollments (student_id, course_id, enrollment_date) values (7, 5, '2022-08-05');
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
17 15:53:08 Insert into grades (student_id, course_id, marks_obtained, grade) values (1, 1, 95, 'A+'), (1, 2, 88, 'A'), (2, 1, 42, '... 5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0 0.000 sec
18 15:53:24 Insert into faculty (name, email, phone_number, department_id, experience_years) values ('vikram seth', 'vikram... 1 row(s) affected 0.031 sec
19 15:53:26 Insert into students (name, dob, gender, email, phone_number, address, admission_date, department_id) values ... 1 row(s) affected 0.016 sec
20 15:53:29 Insert into courses (course_name, faculty_id) values ('algorithms', 6) 1 row(s) affected 0.015 sec
21 15:53:31 Insert into enrollments (student_id, course_id, enrollment_date) values (7, 5, '2022-08-05') 1 row(s) affected 0.000 sec



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
Administration Schemas
Information
No object selected
Query 1
Don't Limit
129 Set email = 'aarav_new@gmail.com', phone_number = '9876500000'
130 Where student_id = 1;
131
132 Delete from students where name like '%dropped%';
133
134 Select s.*
135 From students s
136 Join departments d on s.department_id = d.department_id
137 Where d.department_name = 'computer science';
Result Grid Filter Rows: Export: Wrap Cell Content:
student_id name dob gender email phone_number address admission_date department_id
1 aarav kumar 2002-05-15 male aarav_new@gmail.com 9876500000 delhi 2021-08-01 1
2 bhavna singh 2001-09-20 female NULL 9998887772 mumbai 2020-08-01 1
4 divya sharma 2002-11-05 female divya@gmail.com 9998887774 bangalore 2021-08-01 1
7 neha roy 2003-04-12 female neha@gmail.com 9998887799 delhi 2022-08-01 1
Result Grid
Form Editor
Field Types
Query Stats
Result 31
Read Only
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or to toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
20 15:53:29 Insert into courses (course_name, faculty_id) values ('algorithms', 6) 1 row(s) affected 0.015 sec
21 15:53:31 Insert into enrollments (student_id, course_id, enrollment_date) values (7, 5, '2022-08-05') 1 row(s) affected 0.000 sec
22 15:53:41 Update students Set email = 'aarav_new@gmail.com', phone_number = '9876500000' Where student_id = 1 1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0 0.000 sec
23 15:53:49 Delete from students where name like '%dropped%' 1 row(s) affected 0.000 sec
24 15:53:52 Select s.* From students s Join departments d on s.department_id = d.department_id Where d.department_na... 4 row(s) returned 0.000 sec / 0.000 sec



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
Query 1
Don't Limit
From students s
Join departments d on s.department_id = d.department_id
Where d.department_name = 'computer science';
Select s.student_id, s.name, g.marks_obtained
From students s
Join grades g on s.student_id = g.student_id
Order by g.marks_obtained desc
Limit 10;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
student_id name marks_obtained
1 aarav kumar 95
4 divya sharma 92
1 aarav kumar 88
3 chirag patel 78
2 bhavna singh 42
Administration Schemas
Information
No object selected
Result 32
Output
Action Output
Time Action Message
21 15:53:31 Insert into enrollments (student_id, course_id, enrollment_date) values (7, 5, '2022-08-05') 1 row(s) affected
22 15:53:41 Update students Set email = 'aarav_new@gmail.com', phone_number = '9876500000' Where student_id = 1 1 row(s) affected Rows matched: 1 Changed: 1
23 15:53:49 Delete from students where name like '%dropped%' 1 row(s) affected
24 15:53:52 Select s.* From students s Join departments d on s.department_id = d.department_id Where d.department_na... 4 row(s) returned
25 15:53:59 Select s.student_id, s.name, g.marks_obtained From students s Join grades g on s.student_id = g.student_id O... 5 row(s) returned
Object Info Session



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
Query 1
Don't Limit
Join grades g on s.student_id = g.student_id
Order by g.marks_obtained desc
Limit 10;
Select student_id,
(sum(case when status = 'Present' then 1 else 0 end) / count(*)) * 100 as attendance_pct
From attendance
Group by student_id
Having attendance_pct < 75;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
student_id attendance_pct
2 0.0000
3 33.3333
Administration Schemas
Information
No object selected
Result 33
Output
Action Output
Time Action Message
22 15:53:41 Update students Set email = 'aarav_new@gmail.com', phone_number = '9876500000' Where student_id = 1 1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0
23 15:53:49 Delete from students where name like '%dropped%' 1 row(s) affected
24 15:53:52 Select s.* From students s Join departments d on s.department_id = d.department_id Where d.department_na... 4 row(s) returned
25 15:53:59 Select s.student_id, s.name, g.marks_obtained From students s Join grades g on s.student_id = g.student_id O... 5 row(s) returned
26 15:54:11 Select student_id, (sum(case when status = 'Present' then 1 else 0 end) / count(*)) * 100 as attendance_p... 2 row(s) returned
Object Info Session



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
Query 1
Don't Limit
150
151 Select s.student_id, s.name
152 From students s
153 Join grades g on s.student_id = g.student_id
154 Join (
155 Select student_id, (sum(case when status = 'Present' then 1 else 0 end) / count(*)) * 100 as att_pct
156 From attendance group by student_id
157) att on s.student_id = att.student_id
158 Where att.att_pct < 50 and g.marks_obtained < 50;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
student_id name
2 bhavna singh
Administration Schemas
Information
No object selected
Result 34
Output
Action Output
Time Action Message
23 15:53:49 Delete from students where name like '%dropped%' 1 row(s) affected
24 15:53:52 Select s.* From students s Join departments d on s.department_id = d.department_id Where d.department_na... 4 row(s) returned
25 15:53:59 Select s.student_id, s.name, g.marks_obtained From students s Join grades g on s.student_id = g.student_id O... 5 row(s) returned
26 15:54:11 Select student_id, (sum(case when status = 'Present' then 1 else 0 end) / count(*)) * 100 as attendance_p... 2 row(s) returned
27 15:54:21 Select s.student_id, s.name From students s Join grades g on s.student_id = g.student_id Join (Select stude... 1 row(s) returned
Object Info Session



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
Query 1
Don't Limit
159
160 Select distinct s.student_id, s.name
161 From students s
162 Left join grades g on s.student_id = g.student_id
163 Left join (
164 Select student_id, (sum(case when status = 'Present' then 1 else 0 end) / count(*)) * 100 as att_pct
165 From attendance group by student_id
166) att on s.student_id = att.student_id
167 Where g.marks_obtained > 90 or att.att_pct = 100;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
student_id name
1 aarav kumar
4 divya sharma
Administration Schemas
Information
No object selected
Result 35
Output
Action Output
Time Action Message
24 15:53:52 Select s.* From students s Join departments d on s.department_id = d.department_id Where d.department_na... 4 row(s) returned
25 15:53:59 Select s.student_id, s.name, g.marks_obtained From students s Join grades g on s.student_id = g.student_id O... 5 row(s) returned
26 15:54:11 Select student_id, (sum(case when status = 'Present' then 1 else 0 end) / count(*)) * 100 as attendance_p... 2 row(s) returned
27 15:54:21 Select s.student_id, s.name From students s Join grades g on s.student_id = g.student_id Join (Select stude... 1 row(s) returned
28 15:54:33 Select distinct s.student_id, s.name From students s Left join grades g on s.student_id = g.student_id Left join (... 2 row(s) returned
Object Info Session



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
Query 1
Don't Limit
From attendance group by student_id
) att on s.student_id = att.student_id
Where g.marks_obtained > 90 or att.att_pct = 100;
Select f.*
From faculty f
Left join courses c on f.faculty_id = c.faculty_id
Where c.course_id is null;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
faculty_id name email phone_number department_id experience_years
4 pooja patel NULL 9876543213 3 2
5 unassigned faculty unassigned@univ.edu 9876543214 NULL 1
Administration Schemas
Information
No object selected
Object Info Session
Result 36
Output
Action Output
Time Action Message
25 15:53:59 Select s.student_id, s.name, g.marks_obtained From students s Join grades g on s.student_id = g.student_id O... 5 row(s) returned
26 15:54:11 Select student_id, (sum(case when status = 'Present' then 1 else 0 end) / count(*)) * 100 as attendance_p... 2 row(s) returned
27 15:54:21 Select s.student_id, s.name From students s Join grades g on s.student_id = g.student_id Join (Select stude... 1 row(s) returned
28 15:54:33 Select distinct s.student_id, s.name From students s Left join grades g on s.student_id = g.student_id Left join (... 2 row(s) returned
29 15:54:40 Select f.* From faculty f Left join courses c on f.faculty_id = c.faculty_id Where c.course_id is null 2 row(s) returned



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
Query 1
Don't Limit
174 Select * from students order by name asc;
175
176 Select d.department_name, count(s.student_id) as student_count
177 From departments d
178 Left join students s on d.department_id = s.department_id
179 Group by d.department_id, d.department_name;
180
181 Select c.course_name, avg(g.marks_obtained) as avg_marks
182 From courses c
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
department_name student_count
computer science 4
mechanical 1
electrical 1
civil 0
Administration Schemas
Information
No object selected
Result 37
Output
Action Output
Time Action Message
26 15:54:11 Select student_id, (sum(case when status = 'Present' then 1 else 0 end) / count(*)) * 100 as attendance_p... 2 row(s) returned
27 15:54:21 Select s.student_id, s.name From students s Join grades g on s.student_id = g.student_id Join (Select stude... 1 row(s) returned
28 15:54:33 Select distinct s.student_id, s.name From students s Left join grades g on s.student_id = g.student_id Left join (... 2 row(s) returned
29 15:54:40 Select f.* From faculty f Left join courses c on f.faculty_id = c.faculty_id Where c.course_id is null 2 row(s) returned
30 15:54:49 Select d.department_name, count(s.student_id) as student_count From departments d Left join students s on d... 4 row(s) returned



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
Query 1
Don't Limit
177 From departments d
178 Left join students s on d.department_id = s.department_id
179 Group by d.department_id, d.department_name;
180
181 Select c.course_name, avg(g.marks_obtained) as avg_marks
182 From courses c
183 Join grades g on c.course_id = g.course_id
184 Group by c.course_id, c.course_name;
185
Result Grid Filter Rows: Export: Wrap Cell Content:
course_name avg_marks
database systems 76.3333
data structures 88.0000
thermodynamics 78.0000
Administration Schemas
Information
No object selected
Result 38
Output
Action Output
Time Action Message
27 15:54:21 Select s.student_id, s.name From students s Join grades g on s.student_id = g.student_id Join (Select stude... 1 row(s) returned
28 15:54:33 Select distinct s.student_id, s.name From students s Left join grades g on s.student_id = g.student_id Left join (... 2 row(s) returned
29 15:54:40 Select f.* From faculty f Left join courses c on f.faculty_id = c.faculty_id Where c.course_id is null 2 row(s) returned
30 15:54:49 Select d.department_name, count(s.student_id) as student_count From departments d Left join students s on d.... 4 row(s) returned
31 15:54:57 Select c.course_name, avg(g.marks_obtained) as avg_marks From courses c Join grades g on c.course_id = g... 3 row(s) returned
Object Info Session



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
Query 1
Don't Limit
183 Join grades g on c.course_id = g.course_id
184 Group by c.course_id, c.course_name;
185
186 Select (sum(case when status = 'Present' then 1 else 0 end) / count(*)) * 100 as overall_avg_attendance
187 From attendance;
188
189 Select c.course_name, max(g.marks_obtained) as max_marks, min(g.marks_obtained) as min_marks
190 From courses c
191 Join grades g on c.course_id = g.course_id
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
overall_avg_attendance
31.8182
Administration Schemas
Information
No object selected
Result 39
Output
Action Output
Time Action Message
28 15:54:33 Select distinct s.student_id, s.name From students s Left join grades g on s.student_id = g.student_id Left join (... 2 row(s) returned
29 15:54:40 Select f.* From faculty f Left join courses c on f.faculty_id = c.faculty_id Where c.course_id is null 2 row(s) returned
30 15:54:49 Select d.department_name, count(s.student_id) as student_count From departments d Left join students s on d.... 4 row(s) returned
31 15:54:57 Select c.course_name, avg(g.marks_obtained) as avg_marks From courses c Join grades g on c.course_id = g... 3 row(s) returned
32 15:55:05 Select (sum(case when status = 'Present' then 1 else 0 end) / count(*)) * 100 as overall_avg_attendance From ... 1 row(s) returned
Object Info Session



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
Query 1
Don't Limit
189 Select c.course_name, max(g.marks_obtained) as max_marks, min(g.marks_obtained) as min_marks
190 From courses c
191 Join grades g on c.course_id = g.course_id
192 Group by c.course_id, c.course_name;
193
194 Select d.department_name, count(s.student_id) as total_students
195 From departments d
196 Left join students s on d.department_id = s.department_id
197 Group by d.department_id, d.department_name;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
course_name max_marks min_marks
database systems 95 42
data structures 88 88
thermodynamics 78 78
Administration Schemas
Information
No object selected
Result 40
Output
Action Output
Time Action Message
29 15:54:40 Select f.* From faculty f Left join courses c on f.faculty_id = c.faculty_id Where c.course_id is null 2 row(s) returned
30 15:54:49 Select d.department_name, count(s.student_id) as student_count From departments d Left join students s on d.... 4 row(s) returned
31 15:54:57 Select c.course_name, avg(g.marks_obtained) as avg_marks From courses c Join grades g on c.course_id = g... 3 row(s) returned



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
Query 1
Don't Limit
189 Select c.course_name, max(g.marks_obtained) as max_marks, min(g.marks_obtained) as min_marks
190 From courses c
191 Join grades g on c.course_id = g.course_id
192 Group by c.course_id, c.course_name;
193
194 Select d.department_name, count(s.student_id) as total_students
195 From departments d
196 Left join students s on d.department_id = s.department_id
197 Group by d.department_id, d.department_name;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
department_name total_students
computer science 4
mechanical 1
electrical 1
civil 0
Administration Schemas
Information
No object selected
Result 41
Output
Action Output
Time Action Message
30 15:54:49 Select d.department_name, count(s.student_id) as student_count From departments d Left join students s on d.... 4 row(s) returned
31 15:54:57 Select c.course_name, avg(g.marks_obtained) as avg_marks From courses c Join grades g on c.course_id = g... 3 row(s) returned
32 15:55:05 Select (sum(case when status = 'Present' then 1 else 0 end) / count(*)) * 100 as overall_avg_attendance From ... 1 row(s) returned



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
Query 1
Don't Limit
From departments d
Left join students s on d.department_id = s.department_id
Group by d.department_id, d.department_name;
Select s.student_id, s.name, d.department_name
From students s
Inner join departments d on s.department_id = d.department_id;
Select s.student_id, s.name
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
student_id name department_name
1 aarav kumar computer science
2 bhavna singh computer science
4 divya sharma computer science
7 neha roy computer science
3 chirag patel mechanical
5 eshan gupta electrical
Administration Schemas
Information
No object selected
Result 42
Output
Action Output
Time Action Message
31 15:54:57 Select c.course_name, avg(g.marks_obtained) as avg_marks From courses c Join grades g on c.course_id = g... 3 row(s) returned
32 15:55:05 Select (sum(case when status = 'Present' then 1 else 0 end) / count(*)) * 100 as overall_avg_attendance From ... 1 row(s) returned
33 15:55:12 Select c.course_name, max(g.marks_obtained) as max_marks, min(g.marks_obtained) as min_marks From cour... 3 row(s) returned
34 15:55:21 Select d.department_name, count(s.student_id) as total_students From departments d Left join students s on d.... 4 row(s) returned
35 15:55:28 Select s.student_id, s.name, d.department_name From students s Inner join departments d on s.department_id ... 6 row(s) returned
Object Info Session



Navigator
SCHEMAS
Filter objects
Administration
Schemas
Information
No object selected
Object Info
Session
Query 1
Don't Limit
198
199 Select s.student_id, s.name, d.department_name
200 From students s
201 Inner join departments d on s.department_id = d.department_id;
202
203 Select s.student_id, s.name
204 From students s
205 Left join enrollments e on s.student_id = e.student_id
206 Where e.enrollment_id is null;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
student_id
name
5
eshan gupta
Result 43
Output
Action Output
Time Action Message
32 15:55:05 Select (sum(case when status = 'Present' then 1 else 0 end) / count(*)) * 100 as overall_avg_attendance From ... 1 row(s) returned
33 15:55:12 Select c.course_name, max(g.marks_obtained) as max_marks, min(g.marks_obtained) as min_marks From cour... 3 row(s) returned
34 15:55:21 Select d.department_name, count(s.student_id) as total_students From departments d Left join students s on d.... 4 row(s) returned
35 15:55:28 Select s.student_id, s.name, d.department_name From students s Inner join departments d on s.department_id ... 6 row(s) returned
36 15:55:33 Select s.student_id, s.name From students s Left join enrollments e on s.student_id = e.student_id Where e.enr... 1 row(s) returned



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
Query 1
Don't Limit
From students s
Left join enrollments e on s.student_id = e.student_id
Where e.enrollment_id is null;
Select c.course_id, c.course_name
From faculty f
Right join courses c on f.faculty_id = c.faculty_id
Where f.faculty_id is null;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
course_id course_name
4 robotics
Administration Schemas
Information
No object selected
Result 44
Output
Action Output
Time Action Message
33 15:55:12 Select c.course_name, max(g.marks_obtained) as max_marks, min(g.marks_obtained) as min_marks From cour... 3 row(s) returned
34 15:55:21 Select d.department_name, count(s.student_id) as total_students From departments d Left join students s on d.... 4 row(s) returned
35 15:55:28 Select s.student_id, s.name, d.department_name From students s Inner join departments d on s.department_id ... 6 row(s) returned
36 15:55:33 Select s.student_id, s.name From students s Left join enrollments e on s.student_id = e.student_id Where e.enr... 1 row(s) returned
37 15:55:42 Select c.course_id, c.course_name From faculty f Right join courses c on f.faculty_id = c.faculty_id Where f.fa... 1 row(s) returned
Object Info Session



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
Query 1
Don't Limit
213 Select s.student_id, s.name, g.grade_id
214 From students s
215 Left join grades g on s.student_id = g.student_id
216 Where g.grade_id is null
217 Union
218 Select s.student_id, s.name, g.grade_id
219 From students s
220 Right join grades g on s.student_id = g.student_id
221 Where s.student_id is null;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
student_id name grade_id
5 eshan gupta NULL
7 neha roy NULL
Administration Schemas
Information
No object selected
Result 45
Output
Action Output
Time Action Message
34 15:55:21 Select d.department_name, count(s.student_id) as total_students From departments d Left join students s on d.... 4 row(s) returned
35 15:55:28 Select s.student_id, s.name, d.department_name From students s Inner join departments d on s.department_id ... 6 row(s) returned
36 15:55:33 Select s.student_id, s.name From students s Left join enrollments e on s.student_id = e.student_id Where e.enr... 1 row(s) returned
37 15:55:42 Select c.course_id, c.course_name From faculty f Right join courses c on f.faculty_id = c.faculty_id Where f.fa... 1 row(s) returned
38 15:57:13 Select s.student_id, s.name, g.grade_id From students s Left join grades g on s.student_id = g.student_id Wher... 2 row(s) returned
Object Info Session



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
Query 1
Don't Limit
219 From students s
220 Right join grades g on s.student_id = g.student_id
221 Where s.student_id is null;
222
223 Select s.student_id, s.name, g.marks_obtained
224 From students s
225 Join grades g on s.student_id = g.student_id
226 Where g.marks_obtained > (select avg(marks_obtained) from grades);
227
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
student_id name marks_obtained
1 aarav kumar 95
1 aarav kumar 88
4 divya sharma 92
Administration Schemas
Information
No object selected
Result 46
Output
Action Output
Time Action Message
35 15:55:28 Select s.student_id, s.name, d.department_name From students s Inner join departments d on s.department_id ... 6 row(s) returned
36 15:55:33 Select s.student_id, s.name From students s Left join enrollments e on s.student_id = e.student_id Where e.enr... 1 row(s) returned
37 15:55:42 Select c.course_id, c.course_name From faculty f Right join courses c on f.faculty_id = c.faculty_id Where f.fa... 1 row(s) returned
38 15:57:13 Select s.student_id, s.name, g.grade_id From students s Left join grades g on s.student_id = g.student_id Wher... 2 row(s) returned
39 15:57:22 Select s.student_id, s.name, g.marks_obtained From students s Join grades g on s.student_id = g.student_id W... 3 row(s) returned



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
Query 1
Don't Limit
225 Join grades g on s.student_id = g.student_id
226 Where g.marks_obtained > (select avg(marks_obtained) from grades);
227
228 Select course_id, course_name
229 From courses
230 Where faculty_id in (select faculty_id from faculty where experience_years >= 5);
231
232 Select student_id, count(*) as missed_classes
233 From attendance
Result Grid
Filter Rows:
Edit:
Export/Import:
Wrap Cell Content:
course_id course_name
1 database systems
3 thermodynamics
NULL NULL
Administration Schemas
Information
No object selected
courses 47
Output
Action Output
Time Action Message
36 15:55:33 Select s.student_id, s.name From students s Left join enrollments e on s.student_id = e.student_id Where e.enr... 1 row(s) returned
37 15:55:42 Select c.course_id, c.course_name From faculty f Right join courses c on f.faculty_id = c.faculty_id Where f.fa... 1 row(s) returned
38 15:57:13 Select s.student_id, s.name, g.grade_id From students s Left join grades g on s.student_id = g.student_id Wher... 2 row(s) returned
39 15:57:22 Select s.student_id, s.name, g.marks_obtained From students s Join grades g on s.student_id = g.student_id W... 3 row(s) returned
40 15:57:29 Select course_id, course_name From courses Where faculty_id in (select faculty_id from faculty where experi... 2 row(s) returned
Object Info Session



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
Query 1
Don't Limit
231
232 Select student_id, count(*) as missed_classes
233 From attendance
234 Where status = 'Absent'
235 Group by student_id
236 Having count(*) > 10;
237
238 Select attendance_id, attendance_date, month(attendance_date) as att_month, monthname(attendance_date) as att_month_name
239 From attendance;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
student_id missed_classes
2 13
Administration Schemas
Information
No object selected
Result 48
Output
Action Output
Time Action Message
37 15:55:42 Select c.course_id, c.course_name From faculty f Right join courses c on f.faculty_id = c.faculty_id Where f.fa... 1 row(s) returned
38 15:57:13 Select s.student_id, s.name, g.grade_id From students s Left join grades g on s.student_id = g.student_id Wher... 2 row(s) returned
39 15:57:22 Select s.student_id, s.name, g.marks_obtained From students s Join grades g on s.student_id = g.student_id W... 3 row(s) returned
40 15:57:29 Select course_id, course_name From courses Where faculty_id in (select faculty_id from faculty where experi... 2 row(s) returned
41 15:57:36 Select student_id, count(*) as missed_classes From attendance Where status = 'Absent' Group by student_id H... 1 row(s) returned



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
Query 1
Don't Limit
234 Where status = 'Absent'
235 Group by student_id
236 Having count(*) > 10;
237
238 Select attendance_id, attendance_date, month(attendance_date) as att_month, monthname(attendance_date) as att_month_name
239 From attendance;
240
241 Select student_id, name, timestampdiff(year, admission_date, curdate()) as years_since_admission
242 From students;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
attendance_id attendance_date att_month att_month_name
1 2023-09-01 9 September
2 2023-09-02 9 September
3 2023-09-03 9 September
4 2023-09-01 9 September
5 2023-09-02 9 September
6 2023-09-03 9 September
7 2023-09-01 9 September
8 2023-09-02 9 September
9 2023-09-03 9 September
10 2023-09-01 9 September
11 2023-09-02 9 September
12 2023-09-03 9 September
13 2023-09-04 9 September
Administration Schemas
Information
No object selected
Result 49
Output
Action Output
Time Action Message
38 15:57:13 Select s.student_id, s.name, g.grade_id From students s Left join grades g on s.student_id = g.student_id Wher... 2 row(s) returned
39 15:57:22 Select s.student_id, s.name, g.marks_obtained From students s Join grades g on s.student_id = g.student_id W... 3 row(s) returned
40 15:57:29 Select course_id, course_name From courses Where faculty_id in (select faculty_id from faculty where experi... 2 row(s) returned
41 15:57:36 Select student_id, count(*) as missed_classes From attendance Where status = 'Absent' Group by student_id H... 1 row(s) returned
42 15:57:53 Select attendance_id, attendance_date, month(attendance_date) as att_month, monthname(attendance_date)... 22 row(s) returned
Object Info Session



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
Query 1
Don't Limit
234 Where status = 'Absent'
235 Group by student_id
236 Having count(*) > 10;
237
238 Select attendance_id, attendance_date, month(attendance_date) as att_month, monthname(attendance_date) as att_month_name
239 From attendance;
240
241 Select student_id, name, timestampdiff(year, admission_date, curdate()) as years_since_admission
242 From students;
Result Grid Filter Rows: Export: Wrap Cell Content:
student_id name years_since_admission
1 aarav kumar 5
2 bhavna singh 6
3 chirag patel 4
4 divya sharma 5
5 eshan gupta 6
7 neha roy 4
Administration Schemas
Information
No object selected
Result 50
Output
Action Output
Time Action Message
39 15:57:22 Select s.student_id, s.name, g.marks_obtained From students s Join grades g on s.student_id = g.student_id W... 3 row(s) returned
40 15:57:29 Select course_id, course_name From courses Where faculty_id in (select faculty_id from faculty where experi... 2 row(s) returned
41 15:57:36 Select student_id, count(*) as missed_classes From attendance Where status = 'Absent' Group by student_id H... 1 row(s) returned
42 15:57:53 Select attendance_id, attendance_date, month(attendance_date) as att_month, monthname(attendance_date)... 22 row(s) returned
43 15:58:01 Select student_id, name, timestampdiff(year, admission_date, curdate()) as years_since_admission From students 6 row(s) returned
Object Info Session



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
Query 1
Don't Limit
237
238 Select attendance_id, attendance_date, month(attendance_date) as att_month, monthname(attendance_date) as att_month_name
239 From attendance;
240
241 Select student_id, name, timestampdiff(year, admission_date, curdate()) as years_since_admission
242 From students;
243
244 Select attendance_id, date_format(attendance_date, '%d-%m-%Y') as formatted_date
245 From attendance;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
attendance_id formatted_date
1 01-09-2023
2 02-09-2023
3 03-09-2023
4 01-09-2023
5 02-09-2023
6 03-09-2023
7 01-09-2023
8 02-09-2023
9 03-09-2023
10 01-09-2023
11 02-09-2023
12 03-09-2023
13 04-09-2023
Result 51
Administration Schemas
Information
No object selected
Output
Action Output
Time Action Message
40 15:57:29 Select course_id, course_name From courses Where faculty_id in (select faculty_id from faculty where experi... 2 row(s) returned
41 15:57:36 Select student_id, count(*) as missed_classes From attendance Where status = 'Absent' Group by student_id H... 1 row(s) returned
42 15:57:53 Select attendance_id, attendance_date, month(attendance_date) as att_month, monthname(attendance_date)... 22 row(s) returned
43 15:58:01 Select student_id, name, timestampdiff(year, admission_date, curdate()) as years_since_admission From students 6 row(s) returned
44 15:58:07 Select attendance_id, date_format(attendance_date, '%d-%m-%Y') as formatted_date From attendance 22 row(s) returned
Object Info Session



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
Query 1
Don't Limit
240
241 Select student_id, name, timestampdiff(year, admission_date, curdate()) as years_since_admission
242 From students;
243
244 Select attendance_id, date_format(attendance_date, '%d-%m-%Y') as formatted_date
245 From attendance;
246
247 Select faculty_id, upper(name) as uppercase_name from faculty;
248
Result Grid Filter Rows: Export: Wrap Cell Content:
faculty_id uppercase_name
1 DR. RAMESH SHARMA
2 SUNITA RAO
3 AMIT VERMA
4 POOJA PATEL
5 UNASSIGNED FACULTY
6 VIKRAM SETH
Administration Schemas
Information
No object selected
Result 52
Output
Action Output
Time Action Message
41 15:57:36 Select student_id, count(*) as missed_classes From attendance Where status = 'Absent' Group by student_id H... 1 row(s) returned
42 15:57:53 Select attendance_id, attendance_date, month(attendance_date) as att_month, monthname(attendance_date)... 22 row(s) returned
43 15:58:01 Select student_id, name, timestampdiff(year, admission_date, curdate()) as years_since_admission From students 6 row(s) returned
44 15:58:07 Select attendance_id, date_format(attendance_date, '%d-%m-%Y') as formatted_date From attendance 22 row(s) returned
45 15:58:13 Select faculty_id, upper(name) as uppercase_name from faculty 6 row(s) returned
Object Info Session



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
Query 1
Don't Limit
246
247 Select faculty_id, upper(name) as uppercase_name from faculty;
248
249 Select student_id, trim(name) as cleaned_name from students;
250
251 Select student_id, name, coalesce(email, 'Email Not Provided') as email_status from students;
252
253 Select student_id, marks_obtained,
254 rank() over (order by marks_obtained desc) as student_rank
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
student_id cleaned_name
1 aarav kumar
2 bhavna singh
3 chirag patel
4 divya sharma
5 eshan gupta
7 neha roy
Administration Schemas
Information
No object selected
Result 53
Output
Action Output
Time Action Message
42 15:57:53 Select attendance_id, attendance_date, month(attendance_date) as att_month, monthname(attendance_date)... 22 row(s) returned
43 15:58:01 Select student_id, name, timestampdiff(year, admission_date, curdate()) as years_since_admission From students 6 row(s) returned
44 15:58:07 Select attendance_id, date_format(attendance_date, '%d-%m-%Y') as formatted_date From attendance 22 row(s) returned
45 15:58:13 Select faculty_id, upper(name) as uppercase_name from faculty 6 row(s) returned
46 15:58:19 Select student_id, trim(name) as cleaned_name from students 6 row(s) returned
Object Info Session



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
Query 1
Don't Limit
246
247 Select faculty_id, upper(name) as uppercase_name from faculty;
248
249 Select student_id, trim(name) as cleaned_name from students;
250
251 Select student_id, name, coalesce(email, 'Email Not Provided') as email_status from students;
252
253 Select student_id, marks_obtained,
254 rank() over (order by marks_obtained desc) as student_rank
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
student_id name email_status
1 aarav kumar aarav_new@gmail.com
2 bhavna singh Email Not Provided
3 chirag patel chirag@gmail.com
4 divya sharma divya@gmail.com
5 eshan gupta Email Not Provided
7 neha roy neha@gmail.com
Administration Schemas
Information
No object selected
Result 54
Output
Action Output
Time Action Message
43 15:58:01 Select student_id, name, timestampdiff(year, admission_date, curdate()) as years_since_admission From students 6 row(s) returned


MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
Query 1
Don't Limit
249 Select student_id, trim(name) as cleaned_name from students;
250
251 Select student_id, name, coalesce(email, 'Email Not Provided') as email_status from students;
252
253 Select student_id, marks_obtained,
254 rank() over (order by marks_obtained desc) as student_rank
255 From grades;
256
257 Select attendance_id, course_id, student_id, attendance_date, status,
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
student_id marks_obtained student_rank
1 95 1
4 92 2
1 88 3
3 78 4
2 42 5
Administration Schemas
Information
No object selected
Result 55
Output
Action Output
Time Action Message
44 15:58:07 Select attendance_id, date_format(attendance_date, '%d-%m-%Y') as formatted_date From attendance 22 row(s) returned
45 15:58:13 Select faculty_id, upper(name) as uppercase_name from faculty 6 row(s) returned
46 15:58:19 Select student_id, trim(name) as cleaned_name from students 6 row(s) returned
47 15:58:24 Select student_id, name, coalesce(email, 'Email Not Provided') as email_status from students 6 row(s) returned
48 15:58:30 Select student_id, marks_obtained, rank() over (order by marks_obtained desc) as student_rank From grad... 5 row(s) returned
Object Info Session


MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
Query 1
Don't Limit
258 avg(case when status = 'Present' then 1 else 0 end) over (
259 partition by course_id
260 order by attendance_date
261 rows between unbounded preceding and current row
262) * 100 as cumulative_attendance_pct
263 From attendance;
264
265 Select enrollment_date,
266 count(enrollment_id) over (order by enrollment_date) as running_total_enrollments
Result Grid Filter Rows: Export: Wrap Cell Content:
attendance_id course_id student_id attendance_date status cumulative_attendance_pct
1 1 1 2023-09-01 Present 100.0000
4 1 2 2023-09-01 Absent 50.0000
10 1 4 2023-09-01 Present 66.6700
2 1 1 2023-09-02 Present 75.0000
5 1 2 2023-09-02 Absent 60.0000
11 1 4 2023-09-02 Present 66.6700
3 1 1 2023-09-03 Present 71.4300
6 1 2 2023-09-03 Absent 62.5000
12 1 4 2023-09-03 Present 66.6700
13 1 2 2023-09-04 Absent 60.0000
14 1 2 2023-09-05 Absent 54.5500
15 1 2 2023-09-06 Absent 50.0000
16 1 2 2023-09-07 Absent 46.1500
Result 56
Administration Schemas
Information
No object selected
Output
Action Output
Time Action Message
45 15:58:13 Select faculty_id, upper(name) as uppercase_name from faculty 6 row(s) returned
46 15:58:19 Select student_id, trim(name) as cleaned_name from students 6 row(s) returned
47 15:58:24 Select student_id, name, coalesce(email, 'Email Not Provided') as email_status from students 6 row(s) returned
48 15:58:30 Select student_id, marks_obtained, rank() over (order by marks_obtained desc) as student_rank From grad... 5 row(s) returned
49 15:58:38 Select attendance_id, course_id, student_id, attendance_date, status, avg(case when status = 'Present' t... 22 row(s) returned


MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
Query 1
Don't Limit
rows between unbounded preceding and current row
) * 100 as cumulative_attendance_pct
From attendance;
Select enrollment_date,
count(enrollment_id) over (order by enrollment_date) as running_total_enrollments
From enrollments;
Select student_id, marks_obtained,
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
enrollment_date running_total_enrollments
2020-08-05 1
2021-08-05 5
2021-08-05 5
2021-08-05 5
2021-08-05 5
2022-08-05 7
2022-08-05 7
Administration Schemas
Information
No object selected
Result 57
Output
Action Output
Time Action Message
46 15:58:19 Select student_id, trim(name) as cleaned_name from students 6 row(s) returned
47 15:58:24 Select student_id, name, coalesce(email, 'Email Not Provided') as email_status from students 6 row(s) returned
48 15:58:30 Select student_id, marks_obtained, rank() over (order by marks_obtained desc) as student_rank From grad... 5 row(s) returned
49 15:58:38 Select attendance_id, course_id, student_id, attendance_date, status, avg(case when status = 'Present' t... 22 row(s) returned
50 15:58:46 Select enrollment_date, count(enrollment_id) over (order by enrollment_date) as running_total_enrollments ... 7 row(s) returned
Object Info Session


MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
Query 1
Don't Limit
From enrollments;
Select student_id, marks_obtained,
case
when marks_obtained > 90 then 'Excellent'
when marks_obtained between 75 and 90 then 'Good'
else 'Needs Improvement'
end as performance_level
From grades;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
student_id marks_obtained performance_level
1 95 Excellent
1 88 Good
2 42 Needs Improvement
3 78 Good
4 92 Excellent
Administration Schemas
Information
No object selected
Result 58
Output
Action Output
Time Action Message
47 15:58:24 Select student_id, name, coalesce(email, 'Email Not Provided') as email_status from students 6 row(s) returned
48 15:58:30 Select student_id, marks_obtained, rank() over (order by marks_obtained desc) as student_rank From grad... 5 row(s) returned
49 15:58:38 Select attendance_id, course_id, student_id, attendance_date, status, avg(case when status = 'Present' t... 22 row(s) returned
50 15:58:46 Select enrollment_date, count(enrollment_id) over (order by enrollment_date) as running_total_enrollments 7 row(s) returned


MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
Query 1
Don't Limit
277 Select student_id,
278 (sum(case when status = 'Present' then 1 else 0 end) / count(*)) * 100 as attendance_pct,
279 case
280 when (sum(case when status = 'Present' then 1 else 0 end) / count(*)) * 100 > 80 then 'Regular'
281 when (sum(case when status = 'Present' then 1 else 0 end) / count(*)) * 100 between 50 and 80 then 'Irregular'
282 else 'Defaulter'
283 end as attendance_category
284 From attendance
285 Group by student_id;
Result Grid Filter Rows: Export: Wrap Cell Content:
student_id attendance_pct attendance_category
1 100.0000 Regular
2 0.0000 Defaulter
3 33.3333 Defaulter
4 100.0000 Regular
Administration Schemas
Information
No object selected
Result 59
Output
Action Output
Time Action Message
48 15:58:30 Select student_id, marks_obtained, rank() over (order by marks_obtained desc) as student_rank From grad... 5 row(s) returned
49 15:58:38 Select attendance_id, course_id, student_id, attendance_date, status, avg(case when status = 'Present' t... 22 row(s) returned
50 15:58:46 Select enrollment_date, count(enrollment_id) over (order by enrollment_date) as running_total_enrollments ... 7 row(s) returned
51 15:58:53 Select student_id, marks_obtained, case when marks_obtained > 90 then 'Excellent' when ... 5 row(s) returned
52 15:59:08 Select student_id, (sum(case when status = 'Present' then 1 else 0 end) / count(*)) * 100 as attendance_p... 4 row(s) returned
Object Info Session