Cucumber Report

| Start : Mar 18, 11:08:39.798 PM	End : Mar 18, 11:09:10.018 PM	Duration : 30.220 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 3 SKIPPED - 0	PASSED - 0 FAILED - 0 SKIPPED - 17

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Medicare UI Validation	30.220 s	3	0	3	0	17	0	0	17

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Registration	1	0	1	0	1	0	1	0
@User	1	0	1	0	1	0	1	0
@Database	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Medicare UI Validation	3	0	3	0	30.220 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Medicare UI Validation	Validate User Registration	7	0	0	7	7.735 s
2	Medicare UI Validation	Validate Paracetamol Product Purchase	6	0	0	6	13.934 s
3	Medicare UI Validation	Add a category and verify in database	4	0	0	4	8.532 s

Medicare UI Validation

FAILED	DURATION - 30.220 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0	3	Steps Total - 17 Pass - 0 Fail - 0 Skip - 17	17
/ 11:08:39.798 PM // 11:09:10.018 PM /					

Validate User Registration

FAILED	DURATION - 7.735 s		Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	7
/ 11:08:39.802 PM // 11:08:47.537 PM /				
Medicare UI Validation				
@Registration				

#	Step / Hook Details	Status	Duration
	BEFORE - stepsDefs.Hooks.setup1()	FAILED	7.048 s
	org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_REFUSED (Session info: MicrosoftEdge=111.0.1661.44) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-CO33Q0N', ip: '192.168.1.37', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_202' Driver info: org.openqa.selenium.edge.EdgeDriver Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 111.0.1661.44, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress: localhost:65104}, msedge: {msedgedriverVersion: 111.0.1661.44 (fc2a57ec5a41..., userDataDir: C:\Users\admin\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ba656240d9b0d16bb427ec7fa90226c8 　　at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) 　　at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) 　　at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) 　　at java.lang.reflect.Constructor.newInstance(Constructor.java:423) 　　at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) 　　at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) 　　at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) 　　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277) at stepsDefs.Hooks.setup1(Hooks.java:49)		
1	Given user click SignUp button	SKIPPED	0.000 s
2	When user enters basic information and navigates to Billing page	SKIPPED	0.008 s
	Kiki | cat | jf@gmail.com | 1112223334 | hello123		
3	And user enters address information and navigates to confirmation screen	SKIPPED	0.001 s
	007 | 1st cross | CityX | 111 | StateX | CountryX		
4	And user clicks confirm button	SKIPPED	0.000 s
5	And user click Login Here button	SKIPPED	0.000 s
6	And user enter username and password and clicks Login button	SKIPPED	0.001 s
	jf@gmail.com | hello123		
7	Then "Medicare - Home" page should be displayed	SKIPPED	0.001 s

Validate Paracetamol Product Purchase

FAILED	DURATION - 13.934 s		Steps
/ 11:08:47.546 PM // 11:09:01.480 PM /			Total - 6
Medicare UI Validation			Pass - 0 Fail - 0
@User			Skip - 6

6

#	Step / Hook Details	Status	Duration
	BEFORE - stepsDefs.Hooks.setup1()	FAILED	6.009 s
	org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_REFUSED (Session info: MicrosoftEdge=111.0.1661.44) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-CO33Q0N', ip: '192.168.1.37', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_202' Driver info: org. openqa.selenium.edge.EdgeDriver Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 111.0.1661.44, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress: localhost:65135}, msedge: {msedgedriverVersion: 111.0.1661.44 (fc2a57ec5a41..., userDataDir: C:\Users\admin\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,		

#	Step / Hook Details	Status	Duration

	webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 58f05f66af334146f648e521b720bd46
	  at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277)
	  at stepsDefs.Hooks.setup1(Hooks.java:49)		

	BEFORE - stepsDefs.Hooks.setup2()	FAILED	7.184 s

	org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_REFUSED (Session info: MicrosoftEdge=111.0.1661.44) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-CO33Q0N', ip: '192.168.1.37', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_202' Driver info: org.openqa.selenium.edge.EdgeDriver Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 111.0.1661.44, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress: localhost:65166}, msedge: {msedgedriverVersion: 111.0.1661.44 (fc2a57ec5a41..., userDataDir: C:\Users\admin\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8366373ea6759e6a192a39b433dd232f
	  at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277)
	  at stepsDefs.Hooks.setup2(Hooks.java:60)		

1	When users clicks View button for Paracetamol	SKIPPED	0.000 s
2	And user clicks Add to Cart	SKIPPED	0.000 s
3	And user clicks Checkout	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	And user selects saved shippig address	SKIPPED	0.000 s
5	And user enters credit card informartion and click pay	SKIPPED	0.001 s
	1234567890 | 99 | 3000 | 000		
6	Then "Your Order is onfirmed!!" message should be displayed	SKIPPED	0.000 s

Add a category and verify in database

FAILED	DURATION - 8.532 s
/ 11:09:01.486 PM // 11:09:10.018 PM /	
Medicare UI Validation	
@Database	

Steps
Total - 4
Pass - 0
Fail - 0
Skip - 4

4

#	Step / Hook Details	Status	Duration
	BEFORE - stepsDefs.Hooks.setup1()	FAILED	7.833 s

	org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_REFUSED (Session info: MicrosoftEdge=111.0.1661.44) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-CO33Q0N', ip: '192.168.1.37', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_202' Driver info: org. openqa.selenium.edge.EdgeDriver Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 111.0.1661.44, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress: localhost:65205}, msedge: {msedgedriverVersion: 111.0.1661.44 (fc2a57ec5a41..., userDataDir: C:\Users\admin\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f68a1c50ea9a43d3ba650b3bc145af3c
	  at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277)		

#	Step / Hook Details	Status	Duration
	at stepsDefs.Hooks.setup1(Hooks.java:49)		
1	Given user logged in with admin username "vk@gmail.com" and password "admin"	SKIPPED	0.000 s
2	When user click on Manage Product and selects Add New Category	SKIPPED	0.000 s
3	And user provides Category name and description and saves it	SKIPPED	0.000 s
	Mycategoty4 Medicine4		
4	Then verify category "Mycategoty4" and description "Medicine4" should be saved to database	SKIPPED	0.001 s