Section 1 1

Section 1 2

Paragraph 3. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 4. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 5. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 6-1	7	Active
Item 6-2	8	Active
Item 6-3	9	Active
Item 6-4	10	Active

Nested container 11

Sub 11.1

Detail 12: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 11.2

Detail 13: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 11.3

Detail 14: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 11.4

Detail 15: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 16-1

Card 17: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 16-2

Card 18: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 16-3

Card 19: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 2 20

Section 1 21

Paragraph 22. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 23. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 24. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 25-1	26	Active
Item 25-2	27	Active
Item 25-3	28	Active
Item 25-4	29	Active

Nested container 30

Sub 30.1

Detail 31: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 30.2

Detail 32: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 30.3

Detail 33: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 30.4

Detail 34: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 35-1

Card 36: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 35-2

Card 37: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 35-3

Card 38: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 3 39

Section 1 40

Paragraph 41. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 42. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 43. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 44-1	45	Active
Item 44-2	46	Active
Item 44-3	47	Active
Item 44-4	48	Active

Nested container 49

Sub 49.1

Detail 50: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 49.2

Detail 51: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 49.3

Detail 52: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 49.4

Detail 53: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 54-1

Card 55: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 54-2

Card 56: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 54-3

Card 57: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 4 58

Section 1 59

Paragraph 60. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 61. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 62. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 63-1	64	Active
Item 63-2	65	Active
Item 63-3	66	Active
Item 63-4	67	Active

Nested container 68

Sub 68.1

Detail 69: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 68.2

Detail 70: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 68.3

Detail 71: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 68.4

Detail 72: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 73-1

Card 74: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 73-2

Card 75: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 73-3

Card 76: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 5 77

Section 1 78

Paragraph 79. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 80. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 81. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 82-1	83	Active
Item 82-2	84	Active
Item 82-3	85	Active
Item 82-4	86	Active

Nested container 87

Sub 87.1

Detail 88: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 87.2

Detail 89: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 87.3

Detail 90: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 87.4

Detail 91: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 92-1

Card 93: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 92-2

Card 94: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 92-3

Card 95: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 6 96

Section 1 97

Paragraph 98. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 99. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 100. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 101-1	102	Active
Item 101-2	103	Active
Item 101-3	104	Active
Item 101-4	105	Active

Nested container 106

Sub 106.1

Detail 107: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 106.2

Detail 108: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 106.3

Detail 109: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 106.4

Detail 110: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 111-1

Card 112: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 111-2

Card 113: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 111-3

Card 114: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 7 115

Section 1 116

Paragraph 117. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 118. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 119. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 120-1	121	Active
Item 120-2	122	Active
Item 120-3	123	Active
Item 120-4	124	Active

Nested container 125

Sub 125.1

Detail 126: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 125.2

Detail 127: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 125.3

Detail 128: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 125.4

Detail 129: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 130-1

Card 131: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 130-2

Card 132: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 130-3

Card 133: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 8 134

Section 1 135

Paragraph 136. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 137. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 138. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 139-1	140	Active
Item 139-2	141	Active
Item 139-3	142	Active
Item 139-4	143	Active

Nested container 144

Sub 144.1

Detail 145: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 144.2

Detail 146: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 144.3

Detail 147: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 144.4

Detail 148: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 149-1

Card 150: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 149-2

Card 151: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 149-3

Card 152: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 9 153

Section 1 154

Paragraph 155. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 156. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 157. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 158-1	159	Active
Item 158-2	160	Active
Item 158-3	161	Active
Item 158-4	162	Active

Nested container 163

Sub 163.1

Detail 164: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 163.2

Detail 165: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 163.3

Detail 166: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 163.4

Detail 167: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 168-1

Card 169: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 168-2

Card 170: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 168-3

Card 171: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 10 172

Section 1 173

Paragraph 174. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 175. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 176. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 177-1	178	Active
Item 177-2	179	Active
Item 177-3	180	Active
Item 177-4	181	Active

Nested container 182

Sub 182.1

Detail 183: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 182.2

Detail 184: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 182.3

Detail 185: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 182.4

Detail 186: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 187-1

Card 188: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 187-2

Card 189: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 187-3

Card 190: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 11 191

Section 1 192

Paragraph 193. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 194. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 195. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 196-1	197	Active
Item 196-2	198	Active
Item 196-3	199	Active
Item 196-4	200	Active

Nested container 201

Sub 201.1

Detail 202: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 201.2

Detail 203: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 201.3

Detail 204: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 201.4

Detail 205: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 206-1

Card 207: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 206-2

Card 208: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 206-3

Card 209: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 12 210

Section 1 211

Paragraph 212. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 213. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 214. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 215-1	216	Active
Item 215-2	217	Active
Item 215-3	218	Active
Item 215-4	219	Active

Nested container 220

Sub 220.1

Detail 221: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 220.2

Detail 222: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 220.3

Detail 223: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 220.4

Detail 224: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 225-1

Card 226: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 225-2

Card 227: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 225-3

Card 228: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 13 229

Section 1 230

Paragraph 231. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 232. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 233. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 234-1	235	Active
Item 234-2	236	Active
Item 234-3	237	Active
Item 234-4	238	Active

Nested container 239

Sub 239.1

Detail 240: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 239.2

Detail 241: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 239.3

Detail 242: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 239.4

Detail 243: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 244-1

Card 245: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 244-2

Card 246: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 244-3

Card 247: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 14 248

Section 1 249

Paragraph 250. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 251. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 252. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 253-1	254	Active
Item 253-2	255	Active
Item 253-3	256	Active
Item 253-4	257	Active

Nested container 258

Sub 258.1

Detail 259: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 258.2

Detail 260: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 258.3

Detail 261: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 258.4

Detail 262: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 263-1

Card 264: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 263-2

Card 265: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 263-3

Card 266: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 15 267

Section 1 268

Paragraph 269. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 270. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 271. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 272-1	273	Active
Item 272-2	274	Active
Item 272-3	275	Active
Item 272-4	276	Active

Nested container 277

Sub 277.1

Detail 278: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 277.2

Detail 279: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 277.3

Detail 280: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 277.4

Detail 281: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 282-1

Card 283: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 282-2

Card 284: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 282-3

Card 285: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 16 286

Section 1 287

Paragraph 288. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 289. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 290. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 291-1	292	Active
Item 291-2	293	Active
Item 291-3	294	Active
Item 291-4	295	Active

Nested container 296

Sub 296.1

Detail 297: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 296.2

Detail 298: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 296.3

Detail 299: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 296.4

Detail 300: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 301-1

Card 302: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 301-2

Card 303: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 301-3

Card 304: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 17 305

Section 1 306

Paragraph 307. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 308. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 309. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 310-1	311	Active
Item 310-2	312	Active
Item 310-3	313	Active
Item 310-4	314	Active

Nested container 315

Sub 315.1

Detail 316: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 315.2

Detail 317: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 315.3

Detail 318: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 315.4

Detail 319: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 320-1

Card 321: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 320-2

Card 322: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 320-3

Card 323: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 18 324

Section 1 325

Paragraph 326. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 327. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 328. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 329-1	330	Active
Item 329-2	331	Active
Item 329-3	332	Active
Item 329-4	333	Active

Nested container 334

Sub 334.1

Detail 335: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 334.2

Detail 336: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 334.3

Detail 337: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 334.4

Detail 338: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 339-1

Card 340: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 339-2

Card 341: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 339-3

Card 342: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 19 343

Section 1 344

Paragraph 345. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 346. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 347. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 348-1	349	Active
Item 348-2	350	Active
Item 348-3	351	Active
Item 348-4	352	Active

Nested container 353

Sub 353.1

Detail 354: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 353.2

Detail 355: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 353.3

Detail 356: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 353.4

Detail 357: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 358-1

Card 359: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 358-2

Card 360: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 358-3

Card 361: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 20 362

Section 1 363

Paragraph 364. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 365. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 366. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 367-1	368	Active
Item 367-2	369	Active
Item 367-3	370	Active
Item 367-4	371	Active

Nested container 372

Sub 372.1

Detail 373: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 372.2

Detail 374: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 372.3

Detail 375: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 372.4

Detail 376: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 377-1

Card 378: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 377-2

Card 379: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 377-3

Card 380: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 21 381

Section 1 382

Paragraph 383. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 384. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 385. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 386-1	387	Active
Item 386-2	388	Active
Item 386-3	389	Active
Item 386-4	390	Active

Nested container 391

Sub 391.1

Detail 392: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 391.2

Detail 393: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 391.3

Detail 394: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 391.4

Detail 395: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 396-1

Card 397: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 396-2

Card 398: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 396-3

Card 399: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 22 400

Section 1 401

Paragraph 402. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 403. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 404. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 405-1	406	Active
Item 405-2	407	Active
Item 405-3	408	Active
Item 405-4	409	Active

Nested container 410

Sub 410.1

Detail 411: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 410.2

Detail 412: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 410.3

Detail 413: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 410.4

Detail 414: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 415-1

Card 416: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 415-2

Card 417: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 415-3

Card 418: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 23 419

Section 1 420

Paragraph 421. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 422. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 423. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 424-1	425	Active
Item 424-2	426	Active
Item 424-3	427	Active
Item 424-4	428	Active

Nested container 429

Sub 429.1

Detail 430: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 429.2

Detail 431: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 429.3

Detail 432: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 429.4

Detail 433: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 434-1

Card 435: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 434-2

Card 436: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 434-3

Card 437: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 24 438

Section 1 439

Paragraph 440. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 441. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 442. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 443-1	444	Active
Item 443-2	445	Active
Item 443-3	446	Active
Item 443-4	447	Active

Nested container 448

Sub 448.1

Detail 449: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 448.2

Detail 450: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 448.3

Detail 451: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 448.4

Detail 452: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 453-1

Card 454: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 453-2

Card 455: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 453-3

Card 456: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 25 457

Section 1 458

Paragraph 459. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 460. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 461. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 462-1	463	Active
Item 462-2	464	Active
Item 462-3	465	Active
Item 462-4	466	Active

Nested container 467

Sub 467.1

Detail 468: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 467.2

Detail 469: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 467.3

Detail 470: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 467.4

Detail 471: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 472-1

Card 473: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 472-2

Card 474: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 472-3

Card 475: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 26 476

Section 1 477

Paragraph 478. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 479. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 480. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 481-1	482	Active
Item 481-2	483	Active
Item 481-3	484	Active
Item 481-4	485	Active

Nested container 486

Sub 486.1

Detail 487: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 486.2

Detail 488: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 486.3

Detail 489: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 486.4

Detail 490: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 491-1

Card 492: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 491-2

Card 493: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 491-3

Card 494: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 27 495

Section 1 496

Paragraph 497. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 498. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 499. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 500-1	501	Active
Item 500-2	502	Active
Item 500-3	503	Active
Item 500-4	504	Active

Nested container 505

Sub 505.1

Detail 506: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 505.2

Detail 507: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 505.3

Detail 508: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 505.4

Detail 509: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 510-1

Card 511: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 510-2

Card 512: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 510-3

Card 513: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 28 514

Section 1 515

Paragraph 516. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 517. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 518. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 519-1	520	Active
Item 519-2	521	Active
Item 519-3	522	Active
Item 519-4	523	Active

Nested container 524

Sub 524.1

Detail 525: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 524.2

Detail 526: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 524.3

Detail 527: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 524.4

Detail 528: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 529-1

Card 530: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 529-2

Card 531: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 529-3

Card 532: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 29 533

Section 1 534

Paragraph 535. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 536. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 537. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 538-1	539	Active
Item 538-2	540	Active
Item 538-3	541	Active
Item 538-4	542	Active

Nested container 543

Sub 543.1

Detail 544: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 543.2

Detail 545: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 543.3

Detail 546: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 543.4

Detail 547: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 548-1

Card 549: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 548-2

Card 550: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 548-3

Card 551: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 30 552

Section 1 553

Paragraph 554. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 555. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 556. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 557-1	558	Active
Item 557-2	559	Active
Item 557-3	560	Active
Item 557-4	561	Active

Nested container 562

Sub 562.1

Detail 563: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 562.2

Detail 564: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 562.3

Detail 565: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 562.4

Detail 566: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 567-1

Card 568: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 567-2

Card 569: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 567-3

Card 570: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 31 571

Section 1 572

Paragraph 573. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 574. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 575. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 576-1	577	Active
Item 576-2	578	Active
Item 576-3	579	Active
Item 576-4	580	Active

Nested container 581

Sub 581.1

Detail 582: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 581.2

Detail 583: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 581.3

Detail 584: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 581.4

Detail 585: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 586-1

Card 587: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 586-2

Card 588: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 586-3

Card 589: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 32 590

Section 1 591

Paragraph 592. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 593. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 594. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 595-1	596	Active
Item 595-2	597	Active
Item 595-3	598	Active
Item 595-4	599	Active

Nested container 600

Sub 600.1

Detail 601: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 600.2

Detail 602: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 600.3

Detail 603: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 600.4

Detail 604: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 605-1

Card 606: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 605-2

Card 607: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 605-3

Card 608: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 33 609

Section 1 610

Paragraph 611. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 612. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 613. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 614-1	615	Active
Item 614-2	616	Active
Item 614-3	617	Active
Item 614-4	618	Active

Nested container 619

Sub 619.1

Detail 620: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 619.2

Detail 621: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 619.3

Detail 622: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 619.4

Detail 623: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 624-1

Card 625: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 624-2

Card 626: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 624-3

Card 627: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 34 628

Section 1 629

Paragraph 630. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 631. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 632. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 633-1	634	Active
Item 633-2	635	Active
Item 633-3	636	Active
Item 633-4	637	Active

Nested container 638

Sub 638.1

Detail 639: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 638.2

Detail 640: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 638.3

Detail 641: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 638.4

Detail 642: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 643-1

Card 644: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 643-2

Card 645: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 643-3

Card 646: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 35 647

Section 1 648

Paragraph 649. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 650. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 651. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 652-1	653	Active
Item 652-2	654	Active
Item 652-3	655	Active
Item 652-4	656	Active

Nested container 657

Sub 657.1

Detail 658: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 657.2

Detail 659: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 657.3

Detail 660: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 657.4

Detail 661: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 662-1

Card 663: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 662-2

Card 664: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 662-3

Card 665: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 36 666

Section 1 667

Paragraph 668. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 669. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 670. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 671-1	672	Active
Item 671-2	673	Active
Item 671-3	674	Active
Item 671-4	675	Active

Nested container 676

Sub 676.1

Detail 677: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 676.2

Detail 678: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 676.3

Detail 679: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 676.4

Detail 680: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 681-1

Card 682: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 681-2

Card 683: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 681-3

Card 684: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 37 685

Section 1 686

Paragraph 687. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 688. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 689. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 690-1	691	Active
Item 690-2	692	Active
Item 690-3	693	Active
Item 690-4	694	Active

Nested container 695

Sub 695.1

Detail 696: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 695.2

Detail 697: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 695.3

Detail 698: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 695.4

Detail 699: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 700-1

Card 701: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 700-2

Card 702: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 700-3

Card 703: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 38 704

Section 1 705

Paragraph 706. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 707. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 708. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 709-1	710	Active
Item 709-2	711	Active
Item 709-3	712	Active
Item 709-4	713	Active

Nested container 714

Sub 714.1

Detail 715: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 714.2

Detail 716: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 714.3

Detail 717: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 714.4

Detail 718: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 719-1

Card 720: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 719-2

Card 721: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 719-3

Card 722: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 39 723

Section 1 724

Paragraph 725. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 726. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 727. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 728-1	729	Active
Item 728-2	730	Active
Item 728-3	731	Active
Item 728-4	732	Active

Nested container 733

Sub 733.1

Detail 734: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 733.2

Detail 735: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 733.3

Detail 736: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 733.4

Detail 737: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 738-1

Card 739: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 738-2

Card 740: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 738-3

Card 741: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 40 742

Section 1 743

Paragraph 744. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 745. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 746. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 747-1	748	Active
Item 747-2	749	Active
Item 747-3	750	Active
Item 747-4	751	Active

Nested container 752

Sub 752.1

Detail 753: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 752.2

Detail 754: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 752.3

Detail 755: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 752.4

Detail 756: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 757-1

Card 758: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 757-2

Card 759: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 757-3

Card 760: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 41 761

Section 1 762

Paragraph 763. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 764. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 765. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 766-1	767	Active
Item 766-2	768	Active
Item 766-3	769	Active
Item 766-4	770	Active

Nested container 771

Sub 771.1

Detail 772: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 771.2

Detail 773: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 771.3

Detail 774: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 771.4

Detail 775: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 776-1

Card 777: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 776-2

Card 778: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 776-3

Card 779: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 42 780

Section 1 781

Paragraph 782. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 783. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 784. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 785-1	786	Active
Item 785-2	787	Active
Item 785-3	788	Active
Item 785-4	789	Active

Nested container 790

Sub 790.1

Detail 791: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 790.2

Detail 792: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 790.3

Detail 793: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 790.4

Detail 794: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 795-1

Card 796: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 795-2

Card 797: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 795-3

Card 798: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 43 799

Section 1 800

Paragraph 801. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 802. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 803. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 804-1	805	Active
Item 804-2	806	Active
Item 804-3	807	Active
Item 804-4	808	Active

Nested container 809

Sub 809.1

Detail 810: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 809.2

Detail 811: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 809.3

Detail 812: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 809.4

Detail 813: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 814-1

Card 815: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 814-2

Card 816: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 814-3

Card 817: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 44 818

Section 1 819

Paragraph 820. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 821. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 822. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 823-1	824	Active
Item 823-2	825	Active
Item 823-3	826	Active
Item 823-4	827	Active

Nested container 828

Sub 828.1

Detail 829: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 828.2

Detail 830: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 828.3

Detail 831: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 828.4

Detail 832: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 833-1

Card 834: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 833-2

Card 835: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 833-3

Card 836: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 45 837

Section 1 838

Paragraph 839. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 840. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 841. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 842-1	843	Active
Item 842-2	844	Active
Item 842-3	845	Active
Item 842-4	846	Active

Nested container 847

Sub 847.1

Detail 848: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 847.2

Detail 849: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 847.3

Detail 850: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 847.4

Detail 851: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 852-1

Card 853: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 852-2

Card 854: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 852-3

Card 855: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 46 856

Section 1 857

Paragraph 858. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 859. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 860. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 861-1	862	Active
Item 861-2	863	Active
Item 861-3	864	Active
Item 861-4	865	Active

Nested container 866

Sub 866.1

Detail 867: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 866.2

Detail 868: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 866.3

Detail 869: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 866.4

Detail 870: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 871-1

Card 872: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 871-2

Card 873: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 871-3

Card 874: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 47 875

Section 1 876

Paragraph 877. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 878. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 879. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 880-1	881	Active
Item 880-2	882	Active
Item 880-3	883	Active
Item 880-4	884	Active

Nested container 885

Sub 885.1

Detail 886: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 885.2

Detail 887: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 885.3

Detail 888: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 885.4

Detail 889: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 890-1

Card 891: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 890-2

Card 892: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 890-3

Card 893: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Section 48 894

Section 1 895

Paragraph 896. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 897. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 898. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Name	Value	Status
Item 899-1	900	Active
Item 899-2	901	Active
Item 899-3	902	Active
Item 899-4	903	Active

Nested container 904

Sub 904.1

Detail 905: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 904.2

Detail 906: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 904.3

Detail 907: nested layout within a framed container with background, padding and border radius applied to the outer box.

Sub 904.4

Detail 908: nested layout within a framed container with background, padding and border radius applied to the outer box.

Grid 909-1

Card 910: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 909-2

Card 911: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 909-3

Card 912: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.