

Page 1 1

Section 1 2

Paragraph 3. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 4. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 5. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 6-1

Card 7: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 6-2

Card 8: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 6-3

Card 9: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 10

Right side item 11

[Tag 12](#) [Tag 13](#) [Tag 14](#) [Tag 15](#) [Tag 16](#) [Tag 17](#)

Callout 18

This callout box highlights item 18 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.

Page 2 19

Section 1 20

Paragraph 21. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 22. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 23. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 24-1

Card 25: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 24-2

Card 26: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 24-3

Card 27: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 28

Right side item 29

[Tag 30](#) [Tag 31](#) [Tag 32](#) [Tag 33](#) [Tag 34](#) [Tag 35](#)

Callout 36

This callout box highlights item 36 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.

Page 3 37

Section 1 38

Paragraph 39. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 40. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 41. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 42-1

Card 43: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 42-2

Card 44: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 42-3

Card 45: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 46

Right side item 47

[Tag 48](#) [Tag 49](#) [Tag 50](#) [Tag 51](#) [Tag 52](#) [Tag 53](#)

Callout 54

This callout box highlights item 54 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.

Page 4 55

Section 1 56

Paragraph 57. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 58. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 59. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 60-1

Card 61: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 60-2

Card 62: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 60-3

Card 63: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 64

Right side item 65

[Tag 66](#) [Tag 67](#) [Tag 68](#) [Tag 69](#) [Tag 70](#) [Tag 71](#)

Callout 72

This callout box highlights item 72 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.

Page 5 73

Section 1 74

Paragraph 75. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 76. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 77. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 78-1

Card 79: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 78-2

Card 80: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 78-3

Card 81: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 82

Right side item 83

[Tag 84](#) [Tag 85](#) [Tag 86](#) [Tag 87](#) [Tag 88](#) [Tag 89](#)

Callout 90

This callout box highlights item 90 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.

Page 6 91

Section 1 92

Paragraph 93. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 94. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 95. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 96-1

Card 97: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 96-2

Card 98: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 96-3

Card 99: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 100

Right side item 101

Tag 102

Tag 103

Tag 104

Tag 105

Tag 106

Tag 107

Callout 108

This callout box highlights item 108 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.

Page 7 109

Section 1 110

Paragraph 111. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 112. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 113. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 114-1

Card 115: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 114-2

Card 116: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 114-3

Card 117: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 118

Right side item 119

[Tag 120](#) [Tag 121](#) [Tag 122](#) [Tag 123](#) [Tag 124](#) [Tag 125](#)

Callout 126

This callout box highlights item 126 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.

Page 8 127

Section 1 128

Paragraph 129. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 130. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 131. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 132-1

Card 133: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 132-2

Card 134: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 132-3

Card 135: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 136

Right side item 137

[Tag 138](#) [Tag 139](#) [Tag 140](#) [Tag 141](#) [Tag 142](#) [Tag 143](#)

Callout 144

This callout box highlights item 144 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.

Page 9 145

Section 1 146

Paragraph 147. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 148. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 149. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 150-1

Card 151: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 150-2

Card 152: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 150-3

Card 153: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 154

Right side item 155

[Tag 156](#) [Tag 157](#) [Tag 158](#) [Tag 159](#) [Tag 160](#) [Tag 161](#)

Callout 162

This callout box highlights item 162 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.

Page 10 163

Section 1 164

Paragraph 165. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 166. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 167. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 168-1

Card 169: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 168-2

Card 170: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 168-3

Card 171: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 172

Right side item 173

[Tag 174](#) [Tag 175](#) [Tag 176](#) [Tag 177](#) [Tag 178](#) [Tag 179](#)

Callout 180

This callout box highlights item 180 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.

Page 11 181

Section 1 182

Paragraph 183. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 184. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 185. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 186-1

Card 187: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 186-2

Card 188: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 186-3

Card 189: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 190

Right side item 191

[Tag 192](#) [Tag 193](#) [Tag 194](#) [Tag 195](#) [Tag 196](#) [Tag 197](#)

Callout 198

This callout box highlights item 198 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.

Page 12 199

Section 1 200

Paragraph 201. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 202. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 203. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 204-1

Card 205: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 204-2

Card 206: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 204-3

Card 207: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 208

Right side item 209

[Tag 210](#) [Tag 211](#) [Tag 212](#) [Tag 213](#) [Tag 214](#) [Tag 215](#)

Callout 216

This callout box highlights item 216 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.

Page 13 217

Section 1 218

Paragraph 219. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 220. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 221. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 222-1

Card 223: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 222-2

Card 224: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 222-3

Card 225: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 226

Right side item 227

[Tag 228](#) [Tag 229](#) [Tag 230](#) [Tag 231](#) [Tag 232](#) [Tag 233](#)

Callout 234

This callout box highlights item 234 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.

Page 14 235

Section 1 236

Paragraph 237. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 238. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 239. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 240-1

Card 241: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 240-2

Card 242: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 240-3

Card 243: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 244

Right side item 245

[Tag 246](#) [Tag 247](#) [Tag 248](#) [Tag 249](#) [Tag 250](#) [Tag 251](#)

Callout 252

This callout box highlights item 252 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.

Page 15 253

Section 1 254

Paragraph 255. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 256. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 257. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 258-1

Card 259: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 258-2

Card 260: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 258-3

Card 261: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 262

Right side item 263

[Tag 264](#) [Tag 265](#) [Tag 266](#) [Tag 267](#) [Tag 268](#) [Tag 269](#)

Callout 270

This callout box highlights item 270 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.

Page 16 271

Section 1 272

Paragraph 273. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 274. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 275. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 276-1

Card 277: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 276-2

Card 278: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 276-3

Card 279: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 280

Right side item 281

[Tag 282](#) [Tag 283](#) [Tag 284](#) [Tag 285](#) [Tag 286](#) [Tag 287](#)

Callout 288

This callout box highlights item 288 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.

Page 17 289

Section 1 290

Paragraph 291. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 292. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 293. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 294-1

Card 295: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 294-2

Card 296: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 294-3

Card 297: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 298

Right side item 299

[Tag 300](#) [Tag 301](#) [Tag 302](#) [Tag 303](#) [Tag 304](#) [Tag 305](#)

Callout 306

This callout box highlights item 306 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.

Page 18 307

Section 1 308

Paragraph 309. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 310. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 311. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 312-1

Card 313: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 312-2

Card 314: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 312-3

Card 315: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 316

Right side item 317

[Tag 318](#) [Tag 319](#) [Tag 320](#) [Tag 321](#) [Tag 322](#) [Tag 323](#)

Callout 324

This callout box highlights item 324 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.

Page 19 325

Section 1 326

Paragraph 327. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 328. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 329. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 330-1

Card 331: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 330-2

Card 332: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 330-3

Card 333: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 334

Right side item 335

[Tag 336](#) [Tag 337](#) [Tag 338](#) [Tag 339](#) [Tag 340](#) [Tag 341](#)

Callout 342

This callout box highlights item 342 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.

Page 20 343

Section 1 344

Paragraph 345. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 346. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 347. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 348-1

Card 349: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 348-2

Card 350: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 348-3

Card 351: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 352

Right side item 353

[Tag 354](#) [Tag 355](#) [Tag 356](#) [Tag 357](#) [Tag 358](#) [Tag 359](#)

Callout 360

This callout box highlights item 360 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.

Page 21 361

Section 1 362

Paragraph 363. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 364. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 365. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 366-1

Card 367: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 366-2

Card 368: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 366-3

Card 369: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 370

Right side item 371

[Tag 372](#) [Tag 373](#) [Tag 374](#) [Tag 375](#) [Tag 376](#) [Tag 377](#)

Callout 378

This callout box highlights item 378 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.

Page 22 379

Section 1 380

Paragraph 381. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 382. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 383. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 384-1

Card 385: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 384-2

Card 386: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 384-3

Card 387: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 388

Right side item 389

[Tag 390](#) [Tag 391](#) [Tag 392](#) [Tag 393](#) [Tag 394](#) [Tag 395](#)

Callout 396

This callout box highlights item 396 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.

Page 23 397

Section 1 398

Paragraph 399. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 400. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 401. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 402-1

Card 403: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 402-2

Card 404: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 402-3

Card 405: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 406

Right side item 407

[Tag 408](#) [Tag 409](#) [Tag 410](#) [Tag 411](#) [Tag 412](#) [Tag 413](#)

Callout 414

This callout box highlights item 414 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.

Page 24 415

Section 1 416

Paragraph 417. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 418. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 419. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 420-1

Card 421: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 420-2

Card 422: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 420-3

Card 423: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 424

Right side item 425

[Tag 426](#) [Tag 427](#) [Tag 428](#) [Tag 429](#) [Tag 430](#) [Tag 431](#)

Callout 432

This callout box highlights item 432 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.

Page 25 433

Section 1 434

Paragraph 435. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 436. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 437. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 438-1

Card 439: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 438-2

Card 440: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 438-3

Card 441: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 442

Right side item 443

[Tag 444](#) [Tag 445](#) [Tag 446](#) [Tag 447](#) [Tag 448](#) [Tag 449](#)

Callout 450

This callout box highlights item 450 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.