

Page 1 1

Section 1 2

Paragraph 3. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 4. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 5. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 6-1

Card 7: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 6-2

Card 8: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 6-3

Card 9: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 10

Right side item 11

[Tag 12](#) [Tag 13](#) [Tag 14](#) [Tag 15](#) [Tag 16](#) [Tag 17](#)

Callout 18

This callout box highlights item 18 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.

Page 2 19

Section 1 20

Paragraph 21. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 22. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 23. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 24-1

Card 25: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 24-2

Card 26: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 24-3

Card 27: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 28

Right side item 29

[Tag 30](#) [Tag 31](#) [Tag 32](#) [Tag 33](#) [Tag 34](#) [Tag 35](#)

Callout 36

This callout box highlights item 36 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.

Page 3 37

Section 1 38

Paragraph 39. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 40. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 41. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 42-1

Card 43: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 42-2

Card 44: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 42-3

Card 45: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 46

Right side item 47

[Tag 48](#) [Tag 49](#) [Tag 50](#) [Tag 51](#) [Tag 52](#) [Tag 53](#)

Callout 54

This callout box highlights item 54 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.

Page 4 55

Section 1 56

Paragraph 57. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 58. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 59. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 60-1

Card 61: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 60-2

Card 62: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 60-3

Card 63: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 64

Right side item 65

[Tag 66](#) [Tag 67](#) [Tag 68](#) [Tag 69](#) [Tag 70](#) [Tag 71](#)

Callout 72

This callout box highlights item 72 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.

Page 5 73

Section 1 74

Paragraph 75. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 76. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 77. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 78-1

Card 79: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 78-2

Card 80: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 78-3

Card 81: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 82

Right side item 83

[Tag 84](#) [Tag 85](#) [Tag 86](#) [Tag 87](#) [Tag 88](#) [Tag 89](#)

Callout 90

This callout box highlights item 90 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.

Page 6 91

Section 1 92

Paragraph 93. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 94. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 95. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 96-1

Card 97: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 96-2

Card 98: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 96-3

Card 99: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 100

Right side item 101

Tag 102

Tag 103

Tag 104

Tag 105

Tag 106

Tag 107

Callout 108

This callout box highlights item 108 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.

Page 7 109

Section 1 110

Paragraph 111. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 112. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 113. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 114-1

Card 115: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 114-2

Card 116: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 114-3

Card 117: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 118

Right side item 119

[Tag 120](#) [Tag 121](#) [Tag 122](#) [Tag 123](#) [Tag 124](#) [Tag 125](#)

Callout 126

This callout box highlights item 126 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.

Page 8 127

Section 1 128

Paragraph 129. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 130. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 131. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 132-1

Card 133: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 132-2

Card 134: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 132-3

Card 135: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 136

Right side item 137

[Tag 138](#) [Tag 139](#) [Tag 140](#) [Tag 141](#) [Tag 142](#) [Tag 143](#)

Callout 144

This callout box highlights item 144 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.

Page 9 145

Section 1 146

Paragraph 147. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 148. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 149. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 150-1

Card 151: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 150-2

Card 152: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 150-3

Card 153: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 154

Right side item 155

[Tag 156](#) [Tag 157](#) [Tag 158](#) [Tag 159](#) [Tag 160](#) [Tag 161](#)

Callout 162

This callout box highlights item 162 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.

Page 10 163

Section 1 164

Paragraph 165. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 166. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 167. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 168-1

Card 169: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 168-2

Card 170: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 168-3

Card 171: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 172

Right side item 173

[Tag 174](#) [Tag 175](#) [Tag 176](#) [Tag 177](#) [Tag 178](#) [Tag 179](#)

Callout 180

This callout box highlights item 180 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.

Page 11 181

Section 1 182

Paragraph 183. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 184. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 185. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 186-1

Card 187: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 186-2

Card 188: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 186-3

Card 189: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 190

Right side item 191

[Tag 192](#) [Tag 193](#) [Tag 194](#) [Tag 195](#) [Tag 196](#) [Tag 197](#)

Callout 198

This callout box highlights item 198 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.

Page 12 199

Section 1 200

Paragraph 201. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 202. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 203. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 204-1

Card 205: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 204-2

Card 206: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 204-3

Card 207: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 208

Right side item 209

[Tag 210](#) [Tag 211](#) [Tag 212](#) [Tag 213](#) [Tag 214](#) [Tag 215](#)

Callout 216

This callout box highlights item 216 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.

Page 13 217

Section 1 218

Paragraph 219. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 220. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Paragraph 221. The layout engine processes each node in the document tree, computing sizes and positions. Each text node is measured using font advance-width tables and line-breaking rules applied to the available width.

Grid 222-1

Card 223: column 1 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 222-2

Card 224: column 2 of 3. Grid cells size to their content with equal column widths determined by the container.

Grid 222-3

Card 225: column 3 of 3. Grid cells size to their content with equal column widths determined by the container.

Left side item 226

Right side item 227

[Tag 228](#) [Tag 229](#) [Tag 230](#) [Tag 231](#) [Tag 232](#) [Tag 233](#)

Callout 234

This callout box highlights item 234 in the document flow and exercises background, border, padding, and radius rendering in the layout engine.