From	Description	То
() Specimen	s1
	Cuticle thick, coarsely annulated, often with	
	extensions, isthmus broad and amalgamated	
s1	with basal bulb	s2
	Cuticle thin, finely annulated, without	
s1	extensions, isthmus slender, not amalgamated with basal bulb	s3
31	With Badar Baib	33
	Females and juveniles cigar-shaped; cuticular	
	annules retrorse, often with extensions; male	<u>Criconematidae</u>
s2	tail short, bursa small or absent	
	Females and juveniles slender, vermiform;	
	cuticular annules rounded; male tail long, bursa	<u>Hemicycliophoridae</u>
s2	large	
	Mature female vermiform to elongate-obese;	Describe a distant
•2	procorpus of esophagus wide; stylet may be long	<u>Paratylenchidae</u>
s3	Mature female saccate or spherical; procorpus	
s3	of esophagus slender; stylet short	s4
33	Mature female spherical, vulva terminal;	
s4	excretory pore in anterior 25% of body	<u>Sphaeronematidae</u>
	Mature female elongate-obese; vulva not	<u>Tylenchulidae</u>
s4	terminal; excretory pore at >50% of body length	
	Female with a cuticular sheath of rounded annules	Hemicriconemoides Chitwood &
Criconematidae		Chitwood & Birchfield, 1957
	Female without cuticular sheath	2
	Cuticular annules in females and juveniles with scales, spines	3
2	2 or other extensions	
2	Cuticular annules in females smooth, occasionally with 2 extensions in juveniles	9
		Blandicephalonema
	Cephalic region small, knob-like	Mehta & Raski, 1971
3	3 Cephalic region not knob-like, usually with two annules	4 Crossonoma Mohta 8
2	Each cuticular annule with continuous fringe of spines	Crossonema Mehta & Raski, 1971
4	Extensions of cuticular annules separated, not fringe-like	5

5	Cuticular extensions in alternating rows	Croserinema Khan, Chawla & Sala, 1976
Ū	Cuticular extensions not alternating, arranged in longitudinal rows	6
6	One large saucer-shaped cephalic annule	Paterocephalonema Mehta & Raski, 1971
6	Two, sometimes three, moderately-sized cephalic annules	7
7	Cuticular extensions transparent, membranous	Bakernema Wu, 1964
	Cuticular extensions not membranous Shape and size of cuticular extensions differ on dorsal and ventral sides	8 <i>Orphreyus</i> Siddiqi, 2000
Q	Shape and size of cuticular extensions similar on dorsal and ventral sides	Ogma Southern, 1914
	Annules of juveniles with longitudinal rows of scales or spines; females with smmoth annules, except in tail region	10
9	Annules of both juveniles and females without scales or spines	13
	Scales and spines present on annules in posterior region of females	Neolobocriconema Mehta & Raski, 1971
10	Scales and spines not present on annules in posterior region of females	11
11	Cephalic region with submedial lobes	Lobocriconema De Grisse & Loof, 1965
11	Cephalic region without submedial lobes	12
12	Head with one dome-shaped annule; annules with encrustations	Amphisbaenema Orton Williams, 1982
12	Head with two ring-like annules; annules without encrustations	Criconema Hofmänner & Menzel, 1914
13	Vulva open; cephalic region with submedial lobes	Mesocriconema Andrássy, 1965
13	Vulva closed; cephalic region without submedial lobes	14
14	Anterior cephalic annule disc-like, offset by a collar	Discocriconemella De Grisse & Loof, 1965
14	Anterior cephalic annule not disc-like, not offset	15
15	Stylet exceedingly long, flexible	Xenocriconemella De Grisse & Loof, 1965
15	Stylet not exceedingly long, not flexible	16

Anterior lip of vulva overhanging aperture 16

Anterior lip of vulva not overhanging aperture

Nothocriconemoides
Loof & De Grisse,
1971
Criconemoides
Taylor, 1936