

FLRA No.: XXXX FLRA Date: 10/11/2024 FLRA Category: FMCD

Company:	FMCD		
Working Branch:	FMCDEV Division	FO#:	FO-123
Job Site:	WAPTI	Weight:	Ton
Job/Load Desc.:	IT S DIFFERENT	Crane #:	CRANE-123RC
		Job Lead:	XXXXXX
	Flare Stack Work:	1	

Pre-job Discussion/Tool Box Talk:
This is testing toolbox meeting.

Required Lifting Area Barricaded?: [YES] Explain: yes it requires.

PRE-JOB HAZARD ASSESSMENT			
Protective Equipment And Personnel	Severity	Likely	Action
PPE failure	2	1	Inspect PPE to ensure in good condition. Follow site rules for PPE requirements for task.
Ensure crew is competent and trained on tasks	4	3	Ensure crane operators are certified and checked out on crane. All crew has site required training.
Improper body positioning	2	3	Lifting - Bend Knees Not Lower back.
Lifting heavy objects	2	2	Do Not Overexert / Ask For Help.
Assess Crush Points & Crane Swing Radius			
Unforeseen site emergencies.			
Fall from heights			
Improper visibility			
Live Gas Plant			
awkward body posistion			
Driver fatigue			
Atmospheric Conditions	Severity	Likely	Action
High Wind Conditions	4	4	Assess Wind Direction / Wind Force, Watch

Protective Equipment And Personnel	Severity	Likely	Action
PPE failure	2	1	Inspect PPE to ensure in good condition. Follow site rules for PPE requirements for task.
Ensure crew is competent and trained on tasks	4	3	Ensure crane operators are certified and checked out on crane. All crew has site required training.
Improper body positioning	2	3	Lifting - Bend Knees Not Lower back.
Lifting heavy objects	2	2	Do Not Overexert / Ask For Help.
Assess Crush Points & Crane Swing Radius			
Unforeseen site emergencies.			
Fall from heights			
Improper visibility			
Live Gas Plant			
awkward body position			
Driver fatigue			
Atmospheric Conditions	Severity	Likely	Action
			anemometer of crane. Stop hoisting per applicable load chart for max wind speeds.
Lightening	3	3	Follow 30/30 or site standard for hoisting after lightning.
Cold Conditions	3	3	Follow company cold weather policy, de rate crane as required.
Snow			
environmental hazards, wind, rain, sun, cold, snow, etc			
Visibility- Fog			
Visibility- Rain			
road conditions, soft, muddy, snow covered, icy			

Protective Equipment And Personnel	Severity	Likely	Action
PPE failure	2	1	Inspect PPE to ensure in good condition. Follow site rules for PPE requirements for task.
Ensure crew is competent and trained on tasks	4	3	Ensure crane operators are certified and checked out on crane. All crew has site required training.
Improper body positioning	2	3	Lifting - Bend Knees Not Lower back.
Lifting heavy objects	2	2	Do Not Overexert / Ask For Help.
Assess Crush Points & Crane Swing Radius			
Unforeseen site emergencies.			
Fall from heights			
Improper visibility			
Live Gas Plant			
awkward body position			
Driver fatigue			
Atmospheric Conditions	Severity	Likely	Action
Load damage caused by objects along highways			
Ground And Crane Stability	Severity	Likely	Action
Potential for Unstable Load	2	3	Use eyebolts as required.
Rigging damage	3	3	Secure Loose Load Parts And Protect Rigging Over Sharp Edges.
Watch For Slippery Ground	3	4	Use ice cleats in the winter, .
Crane tipping			
Damaging load			
Improper rigging			
Rigging	Severity	Likely	Action

Protective Equipment And Personnel	Severity	Likely	Action
PPE failure	2	1	Inspect PPE to ensure in good condition. Follow site rules for PPE requirements for task.
Ensure crew is competent and trained on tasks	4	3	Ensure crane operators are certified and checked out on crane. All crew has site required training.
Improper body positioning	2	3	Lifting - Bend Knees Not Lower back.
Lifting heavy objects	2	2	Do Not Overexert / Ask For Help.
Assess Crush Points & Crane Swing Radius			
Unforeseen site emergencies.			
Fall from heights			
Improper visibility			
Live Gas Plant			
awkward body position			
Driver fatigue			
Rigging	Severity	Likely	Action
Rigging has been inspected (Daily)	2	4	rigging has no defects, any defected rigging is taken out of service.
Rigging has been inspected (daily)			
Rigging is inspected (daily)			
Winch line condition			
loading sling condition			
deck pin condition			
Rigging not rated for proper capacity.			
Load swinging			
Out of serviced spreader bar/manbasket			
Manbasket lifts			

Protective Equipment And Personnel	Severity	Likely	Action
PPE failure	2	1	Inspect PPE to ensure in good condition. Follow site rules for PPE requirements for task.
Ensure crew is competent and trained on tasks	4	3	Ensure crane operators are certified and checked out on crane. All crew has site required training.
Improper body positioning	2	3	Lifting - Bend Knees Not Lower back.
Lifting heavy objects	2	2	Do Not Overexert / Ask For Help.
Assess Crush Points & Crane Swing Radius			
Unforeseen site emergencies.			
Fall from heights			
Improper visibility			
Live Gas Plant			
awkward body position			
Driver fatigue			
Rigging	Severity	Likely	Action
Power Line Proximity			
Multi Crane Lifts			
Live Gas Plant / Pipe			
Hoisting Practices and Setup	Severity	Likely	Action
Crush points			
Incorrect Jib Procedures - Major Damage Potential			
Heavy lifting			
working on uneven ground			
line of fire from jacks kicking out from under structure			
pinch and crush zones while jacking up and down			

Protective Equipment And Personnel	Severity	Likely	Action
PPE failure	2	1	Inspect PPE to ensure in good condition. Follow site rules for PPE requirements for task.
Ensure crew is competent and trained on tasks	4	3	Ensure crane operators are certified and checked out on crane. All crew has site required training.
Improper body positioning	2	3	Lifting - Bend Knees Not Lower back.
Lifting heavy objects	2	2	Do Not Overexert / Ask For Help.
Assess Crush Points & Crane Swing Radius			
Unforeseen site emergencies.			
Fall from heights			
Improper visibility			
Live Gas Plant			
awkward body position			
Driver fatigue			
Hoisting Practices and Setup	Severity	Likely	Action
structures			
pinch points between blocks when building blocking piles			
pinch points, crush zones, line of fire when installing hydra slide rails			
High pressure lines during jacking operations			
Improper or unstable jack or crib piles			
stored energy when being held on jacks			
Potential equipment failure, improper connections to jacks and hoses			
Spill potential, hoses, jacks, pumps etc			
Building or structure damage, improper placement of jacks			

Protective Equipment And Personnel	Severity	Likely	Action
PPE failure	2	1	Inspect PPE to ensure in good condition. Follow site rules for PPE requirements for task.
Ensure crew is competent and trained on tasks	4	3	Ensure crane operators are certified and checked out on crane. All crew has site required training.
Improper body positioning	2	3	Lifting - Bend Knees Not Lower back.
Lifting heavy objects	2	2	Do Not Overexert / Ask For Help.
Assess Crush Points & Crane Swing Radius			
Unforeseen site emergencies.			
Fall from heights			
Improper visibility			
Live Gas Plant			
awkward body position			
Driver fatigue			
Hoisting Practices and Setup	Severity	Likely	Action
or crib piles			
Miscommunication with crew			
Miscommunication with spotter			
Line of fire.			
Lift high capacity % of crane.			
Assess Sun Or Bright Light Shining Into Crane Cab			
Loosing Sight of Load			
Crane PM maintenance.			
Items left in crane cab.			
Dynamic loading			

Protective Equipment And Personnel	Severity	Likely	Action
PPE failure	2	1	Inspect PPE to ensure in good condition. Follow site rules for PPE requirements for task.
Ensure crew is competent and trained on tasks	4	3	Ensure crane operators are certified and checked out on crane. All crew has site required training.
Improper body positioning	2	3	Lifting - Bend Knees Not Lower back.
Lifting heavy objects	2	2	Do Not Overexert / Ask For Help.
Assess Crush Points & Crane Swing Radius			
Unforeseen site emergencies.			
Fall from heights			
Improper visibility			
Live Gas Plant			
awkward body position			
Driver fatigue			
Hoisting Practices and Setup	Severity	Likely	Action
Hazard of equipment moving during set up.			
Environmental Conditions	Severity	Likely	Action
Check Ground Voids (Culverts / Tanks / Pipes)			
Chemical Spills			
Check Excavations			
Poor ground conditions (soft, uneven)			
Tires	Severity	Likely	Action
Loud Noises			
Flying Debris			
Crushing Hazard			

Protective Equipment And Personnel	Severity	Likely	Action
PPE failure	2	1	Inspect PPE to ensure in good condition. Follow site rules for PPE requirements for task.
Ensure crew is competent and trained on tasks	4	3	Ensure crane operators are certified and checked out on crane. All crew has site required training.
Improper body positioning	2	3	Lifting - Bend Knees Not Lower back.
Lifting heavy objects	2	2	Do Not Overexert / Ask For Help.
Assess Crush Points & Crane Swing Radius			
Unforeseen site emergencies.			
Fall from heights			
Improper visibility			
Live Gas Plant			
awkward body posistion			
Driver fatigue			
Tires	Severity	Likely	Action
High Pressure Air			
Explosion Hazards			
Other Hazards			
brakes	Severity	Likely	Action
Pinch Points			
Brake Dust			
Other Hazards			
Steaming	Severity	Likely	Action
High Pressure Water			
High Heat			

Protective Equipment And Personnel	Severity	Likely	Action
PPE failure	2	1	Inspect PPE to ensure in good condition. Follow site rules for PPE requirements for task.
Ensure crew is competent and trained on tasks	4	3	Ensure crane operators are certified and checked out on crane. All crew has site required training.
Improper body positioning	2	3	Lifting - Bend Knees Not Lower back.
Lifting heavy objects	2	2	Do Not Overexert / Ask For Help.
Assess Crush Points & Crane Swing Radius			
Unforeseen site emergencies.			
Fall from heights			
Improper visibility			
Live Gas Plant			
awkward body position			
Driver fatigue			
Shop	Severity	Likely	Action
Moving Equipment in and Out of shop			
overhead door hazard			
Preventative Maintenance	Severity	Likely	Action
Burning Hazards: Engine and Oil			
Slips, Trips and Falls			
Equipment Start Up			
Fire			
High Heat			
Flying Sparks			
Bright Lights			

Protective Equipment And Personnel	Severity	Likely	Action
PPE failure	2	1	Inspect PPE to ensure in good condition. Follow site rules for PPE requirements for task.
Ensure crew is competent and trained on tasks	4	3	Ensure crane operators are certified and checked out on crane. All crew has site required training.
Improper body positioning	2	3	Lifting - Bend Knees Not Lower back.
Lifting heavy objects	2	2	Do Not Overexert / Ask For Help.
Assess Crush Points & Crane Swing Radius			
Unforeseen site emergencies.			
Fall from heights			
Improper visibility			
Live Gas Plant			
awkward body position			
Driver fatigue			
Preventative Maintenance	Severity	Likely	Action
Electrical shock			
Grinding			
Hot work permit			
Housekeeping	Severity	Likely	Action
working in congested area's			
Mobile equipment in congested areas, picker, skid steer etc			
Tripping hazards, hoses in congested areas			
Slips and Trips while walking behind equipment while steering the trailer			
slips and falls off of trailers			

Protective Equipment And Personnel	Severity	Likely	Action
PPE failure	2	1	Inspect PPE to ensure in good condition. Follow site rules for PPE requirements for task.
Ensure crew is competent and trained on tasks	4	3	Ensure crane operators are certified and checked out on crane. All crew has site required training.
Improper body positioning	2	3	Lifting - Bend Knees Not Lower back.
Lifting heavy objects	2	2	Do Not Overexert / Ask For Help.
Assess Crush Points & Crane Swing Radius			
Unforeseen site emergencies.			
Fall from heights			
Improper visibility			
Live Gas Plant			
awkward body position			
Driver fatigue			
Housekeeping	Severity	Likely	Action
slips and trips on walking deck of picker, Bed Truck and Winch Tractors			
narrow, congested work area's			
trailer and other equipment damage in narrow congested work area's			
Equipment Operation and Set Up	Severity	Likely	Action
Housepin being unlocked			
Pinch points between truck and trailer			
pinch points between dolly, jeep and trailer			
pinch points and crush zones behind bed truck, winch trucks, picker trucks, trailers			

Protective Equipment And Personnel	Severity	Likely	Action
PPE failure	2	1	Inspect PPE to ensure in good condition. Follow site rules for PPE requirements for task.
Ensure crew is competent and trained on tasks	4	3	Ensure crane operators are certified and checked out on crane. All crew has site required training.
Improper body positioning	2	3	Lifting - Bend Knees Not Lower back.
Lifting heavy objects	2	2	Do Not Overexert / Ask For Help.
Assess Crush Points & Crane Swing Radius			
Unforeseen site emergencies.			
Fall from heights			
Improper visibility			
Live Gas Plant			
awkward body position			
Driver fatigue			
Equipment Operation and Set Up	Severity	Likely	Action
Pinch points between chains and boomers while securing load			
Line of fire when winching loads onto trailer			
Line of fire when winching or towing equipment			
pinch points and crush zones when hooking truck up to rockinger hitch			
pinch points and crush zones when hooking push trucks up to trailer			
blind spots when backing up			
spotter line of fire, pinch points and crush zones			
blind spots in front of bed truck, picker truck and winch			

Protective Equipment And Personnel	Severity	Likely	Action
PPE failure	2	1	Inspect PPE to ensure in good condition. Follow site rules for PPE requirements for task.
Ensure crew is competent and trained on tasks	4	3	Ensure crane operators are certified and checked out on crane. All crew has site required training.
Improper body positioning	2	3	Lifting - Bend Knees Not Lower back.
Lifting heavy objects	2	2	Do Not Overexert / Ask For Help.
Assess Crush Points & Crane Swing Radius			
Unforeseen site emergencies.			
Fall from heights			
Improper visibility			
Live Gas Plant			
awkward body position			
Driver fatigue			
Equipment Operation and Set Up	Severity	Likely	Action
tractors			
limited visibility during hours of darkness			
Poor communication between pilot cars and truck drivers			
poor communication between trailer operator and truck driver			
poor communication between swamper and driver			
Public Traffic when moving oversize loads			
pilot cars being struck by traffic when outside their vehicle stopping traffic			
Loading	Severity	Likely	Action
Traveling with crane to and from jobsite			

Protective Equipment And Personnel	Severity	Likely	Action
PPE failure	2	1	Inspect PPE to ensure in good condition. Follow site rules for PPE requirements for task.
Ensure crew is competent and trained on tasks	4	3	Ensure crane operators are certified and checked out on crane. All crew has site required training.
Improper body positioning	2	3	Lifting - Bend Knees Not Lower back.
Lifting heavy objects	2	2	Do Not Overexert / Ask For Help.
Assess Crush Points & Crane Swing Radius			
Unforeseen site emergencies.			
Fall from heights			
Improper visibility			
Live Gas Plant			
awkward body position			
Driver fatigue			
Loading	Severity	Likely	Action
relocating crane on site			
Attachments improperly stowed			
Capacity of tie down rigging			
Insufficient tie down methods			
Sandblasting	Severity	Likely	Action
High pressure hoses			
Poor visibility			
Working Alone			
Loud Noises			
Flying dust			

Protective Equipment And Personnel	Severity	Likely	Action
PPE failure	2	1	Inspect PPE to ensure in good condition. Follow site rules for PPE requirements for task.
Ensure crew is competent and trained on tasks	4	3	Ensure crane operators are certified and checked out on crane. All crew has site required training.
Improper body positioning	2	3	Lifting - Bend Knees Not Lower back.
Lifting heavy objects	2	2	Do Not Overexert / Ask For Help.
Assess Crush Points & Crane Swing Radius			
Unforeseen site emergencies.			
Fall from heights			
Improper visibility			
Live Gas Plant			
awkward body position			
Driver fatigue			
Painting	Severity	Likely	Action
High pressure hoses			
Poor visibility			
Working Alone			
Loud Noises			
Flying dust			
Vapour/Fumes			
Yard Work	Severity	Likely	Action
Noise Hazards			
Various work groups in same area			
Dust			

Protective Equipment And Personnel	Severity	Likely	Action
PPE failure	2	1	Inspect PPE to ensure in good condition. Follow site rules for PPE requirements for task.
Ensure crew is competent and trained on tasks	4	3	Ensure crane operators are certified and checked out on crane. All crew has site required training.
Improper body positioning	2	3	Lifting - Bend Knees Not Lower back.
Lifting heavy objects	2	2	Do Not Overexert / Ask For Help.
Assess Crush Points & Crane Swing Radius			
Unforeseen site emergencies.			
Fall from heights			
Improper visibility			
Live Gas Plant			
awkward body posistion			
Driver fatigue			
Yard Work	Severity	Likely	Action
Equipment moving in and out of yard			
Line of fire			
Other Hazards	Severity	Likely	Action
Overhead powerline proximity			
Other Hazards			
Other Hazard			
Other Hazards			
Other Hazards			
Other Hazards			
Other Hazards			

[illegible]

Signature		QC/Safety Review	
Priyank		Meets Standard?:	[YES]
Tega		Reviewed/Approved By:	Priyank Maniya