PROTOGEN · PRESS WORKED EXAMPLE

A printed reference for three widgets

Buttons, sliders and charts from the public devcards gallery, with their source images embedded directly in each printed page.

Who it is for: Developers learning the paged document model and comparing widget states.

Snapshot of the tree at commit `40feb9f965`, 2026-10-11.

The problem

A widget reference needs its pictures and its text to travel together.

The public devcards gallery records each widget state as an image. This example places a small selection of those existing images in a self-contained document.

The printed pictures show the gallery's output. They do not establish a display's physical readability or suitability for a particular environment.

Where this stands

This example uses existing public source files without copying the gallery's image collection.

Input	Source
Widget descriptions	tools/devcards/docs/widgets/*/README.md
Widget pictures	The JPEG files beside each widget README
Document layout	tools/press/examples/widget-reference/doc.edn

Contents

The problem

Where this stands

Part I — Gallery samples

1. Button
2. Slider
3. Chart

Open questions

Appendix A — glossary · Appendix B — where each fact lives

PART I


Gallery samples

Each page names the source card and theme. Captions describe the specific image, rather than a promise about every possible rendering.


1. Button

A button groups an action with a label.

The gallery's button cards contain an explicit label child. The shared widget contract supplies text, children, style groups and states; ButtonProps has no additional properties.



default/medium · asgard light



pressed/medium · asgard light




disabled/medium · asgard light

Source: tools/devcards/docs/widgets/WIDGET_BUTTON/README.md and the three named JPEG files.


2. Slider

A slider represents a value between a minimum and a maximum.

Property	Descriptor type
`min_value`	int32
`max_value`	int32
`value`	int32
`mode`	ui.BarMode
`seek_on_press`	bool



default/medium/mid · asgard light




disabled/medium/mid · asgard light

The gallery records edited as encoder-only and checked as unavailable for this widget. Source: tools/devcards/docs/widgets/WIDGET_SLIDER/README.md.


3. Chart

A chart draws a series of values as lines or bars.

The public chart gallery documents the default state. Its descriptor supports up to eight series and division counts of at most 255.



default/medium/line · asgard light



default/large/bar · asgard light

Source: tools/devcards/docs/widgets/WIDGET_CHART/README.md. The documented small-bar visibility limitation still applies; this example includes a large bar card.

Open questions

A printed sample leaves interactive behavior to the live gallery.

- Use the gallery to inspect the other sizes, themes and states.
- Use the descriptor and widget sources when authoring a screen; this document covers three widgets only.

Appendix A — glossary

Every term of art in this document, in plain words, in alphabetical order.

S

state
A widget condition, such as default, pressed or disabled, selected when a gallery card is rendered.

Appendix B — where each fact lives

All widget facts and pictures in this example come from Protogen's public gallery.

- tools/devcards/docs/widgets/WIDGET_BUTTON/README.md
- tools/devcards/docs/widgets/WIDGET_SLIDER/README.md
- tools/devcards/docs/widgets/WIDGET_CHART/README.md
- proto/ui/ui_ast.proto

The captions name the original gallery card and theme. The source JPEGs remain in their original directories; the build embeds their bytes and includes their hashes in the page's freshness stamp.