

Home

Products

About Us

Contact Us

Q

2

ΕN

Contact Us

Home > All Collections > HYDRAULIC BOTTLE JACK > Bottle jack 【European style-S】 > Bottle jack with safety valve, 200T, Lifting range: 360-540mm











## Bottle jack with safety valve, 21


No.HF20005

Package	wooden case		
Capacity (ton)	200		
Min.H. (mm)	360		
Lifting. H.(mm)	180		
Max.H. (mm)	540		
N.W.(kg)	135		
QTY/CTN (pcs)	1		
Package Size(mm)	430x360x400		
G.W(kg)	140		
20'FCL (pcs)	130		

CONTACT US

# **SPECIFICATION**





## **PRODUCT INFORMATION**





Jiaxing Huafeng Tools Co.,Ltd

Model	Package	Capacity (ton)	Min.H.(mm)	Max.H. (mm)	N.W.(kg)	QTY/CTN (pcs)	Package Size(mm)	G.W(kg)	20'FCL (pcs)
HF0205	color box	2	158	308	2.3	10	490*225*200	24	7800
HF0305	color box	3-4	180	340	3	8	480*250*200	25	5400
HF0405	color box	3-4	195	380	3.2	8	480*250*220	26.6	5400
HF0605	color box	5-6	197	382	4.4	6	370*250*240	27.4	4200
HF0805	color box	8	205	390	5.2	4	270*270*230	21.8	3340
HF1005	color box	10	205	390	5.6	4	290*290*250	23.4	3000
HF1205	color box	12	215	400	6.5	2	300*160*250	14	2500
HF1605	color box	15-16	225	425	7.5	2	310*160*250	16	2250
HF2005	color box	20	244	449	10.5	2	325*185*265	22	1800
HF2505	color box	25	244	389	11.5	2	327*190*305	24	1500
HF3205A	color box	30	285	465	13.5	2	370*190*305	28	1500
HF3205	color box	32	285	465	21	1	210*170*305	22	1240
HF5005	carton	50	300	480	30	1	240*210*320	31	1060
HF8005	wooden case	80	310	490	50	1	380*260*365	52	360
HF10005	wooden case	100	330	510	75	1	380*260*365	78	240
HF20005	wooden case	200	360	540	135	1	430*360*400	140	130



### 6/19/25, 11:05 PM

### Bottle jack with safety valve, 200T, Lifting range: 360-540mm

HF0205B	blow case	2	158	308	2.3	6	345*345*255	14.8	4800
HF0305B	blow case	3-4	180	340	3	6	385*350*295	19	4200
HF0405B	blow case	3-4	195	380	3.2	6	385*350*295	20.2	4200
HF0605B	blow case	5-6	197	382	4.4	4	395*265*305	18.6	3500
HF0805B	blow case	8	205	390	5.2	4	395*265*305	21.8	3500
HF1005B	blow case	10	205	390	5.6	2	315*225*325	12.2	1280
HF1205B	blow case	12	215	400	65	2	315*225*325	14	1280

