Insper


Computação Gráfica

Aula 12: Revisão 3 Interpolaçãoo, MipMap, Visibilidade

Interpolação em Triângulos



Triângulo com vértices de cores diferentes



```
Distâncias do ponto(28, 22) as arestas
L(x, y) = (x - x0)(y1 - y0) - (y - y0)(x1 - x0)
```

$$L_0 = (28.5 - 32.77)(16.65 - 23.18) - (22.5 - 23.18)(30 - 32.77)$$
 $L_0 = (-4.27)(-6.53) - (-0.68)(-2.77)$
 $L_0 = 27.8831 - 1.8836$

$$L_0 = 25.9995$$

$$L_1 = (28.5 - 30)(23.52 - 16.65) - (22.5 - 16.65)(26.95 - 30)$$
 $L_1 = (-1.5)(6.87) - (5.85)(-3.05)$
 $L_1 = -10.305 + 17.8425$
 $L_1 = 7.5375$

$$L_2 = (28.5 - 26.95)(23.18 - 23.52) - (22.5 - 23.52)(32.77 - 26.95)$$


 $L_2 = (1.55)(-0.34) - (-1.02)(5.82)$
 $L_2 = -0.527 + 5.9364$

$$L_2 = 5.4094$$

Todos positivos: Dentro !!!

Insper

Triângulo com vértices de cores diferentes



Área dos triângulos:

Area =
$$|x_0(y_1-y_2) + x_1(y_2-y_0) + x_2(y_0-y_1)| / 2$$

A = |26.95(23.18-16.65)+32.77(16.65-23.52)+30(23.52-23.18)|/2

A = |26.95(6.53)+32.77(-6.87)+30(0.34)|/2

A = |175.9835-225.1299+10.2|/2

A = 19.4732

 $A_0 = |28.5(23.18-16.65)+32.77(16.65-22.5)+30(22.5-23.18)|/2$

 $A_0 = |28.5(6.53)+32.77(-5.85)+30(-0.68)|/2$

 $A_0 = |186.105-191.7045-20.4|/2$

 $A_0 = 12.99975$

 $A_1 = |28.5(16.65-23.52)+30(23.52-22.5)+26.95(22.5-16.65)|/2$

 $A_1 = |28.5(-6.87)+30(1.02)+26.95(5.85)|/2$

 $A_1 = |-195.795+30.6+157.6575|/2$

 $A_1 = 3.76875$

 $A_2 = |28.5(23.52-23.18)+26.95(23.18-22.5)+32.77(22.5-23.52)|/2$


 $A_2 = |28.5(0.34) + 26.95(0.68) + 32.77(-1.02)|/2$

 $A_2 = |9.69 + 18.326 - 33.4254|/2$

 $A_2 = 2.7047$

Insper

Triângulo com vértices de cores diferentes



Área dos triângulos:

$$A = 19.4732$$

$$A_0 = 12.99975$$

$$A_1 = 3.76875$$

$$A_2 = 2.7047$$

Pesos

$$\alpha = 12.99975 / 19.4732 \sim 0.668$$

$$\beta$$
 = 3.76875 / 19. 4732 ~= 0.194

$$\gamma = 2.7047 / 19.4732 \approx 0.139$$

ou

$$\gamma = 1 - \alpha - \beta \approx 0.138$$

Cor do pixel:

$$R = \alpha R_0 + \beta R_1 + \gamma R_2 = 0.668$$


$$G = \alpha G_0 + \beta G_1 + \gamma G_2 = 0.194$$

$$B = \alpha B_0 + \beta B_1 + \gamma B_2 = 0.139$$

$$C = (0.668, 0.194, 0.139)$$



Cores do Triângulo com Correção Perspectiva




Pesos
$$\alpha = 0.668$$
 $Z_0 = |-9.5| = 9.5$ $\beta = 0.194$ $Z_1 = |-10.5| = 10.5$ $Z_2 = |-10.0| = 10$

$$Z=rac{1}{lpharac{1}{Z_0}+etarac{1}{Z_1}+\gammarac{1}{Z_2}}$$

$$Z = \frac{1}{0.668 \frac{1}{9.5} + 0.194 \frac{1}{10.5} + 0.139 \frac{1}{10}}$$
$$Z = \frac{1}{0.0703 + 0.0185 + 0.0139}$$

$$Z = 9.74$$

Cores do Triângulo com Correção Perspectiva



Pesos
$$Z_0 = |-9.5| = 9.5$$

 $\alpha = 0.668$ $Z_1 = |-10.5| = 10.5$
 $\beta = 0.194$ $Z_2 = |-10.0| = 10$
 $Z = 9.74$

$$C = Z \cdot \left(lpha rac{C_0}{Z_0} + eta rac{C_1}{Z_1} + \gamma rac{C_2}{Z_2}
ight)$$

$$C_R = 9.74 \left(0.668 \frac{1}{9.5} + 0.194 \frac{0}{10.5} + 0.139 \frac{0}{10} \right) = 0.685$$

$$C_G = 9.74 \left(0.668 \frac{0}{9.5} + 0.194 \frac{1}{10.5} + 0.139 \frac{0}{10} \right) = 0.180$$

$$C_B = 9.74 \left(0.668 \frac{0}{9.5} + 0.194 \frac{0}{10.5} + 0.139 \frac{1}{10} \right) = 0.135$$

$$C = (0.685, 0.180, 0.135)$$



Aplicando Texturas



Triângulo com Texturas


```
<Scene>
 <Viewpoint position="0 0 10"/>
 <Transform rotation="0 1 0 0.52">
  <Shape>
   <IndexedFaceSet coordIndex='0 1 2 -1'>
    <Coordinate point='-1 -1 0 1 -1 0 0 1 0'/>
      <TextureCoordinate point='0.0 0.0 1.0 0.0 0.5 1.0'/>
   IndexedFaceSet>
   <Appearance>
    <lmageTexture url=' "chess.png" '/>
   </Appearance>
  </Shape>
 </Transform>
</Scene>
                       P<sub>2</sub> uv(0.5, 1.0)
```


```
Pesos U = \alpha U_0 + \beta U_1 + \gamma U_2


\alpha = 0.668 U = 0.668*0.0 + 0.194*1.0 + 0.139*0.5

\beta = 0.194 U = 0.2635

\gamma = 0.139
```








Triângulo com Texturas MipMap

```
<Scene>
 <Viewpoint position="0 0 10"/>
 <Transform rotation="0 1 0 0.52">
  <Shape>
   <IndexedFaceSet coordIndex='0 1 2 -1'>
    <Coordinate point='-1 -1 0 1 -1 0 0 1 0'/>
      <TextureCoordinate point='0.0 0.0 1.0 0.0 0.5 1.0'/>
   IndexedFaceSet>
   <Appearance>
    <lmageTexture url=' "chess.png" '/>
   </Appearance>
  </Shape>
 </Transform>
</Scene>
```



$$UV = (0.264, 0.139)$$

Coordenadas (u,v) $pixel_{10}(29, 22) => UV(0.414, 0.129)$ $pixel_{01}(28, 23) => UV(0.248, -0.010)$

$$rac{\partial u}{\partial x} = rac{\mathrm{u}_{10} - \mathrm{u}_{00}}{1} \quad rac{\partial v}{\partial x} = rac{\mathrm{v}_{10} - \mathrm{v}_{00}}{1}$$

$$\frac{\partial u}{\partial y} = \frac{\mathrm{u}_{01} - \mathrm{u}_{00}}{1} \quad \frac{\partial v}{\partial y} = \frac{\mathrm{v}_{01} - \mathrm{v}_{00}}{1}$$

Triângulo com Texturas MipMap

$$U = 0.264$$
 pixel₁₀(29, 22) => UV(0.414, 0.129)
 $V = 0.139$ pixel₀₁(28, 23) => UV(0.248, -0.010)

x 32


$$\frac{\partial u}{\partial x} = \frac{\mathbf{u}_{10} - \mathbf{u}_{00}}{1} = 32 \left(\frac{0.414 - 0.264}{1} \right) = 4.8$$


$$\frac{\partial u}{\partial u} = \frac{\mathbf{u}_{01} - \mathbf{u}_{00}}{1} = 32 \left(\frac{0.248 - 0.264}{1} \right) = -0.56$$

$$\frac{\partial v}{\partial x} = \frac{\mathbf{v}_{10} - \mathbf{v}_{00}}{1} = 32 \left(\frac{0.129 - 0.139}{1} \right) = -0.32$$

$$\frac{\partial v}{\partial y} = \frac{\mathbf{v}_{01} - \mathbf{v}_{00}}{1} = 32 \left(\frac{-0.010 - 0.139}{1}\right) = -4.8$$

chess.png (32x32)





Triângulo com Texturas MipMap

Coordenadas (u,v)


$$U = 0.264$$
 pixel₁₀(29, 22) => U


 $pixel_{10}(29, 22) \Rightarrow UV(0.414, 0.129)$ $pixel_{01}(28, 23) \Rightarrow UV(0.248, -0.010)$

$$\frac{du}{dx} = 4.8 \qquad \qquad \frac{dv}{dx} = -0.32$$

V = 0.139

$$\frac{du}{dy} = -0.56 \qquad \frac{dv}{dy} = -4.8$$






$$L = \max(\sqrt{(4.8)^2 + (-0.32)^2}, \sqrt{(-0.56)^2 + (-4.8)^2})$$

$$L = \max(4.81,4,83)$$

L = 4.83

D = 2.27

D = 2




Z-Buffer



Desenhando com Z-Buffer

```
<Scene>
 <Transform translation="1 0 0">
  <Shape>
   <TriangleSet>
    <Coordinate point='-2 -2 0 2 -2 0 0 2 0'/>
   </TriangleSet>
   <Appearance>
    <Material emissiveColor='1 0 0'/>
   </Appearance>
  </Shape>
 </Transform>
 <Transform translation="-1 0 0">
  <Shape>
   <TriangleSet>
    <Coordinate point='-2 -2 -1 2 -2 -1 0 2 -1'/>
   </TriangleSet>
   <Appearance>
    <Material emissiveColor='0 0 1'/>
   </Appearance>
  </Shape>
 </Transform>
</Scene>
```

Cores



Profundidade


1	1	1	1	1	1	1	1	1	1	1	1
1	1	1	1	1	1	1	1	1	1	1	1
1	1	1	1	1	1	1	1	1	1	1	1
1	1	1	1	1	1	1	1	1	1	1	1
1	1	1	1	1	1	1	1	1	1	1	1
1	1	1	1	1	1	1	1	1	1	1	1
1	1	1	1	1	1	1	1	1	1	1	1
1	1	1	1	1	1	1	1	1	1	1	1



Desenhando com Z-Buffer

```
<Scene>
 <Transform translation="1 0 0">
  <Shape>
   <TriangleSet>
    <Coordinate point='-2 -2 0 2 -2 0 0 2 0'/>
   </TriangleSet>
   <Appearance>
    <Material emissiveColor='1 0 0'/>
   </Appearance>
  </Shape>
 </Transform>
 <Transform translation="-1 0 0">
  <Shape>
   <TriangleSet>
    <Coordinate point='-2 -2 -1 2 -2 -1 0 2 -1'/>
   </TriangleSet>
   <Appearance>
    <Material emissiveColor='0 0 1'/>
   </Appearance>
  </Shape>
 </Transform>
</Scene>
```

Cores



Profundidade


1	1	1	1	1	1	1	1	1	1	1	1
1	1	1	1	0.8	1	1	1	1	1	1	1
1	1	1	0.8	0.8	0.8	1	1	1	1	1	1
1	1	1	0.8	0.8	0.8	1	1	1	1	1	1
1	1	0.8	0.8	0.8	0.8	0.8	1	1	1	1	1
1	1	0.8	0.8	0.8	0.8	0.8	1	1	1	1	1
1	1	1	1	1	1	1	1	1	1	1	1
1	1	1	1	1	1	1	1	1	1	1	1



Desenhando com Z-Buffer

```
<Scene>
 <Transform translation="1 0 0">
  <Shape>
   <TriangleSet>
    <Coordinate point='-2 -2 0 2 -2 0 0 2 0'/>
   </TriangleSet>
   <Appearance>
    <Material emissiveColor='1 0 0'/>
   </Appearance>
  </Shape>
 </Transform>
 <Transform translation="-1 0 0">
  <Shape>
   <TriangleSet>
    <Coordinate point='-2 -2 -1 2 -2 -1 0 2 -1'/>
   </TriangleSet>
   <Appearance>
    <Material emissiveColor='0 0 1'/>
   </Appearance>
  </Shape>
 </Transform>
</Scene>
```

Cores



Profundidade

1	1	1	1	1	1	1	1	1	1	1	1
1	1	1	1	0.8	1	1	0.9	1	1	1	1
1	1	1	0.8	0.8	0.8	0.9	0.9	0.9	1	1	1
1	1	1	0.8	0.8	0.8	0.9	0.9	0.9	1	1	1
1	1	0.8	0.8	0.8	0.8	0.8	0.9	0.9	0.9	1	1
1	1	0.8	0.8	0.8	0.8	0.8	0.9	0.9	0.9	1	1
1	1	1	1	1	1	1	1	1	1	1	1
1	1	1	1	1	1	1	1	1	1	1	1



Transparência



Transparência

```
<Scene>
 <Transform translation="-1 0 0">
  <Shape>
   <TriangleSet>
    <Coordinate point='-2 -2 -1 2 -2 -1 0 2 -1'/>
   </TriangleSet>
   <Appearance>
    <Material emissiveColor ='0 0 1'/>
   </Appearance>
  </Shape>
 </Transform>
 <Transform translation="1 0 0">
  <Shape>
   <TriangleSet>
    <Coordinate point='-2 -2 0 2 -2 0 0 2 0'/>
   </TriangleSet>
   <Appearance>
    <Material emissiveColor='1 1 0'
              transparency='0.2'/>
   </Appearance>
  </Shape>
 </Transform>
</Scene>
```

Cores

(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)
(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,1)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)
(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,1)	(0,0,1)	(0,0,1)	(0,0,0)	(0,0,0)	(0,0,0)
(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,1)	(0,0,1)	(0,0,1)	(0,0,0)	(0,0,0)	(0,0,0)
(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,1)	(0,0,1)	(0,0,1)	(0,0,1)	(0,0,1)	(0,0,0)	(0,0,0)
(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,1)	(0,0,1)	(0,0,1)	(0,0,1)	(0,0,1)	(0,0,0)	(0,0,0)
(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)
(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)

```
cor_anterior = framebuffer[x,y] * transparência
cor_nova = rbg * (1 - transparência)
framebuffer[x,y] = cor_anterior + cor_nova
```



Transparência

```
<Scene>
 <Transform translation="-1 0 0">
  <Shape>
   <TriangleSet>
    <Coordinate point='-2 -2 -1 2 -2 -1 0 2 -1'/>
   </TriangleSet>
   <Appearance>
    <Material emissiveColor ='0 0 1'/>
   </Appearance>
  </Shape>
 </Transform>
 <Transform translation="1 0 0">
  <Shape>
   <TriangleSet>
    <Coordinate point='-2 -2 0 2 -2 0 0 2 0'/>
   </TriangleSet>
   <Appearance>
    <Material emissiveColor='0 1 0'
              transparency='0.4'/>
   </Appearance>
  </Shape>
 </Transform>
</Scene>
```

Cores

(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)
(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0.6,0)	(0,0,0)	(0,0,0)	(0,0,1)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)
(0,0,0)	(0,0,0)	(0,0,0)	(0,0.6,0)	(0,0.6,0)	(0,0.6,0)	(0,0,1)	(0,0,1)	(0,0,1)	(0,0,0)	(0,0,0)	(0,0,0)
(0,0,0)	(0,0,0)	(0,0,0)	(0,0.6,0)	(0,0.6,0)	(0,0.6,0)	(0,0,1)	(0,0,1)	(0,0,1)	(0,0,0)	(0,0,0)	(0,0,0)
(0,0,0)	(0,0,0)	(0,0.6,0)	(0,0.6,0)	(0,0.6,0)	(0,0.6,0.4)	(0,0,1)	(0,0,1)	(0,0,1)	(0,0,1)	(0,0,0)	(0,0,0)
(0,0,0)	(0,0,0)	(0,0.6,0)	(0,0.6,0)	(0,0.6,0)	(0,0.6,0.4)	(0,0,1)	(0,0,1)	(0,0,1)	(0,0,1)	(0,0,0)	(0,0,0)
(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)
(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)	(0,0,0)

```
cor_anterior = framebuffer[x,y] * transparência
cor_nova = rbg * (1 - transparência)
framebuffer[x,y] = cor_anterior + cor_nova
```



Insper

Computação Gráfica

Luciano Soares lpsoares@insper.edu.br