



Udagram Project


The Basics:


















Load Balancer







Auto-Scaling



Details Security Networking Storage	e Status checks Monitoring Tags	
▼ Instance details Info		
Platform	AMI ID	Monitoring
Ubuntu (Inferred)	☐ ami-053b0d53c279acc90	detailed
Platform details	AMI name	Termination protection
☐ Linux/UNIX	ubuntu/images/hvm-ssd/ubuntu-jammy-22.04-	Disabled
	amd64-server-20230516	
Stop protection	Launch time	AMI location
Disabled	☐ Sun Jul 09 2023 14:33:00 GMT+0700 (Indochina	amazon/ubuntu/images/hvm-ssd/ubuntu-jami
	Time) (about 1 hour)	22.04-amd64-server-20230516
Instance auto-recovery	Lifecycle	Stop-hibernate behavior
Default	normal	disabled
AMI Launch index	Koy pair assigned at launch	State transition reason
0	Key pair assigned at launch column c	-
Credit specification	Kernel ID	State transition message
unlimited	_	_
Usage operation	RAM disk ID	Owner
☐ RunInstances	_	☐ 110486545111
ClassicLink	Enclaves Support	Boot mode
-	Disabled	-
Details Security Networking Storage	e Status checks Monitoring Tags	
▼ Instance details Info		
Platform	AMI ID	Monitoring
🗇 Ubuntu (Inferred)	☐ ami-053b0d53c279acc90	detailed
Platform details	AMI name	Termination protection
☐ Linux/UNIX	ubuntu/images/hvm-ssd/ubuntu-jammy-22.04-	Disabled
	amd64-server-20230516	
Stop protection	Launch time	AMI location
Disabled	☐ Sun Jul 09 2023 14:33:00 GMT+0700 (Indochina	amazon/ubuntu/images/hvm-ssd/ubuntu-jamn
	Time) (about 1 hour)	22.04-amd64-server-20230516
Instance auto-recovery	Lifecycle	Stop-hibernate behavior
Default	normal	disabled
AMI Launch index	Key pair assigned at launch	State transition reason
0	c2_key	_
Credit specification	Kernel ID	State transition message
unlimited	-	-
Usage operation RunInstances	RAM disk ID	Owner
□ rannistances	_	L11C4C004J111
ClassicLink	Enclaves Support	Boot mode
-	Disabled	-
Comment frosteriors have to make	Allow tags in instance metadata	Use RBN as guest OS hostname
Current instance boot mode	Attow tags in instance inetadata	Ose KBN as guest Os Hostilaille

