MyWalk · mywalk.faith

Implementation Specification

Recovery Path + Accountability Partner

Abstain Habit Feature Upgrade · For Claude Code Handoff

Scope of this document

This specification covers two related features: (1) the Accountability Partner — replacing the SOS button with a named, consenting prayer/walking partner; and (2) the Recovery Path — a five-module, journal-integrated behaviour change programme attached to any Abstain-type habit.

The document includes: Firestore data model changes, screen-by-screen UI and copy specifications, navigation/routing additions, state management requirements, push notification templates, and module progression logic.

Stack assumed: Flutter / Firebase / Firestore / Bloc+Cubit / GoRouter / flutter_quill / firebase_messaging.

SECTION 1

Architecture Overview

How the two features fit into the existing app

Feature relationship map

The two features share infrastructure (notification system, journal integration) but are independent — the Accountability Partner can exist without the Recovery Path and vice versa. Both are triggered from the Abstain habit card on the Today screen.

Decision: SOS button retirement

The existing SOS button and its Circle-broadcast infrastructure is fully retired. The one-way broadcast to a Circle group is replaced by the Accountability Partner's named, consented, two-way message channel.

Action: remove SOS button widget from HabitCard, remove SOS notification Cloud Function, remove SOS-related fields from Firestore. Do NOT leave the SOS button dormant.

New features summary

Feature	Entry point	Firestore collections	New screens
Accountability Partner	Habit setup screen + Today card	accountability_partnerships, partner_messages	4 new screens
Recovery Path	Today card (after habit created)	recovery_paths, recovery_sessions	6 new screens
Reach Out (modal)	Today card partner strip	partner_messages (shared)	1 modal sheet
Lapse Recording	Today card + Recovery Path	recovery_sessions (lapse type)	1 guided flow (3 steps)

SECTION 2

Firestore Data Model

All collection and field changes required

2.1 Modified collection: habits

Add the following fields to existing habit documents. All are nullable; absence indicates feature not yet set up.

Field	Type	Description	Required
accountabilityPartnerId	String?	Document ID of active accountability_partnerships doc. Null if no partner.	No
recoveryPathId	String?	Document ID of recovery_paths doc. Null until user starts Recovery Path.	No
hasRecoveryPath	bool	Denormalised flag; true once Recovery Path is started. Default false.	Yes (default false)
sosEnabled	bool	RETIRE: set to false on all existing docs. Remove from UI.	Retire

2.2 New collection: accountability_partnerships

One document per partnership. Document ID is auto-generated. Index on: ownerId, partnerId, status.

Field	Type	Description	Required
partnershipId	String	Same as document ID (stored for convenience).	Yes
habitId	String	ID of the Abstain habit this partnership is attached to.	Yes
ownerId	String	UID of the habit owner (the person abstaining).	Yes
partnerId	String?	UID of the accountability partner. Null until accepted.	After accept
ownerName	String	Display name of owner — denormalised for partner notifications.	Yes
partnerName	String?	Display name of partner — denormalised for owner notifications.	After accept

Field	Type	Description	Required
ownerAvatarUrl	String?	Owner avatar URL — denormalised.	No
partnerAvatarUrl	String?	Partner avatar URL — denormalised.	No
habitName	String	Habit name — denormalised for partner notifications.	Yes
habitAbstainItem	String	e.g. 'No porn' — shown on partner acceptance screen.	Yes
inviteToken	String	Unique token used in deep-link invitation URL.	Yes
status	String (enum)	pending | active | declined | ended	Yes
invitedAt	Timestamp	When the invitation was sent.	Yes
acceptedAt	Timestamp?	When the partner accepted. Null until accepted.	No
declinedAt	Timestamp?	When the partner declined. Null unless declined.	No
endedAt	Timestamp?	When the partnership was ended by either party.	No
lastMessageAt	Timestamp?	Timestamp of most recent message — for sorting.	No
lastMessagePreview	String?	First 60 chars of last message — for notification preview.	No

2.3 New collection: partner_messages

One document per message. Document ID is auto-generated. Index on: partnershipId, sentAt (desc).

Field	Type	Description	Required
messageId	String	Same as document ID.	Yes
partnershipId	String	Reference to parent partnership.	Yes
senderId	String	UID of the sender.	Yes
senderName	String	Denormalised sender name.	Yes
body	String	Message text. Max 500 chars.	Yes
sentAt	Timestamp	Server timestamp on write.	Yes
readAt	Timestamp?	When the recipient opened the message. Null until read.	No
messageType	String (enum)	reach_out | reply | system	Yes

2.4 New collection: recovery_paths

One document per habit. Document ID = habitId (for easy lookup). Created when the user taps 'Start my Recovery Path' from the Today card.

Field	Type	Description	Required
pathId	String	Same as habitId.	Yes
userId	String	Owner UID.	Yes
habitId	String	Parent habit ID.	Yes
habitName	String	Denormalised habit name.	Yes
startedAt	Timestamp	When the path was initiated.	Yes
currentPhase	int (1-4)	Phase 1=Getting started, 2=Going deeper, 3=Sustained practice, 4=Maintenance.	Yes
totalLapses	int	Running count of recorded lapses.	Yes (default 0)
lastLapseAt	Timestamp?	Most recent lapse timestamp.	No
recoveryLetterDraft	String?	Pre-written recovery letter text (Module 5).	No
values	Map?	Map of domain->value text from Module 3 values inventory.	No
counterResponses	List<String>?	User's saved counter-response statements (Module 2).	No
hrsPlan	List<Map>?	High-risk situation plans. Each map: {situation, earlyWarnings, firstResponse, contactName}.	No
module1	Map	{ unlocked: bool, dailyCheckIns: int, lastCheckInAt: Timestamp? }	Yes
module2	Map	{ unlocked: bool, thoughtRecords: int, lastSessionAt: Timestamp? }	Yes
module3	Map	{ unlocked: bool, valuesInventoryDone: bool, lastCompassAt: Timestamp? }	Yes
module4	Map	{ unlocked: bool, environmentalChanges: int, hrsPlansCount: int, lastSessionAt: Timestamp? }	Yes
module5	Map	{ unlocked: bool, recoveryLetterDone: bool, lapseAnalyses: int, lastSessionAt: Timestamp? }	Yes

2.5 New collection: recovery_sessions

Each journal prompt response, lapse record, or structured exercise creates a recovery_session document. These are the audit trail and content store for the Recovery Path. Stored as a sub-collection of recovery_paths: recovery_paths/{pathId}/recovery_sessions/{sessionId}.

Field	Type	Description	Required
sessionId	String	Auto-generated document ID.	Yes
pathId	String	Parent recovery path ID.	Yes
moduleNumber	int (1-5)	Which module this session belongs to.	Yes
sessionType	String (enum)	daily_checkin | thought_record | values_entry | compass_check | hrs_plan | urge_surf | lapse_record | letter_write | maintenance_review	Yes
promptText	String	The journal prompt that was shown.	Yes
responseText	String	User's journal response (plain text or Delta JSON if rich text).	Yes
isRichText	bool	True if responseText is Delta JSON (from flutter_quill). Default false.	Yes
createdAt	Timestamp	Server timestamp.	Yes
lapseData	Map?	Only for sessionType=lapse_record: { hrsTriggered: String, copingPlanHeld: bool, aveThought: String, learning: String, valueReorientation: String }	Lapse only
encryptedAtRest	bool	Always true — confirm encryption layer is applied.	Yes

SECTION 3

Recovery Path — Module Progression Logic

Phase gates, unlock conditions, and daily behaviour

3.1 Phase structure

The Recovery Path progresses through four phases based on time elapsed since startedAt and milestones achieved. Phase transitions are calculated client-side on each load and written back to currentPhase if changed.

Phase	Name	Active modules	Unlock condition
1	Getting started	M1 (Pattern) + M3 (Values) + M4 (Guardrails setup)	Immediately on path start
2	Going deeper	M1 + M2 (Thinking) + M3 + M4	14 daily check-ins logged OR 14 days elapsed
3	Sustained practice	All five modules active. M5 (Lapses) added.	30 days elapsed OR first lapse recorded
4	Maintenance	All modules. Emphasis shifts to quarterly review.	90 days elapsed AND module3 valuesInventoryDone = true

3.2 Module unlock matrix

1 **Know Your Pattern**
Phase: 1 (immediate) | Unlocks: Recovery Path created

2 **Challenge Your Thinking**
Phase: 2 | Unlocks: 14 daily check-ins OR 14 days since start

3 **Anchor to Your Values**
Phase: 1 (immediate, parallel to M1) | Unlocks: Recovery Path created

4 **Build Your Guardrails**
Phase: 1 (immediate, seeds from setup screen) | Unlocks: Recovery Path created

5 Navigate Lapses

Phase: 3 | Unlocks: 30 days elapsed OR first lapse recorded

3.3 Daily behaviour

Each day the user opens the app and views their Abstain habit card, the following logic runs:

1. Calculate current phase based on startedAt and milestone conditions above.
2. Determine which modules are unlocked and surfaced in the Recovery Path screen.
3. Check if a daily check-in has been logged today (module1.lastCheckInAt date = today). If not, surface the daily check-in prompt as an orange dot on the Recovery Path entry point on the Today card.
4. Check if a weekly compass check has been logged this week (module3.lastCompassAt within last 7 days). If not, surface after day 7.
5. On first open each day, if module5 is unlocked: check if totalLapses > 0 and lastLapseAt was yesterday or today. If so, surface the Lapse Protocol as the top action in Recovery Path.

SECTION 4

Screen Specifications

All screens with UI copy, states, and interactions

4.1 Habit setup screen — changes to existing screen

The existing Set It Up screen for Abstain habits receives two additions. All existing fields remain unchanged in position and behaviour.

Addition A — Contextual nudge after coping plan

Trigger: appears below the 'When I feel tempted, I will...' field when EITHER the 'Call a friend' chip is selected OR the free-text field contains any of: call, reach out, text, someone, friend, partner, prayer (case-insensitive).

Element	Copy / Spec
Container	Thin card, slightly warm background. Left border accent in gold (3px). Appears with a subtle fade-in animation (200ms). Dismissable by tapping X.
Icon	Small handshake or two-figures SVG icon in gold. 16px.
Body text	"You mentioned reaching out to someone — set up a prayer partner now so they're ready when you need them."
Action link	"Set one up ›" in gold. Tapping scrolls to the Accountability Partner section below and pulses it once (highlight animation).
Dismiss	Small X icon top-right. Tapping hides nudge and sets a local preference (nudgeDismissed=true) so it doesn't reappear this session.

Addition B — Accountability Partner section

Positioned between the coping plan section and the Notes section. Section label style matches existing labels (small caps, muted).

Element	Copy / Spec
Section label	ACCOUNTABILITY PARTNER
Section sublabel	"Someone who's agreed to show up when you reach out." (11px, muted)
State 1 — No partner	See state spec below.
State 2 — Pending	See state spec below.

Element	Copy / Spec
State 3 — Active	See state spec below.

State 1: No partner set up (default)

Element	Copy / Spec
Card style	Dark-toned card matching existing scripture card style. Centred content. Rounded corners.
Icon	Two-person SVG icon in gold. 44px circle background.
Heading	"Someone to walk this with you" (14px, gold, medium weight)
Body	"A prayer or accountability partner receives a message when you're struggling — someone who's already agreed to show up." (12px, muted)
Button	Gold outlined button (ghost style): "+ Invite a Partner"
Footer note	"Your partner will need a free MyWalk account to accept." (10px, muted)
On tap button	Expands inline search field. Does NOT navigate away from screen.
Search field placeholder	"Search by name or MyWalk username..."
Search result item	Avatar + display name + username. Tap selects and shows 'Send Invitation' button.
Send Invitation button	Gold filled button. On tap: creates accountability_partnerships doc (status=pending), sends invitation push notification, updates UI to State 2.

State 2: Invitation pending

Element	Copy / Spec
Avatar	Partner avatar with dashed grey border (pending indicator). 40px.
Name	Partner display name. 13px, muted white.
Status line	"Invitation sent — waiting for [Name] to accept" (11px, muted grey)
Cancel action	"Cancel invitation" (11px, gold, low opacity). On tap: confirm dialog then set status=declined, clear accountabilityPartnerId on habit.

State 3: Active partner

Element	Copy / Spec
Avatar	Full-colour partner avatar. 44px. Green active dot overlay (8px, bottom-right).
Name	Partner display name. 14px, gold.

Element	Copy / Spec
Status line	Green dot + "Walking with you" (11px, muted)
Message button	Ghost gold button: "Message [Name]" (11px). Opens partnership message thread.
Remove link	"Remove partner" (11px, very muted). Tap triggers confirm dialog: "Are you sure? [Name] will no longer receive your reach-out messages." Cancel / Remove.
Footer	"[Name] will get your message when you tap 'Reach out to [Name]' on your habit card." (11px, muted)

Addition C — Recovery Path teaser

Positioned between the Accountability Partner section and the Notes section. Separated by a thin divider line. Only appears on Abstain habits.

Element	Copy / Spec
Container	Card, purple-tinted background. Left border in purple.
Icon	Compass SVG or path/checkmark icon. Purple. 36px circle background.
Heading	"Recovery Path" (13px, purple, medium weight)
Body	"Unlocks after you set this habit — five guided steps to understand and break the pattern for good." (11px, muted)
Right chevron	"›" (16px, muted grey). Card is not tappable at this stage.
Behaviour	This card is informational only during setup. It becomes a live navigation link on the Today card after the habit is created.

4.2 Partner acceptance screen (deep-link entry)

Shown when an invited partner taps their push notification or a share link. Route: /accountability/accept/:inviteToken. This screen contains the legally significant consent copy — do not alter the disclaimer text without sign-off.

Element	Copy / Spec
Screen title	"You've been invited"
Owner avatar + name	Full-size avatar (64px) + owner's display name below. Centred.
Invite headline	"[OwnerName] is walking a road of freedom and wants you beside them." (18px, white, centred)
Habit context	Small chip: "Breaking: [habitAbstainItem]" (e.g. 'Breaking: No porn'). Centred below headline.
What this means heading	"What you're agreeing to" (12px label, gold)
Commitment text	"When [OwnerName] is struggling, they may send you a message through MyWalk. This is a personal, voluntary commitment between the two of you."
Disclaimer (LEGAL — do not alter)	"This is not a professional mental health service and does not constitute emergency support. You can step back from this commitment at any time. If you or [OwnerName] are in danger, contact emergency services immediately." (11px, muted, italic)
Accept button	Gold filled, full width: "Walk with [OwnerName]"
Decline button	Ghost, full width: "I'm not able to right now"
On Accept	Set partnership status=active, set partnerId, set partnerName, write acceptedAt. Send 'accepted' push notification to owner. Navigate to Today screen with success toast.
On Decline	Set partnership status=declined. Send 'declined' push notification to owner. Navigate away (or close if deep-linked). Show brief message: "That's okay. [OwnerName] will be notified."
If token invalid / expired	Show error: "This invitation is no longer available. It may have been cancelled or already accepted." Single button: "Open MyWalk".

4.3 Today screen — Abstain habit card changes

The Abstain habit card on the Today screen gains a partner strip and a Recovery Path entry point. The SOS button is fully removed.

Remove

- SOS button widget — remove entirely from HabitCard for Abstain habits.
- SOS-related Bloc events and state in HabitCardCubit.

Add: Partner strip (conditional — only when partnership status=active)

Element	Copy / Spec
Position	Below the existing habit card content. Separated by a thin divider line (0.5px, muted).
Partner avatar	Small avatar (28px). Circular.
Partner name	"[Name]" (12px, muted white). Left of button.
Button	Ghost gold button (outlined, not filled): "Reach out to [Name]" (12px). Right-aligned or full-width below name.
Button weight	Lower visual weight than the journal/check-in button. Ghost style only.
On tap button	Opens the Reach Out modal (half-sheet). See screen 4.4.
If no partner	Strip is hidden. A very small, low-contrast link appears at very bottom: "+ Add a prayer partner" (10px, muted). Taps into habit edit screen scrolled to partner section.

Add: Recovery Path entry point (all Abstain habits)

Element	Copy / Spec
Position	Below partner strip. Small compact row (not a full card).
Icon	Compass or path SVG. Purple. 18px.
Label	"Recovery Path" (12px, purple)
Right element	If not started: "Begin ›" (12px, muted gold). If started: phase indicator e.g. "Phase 2 · Day 18" (11px, muted).
Notification dot	If daily check-in not yet done today: small orange dot on the compass icon.
On tap	Navigate to Recovery Path home screen (/habits/:habitId/recovery-path). If path not yet created, show 'Begin' onboarding step first.

4.4 Reach Out modal (half-sheet)

A DraggableScrollableSheet (or showModalBottomSheet) overlay. Not a full screen navigation. Appears over the Today screen without replacing it. Background dims to 50% opacity.

Element	Copy / Spec
Handle	Standard drag handle bar at top of sheet (pill shape, muted).
Partner avatar	Circular avatar, 52px, centred or left-aligned at top of sheet.
Partner name	[Name] (16px, white, medium weight)
Sheet heading	"Send [Name] a message" (13px, muted, below name)
Message field	Pre-populated with the user's saved copingPlan text, truncated to 200 chars if longer. Fully editable. Placeholder if copingPlan is empty: "I'm struggling right now and could use prayer."
Character counter	Shown below field when text > 200 chars. Max 500 chars.
Send button	Gold filled, full width: "Send to [Name]"
Disclaimer	"This is a personal message, not an emergency service. If you're in danger, call emergency services." (10px, muted italic, centred below button)
On send success	Dismiss sheet. Show in-card toast (3 seconds): "Your message is on its way to [Name]." Write message to partner_messages. Send push notification to partner. Update lastMessageAt on partnership doc.
On send failure	Show error within sheet: "Couldn't send right now — check your connection and try again." Keep sheet open.
On no internet	Disable send button. Show: "You're offline. Your message will send when you reconnect." (Use offline queue if implemented, otherwise show error.)

4.5 Recovery Path home screen

Route: /habits/:habitId/recovery-path. Full screen. App bar title: 'Recovery Path'. Back navigates to Today.

4.5a 'Begin' state (path not yet started)

Element	Copy / Spec
Habit context	Chip at top showing the habit name and abstain item.
Heading	"Your Recovery Path" (24px, white, bold)
Subheading	"Five steps to understand, interrupt, and leave this pattern behind." (14px, muted)
Module preview list	List of five rows. Each row: module number (gold circle) + module name + one-line description. Locked modules show a lock icon.
M1 preview text	"See what drives it — Spot your triggers before they hit."
M2 preview text	"Question the story — Challenge the thoughts that give you permission."
M3 preview text	"Remember your why — Anchor change to what actually matters to you."
M4 preview text	"Set up your safeguards — Change your environment before willpower is needed."
M5 preview text	"Getting back up — Navigate setbacks without spiralling."
Begin button	Gold filled, full width: "Start my Recovery Path"
On tap begin	Create recovery_paths document. Set startedAt = now. Set currentPhase = 1. Initialise all module maps with unlocked=false. Set module1.unlocked=true, module3.unlocked=true, module4.unlocked=true. Update habit doc: hasRecoveryPath=true, recoveryPathId=[new doc ID]. Navigate to Recovery Path home (active state).

4.5b Active state (path started)

Element	Copy / Spec
App bar subtitle	"Day [X] · Phase [Y]" (small, muted, below title)
Today's focus card	Highlighted card at top showing the most relevant action for today. Logic: (1) if lapse recorded today → show M5 lapse protocol; (2) if daily check-in not done → show M1 check-in; (3) if values inventory not done → show M3 values exercise; else → show most recently incomplete module's next prompt.
Today's focus heading	"Today's focus" (10px label, gold)

Element	Copy / Spec
Module list	All five modules shown as cards. Locked modules (phase-gated) shown greyed with lock icon. Unlocked modules show: name, brief description, and a 'Continue' or 'Start' button.
M1 card — if daily done	Check mark + "Check-in done today" (muted green). 'Review entries' link.
M1 card — if not done	"Daily check-in — 2-3 minutes" + gold 'Do it now' button.
Lapse button	Below module list. Small, low-contrast row: a small warning icon + "Record a setback" (12px, muted). Not prominent. Always visible when path is active.
Partner section	If partner active: small strip at bottom of screen showing partner name + 'Reach out' link.

4.6 Module session screen

Route: /habits/:habitId/recovery-path/module/:moduleNumber. Displayed when a user taps into a module to do a session. Shows one journal prompt at a time with a text entry field.

Element	Copy / Spec
App bar title	Module name (e.g. 'See what drives it')
Progress indicator	Subtle step dots at top if module has multiple prompts in a session. Not a progress bar.
Prompt card	Large, clear prompt text (16px, white). Card-styled, prominent.
Module badge	Small coloured pill top-left of prompt card showing module number.
Entry field	flutter_quill rich text editor. Placeholder: "Write freely — this is just for you." Encrypted at rest.
Suggested length	Subtle: "Even a few sentences is enough." (10px, muted below field)
Save button	Gold filled: "Save and continue"
Skip link	"Skip this prompt" (11px, very muted, below button). Allowed without penalty.
On save	Write recovery_session document. Update module map in recovery_paths (increment counter, set lastSessionAt). Show brief affirmation (see copy below). Navigate: if more prompts in session → next prompt; if session complete → back to Recovery Path home with completion toast.
Affirmations on save	Rotate through: (1) "That honesty matters." (2) "One reflection at a time." (3) "You showed up today." (4) "Grace is in the noticing." (5) "Each entry builds the picture."

4.7 Lapse recording flow (3-step guided sequence)

Triggered from 'Record a setback' link on Recovery Path home screen OR from the Today card (if implemented there). This is a full-screen flow, not a modal. Three sequential steps with a progress indicator at top. App bar title: 'Getting back up'.

Step 1 of 3 — Self-compassion first

Element	Copy / Spec
Heading	"First, a breath." (22px, white, bold)
Body	"You had a setback. That doesn't change who you are or what's possible for you. Before we look at what happened, take a moment." (14px, muted white)
Recovery letter	If user has written a recovery letter (Module 5): display it here in a card. Heading: "A word from yourself, written for this moment:"
If no letter yet	Show: "In Module 5 you'll write yourself a letter for moments like this. For now, let this be enough: you noticed, you're here, and that's the next right thing." (italic, muted)
Journal prompt	"What would you say to a close friend who was exactly where you are right now?"
Entry field	flutter_quill. Optional (can skip).
Continue button	"I'm ready to look at what happened"

Step 2 of 3 — Forensic analysis

Element	Copy / Spec
Heading	"What can we learn from this?" (22px, white, bold)
Body	"Not to judge, but to understand. The goal is to find the earliest point where things shifted — and plan better for next time."
Prompt 1	"Walk me through what led up to it. Where were you, what were you feeling, and what happened just before?"
Prompt 2	"What was the thought or story that gave you permission? (e.g. 'Just this once', 'I've had a terrible day')"
Prompt 3	"Was there a point where your coping plan could have kicked in? What stopped it?"
Entry field	Single multi-paragraph field for all three. Prompts shown as sub-labels above the field.
lapseData capture	Below the text entry, a set of lightweight structured fields: 'What was the situation?' (short text), 'Did I try my coping plan?' (Yes / Partly / No toggle), 'Main thing I'm taking from this:' (short text). These populate the lapseData map.

Element	Copy / Spec
Continue button	"See what comes next"

Step 3 of 3 — Re-orientation

Element	Copy / Spec
Heading	"Back on the path." (22px, white, bold)
Body	"A setback is information, not a verdict. Your path continues from here."
Values recall	If values have been saved (Module 3): show the user's top value in a gold card. Heading: "You said this matters most to you:" + value text.
Prompt	"Which of your values do you want to take the very next step toward? What's the smallest version of that step, right now?"
Entry field	flutter_quill.
On save	Write recovery_session (type=lapse_record). Increment recovery_paths totalLapses. Set lastLapseAt. Unlock module5 if not already unlocked. Update module5.lapseAnalyses count.
Completion screen	Full-screen affirmation. Heading: "You showed up." Body: "That's all recovery asks. The path is still yours." Button: "Back to my habit" (navigates to Today).

SECTION 5

Module Content Specification

All prompts, exercise copy, and in-app text for each module

5.1 Module 1 — See what drives it (Know Your Pattern)

Primary activity: daily check-in. Secondary: weekly pattern review after 7 days.

Daily check-in prompts (rotate through — pick 2 per session)

#	Prompt text
1	Walk me through what happened just before the urge hit. Where were you, and how were you feeling?
2	If I had to name the emotion driving it, what would it be? How strong was it, out of 10?
3	What was the thought that arose just before? Even one sentence.
4	What was I hoping it would do for me in that moment?
5	What happened after? How did I feel immediately, and then an hour later?
6	Did I act on the urge, resist it, or something in between? What made the difference?
7	Looking at this week's entries so far, is there a pattern I'm starting to see?

Weekly pattern review prompt (after 7+ daily check-ins)

#	Prompt text
1	Looking back at this week, when was I most vulnerable? What was consistently present?
2	What were my top two or three triggers this week? Be specific about the situation AND the feeling.
3	What has surprised me about my own pattern?

Module 1 UI copy

Element	Copy
Card name	See what drives it
Card description	Spot your triggers before they hit.
Session title	Daily check-in
Session duration hint	About 2 minutes
Completion toast	"Check-in done. Every entry builds the picture."

Element	Copy
7-day milestone	"You've been tracking for 7 days. A new step in your path is ready." (triggers Module 2 unlock notification)

5.2 Module 2 — Question the story (Challenge Your Thinking)

Primary activity: five-step thought examination. Secondary: building a personal counter-response library.

Five-step thought examination sequence

Shown as a guided 5-step flow within a single session. Each step is a separate prompt card.

Step	Label	Prompt text
1	Catch the thought	Write the automatic thought exactly as it occurred — not a cleaned-up version. The raw thing.
2	Name the pattern	What kind of thinking is this? (Examples shown: permission-giving, minimising, catastrophising, all-or-nothing, externalising, fatalism.)
3	Check the evidence	What is the actual evidence for this thought? And against it? What would you say to a good friend who believed this?
4	What does my track record say?	Has this thought led to good outcomes before? Specifically, what happened the last time you believed it?
5	Write the alternative	What's a more accurate statement — in your own words, not an affirmation? Something you can actually believe.

Counter-response library

After completing a thought examination, a prompt appears: 'Add this to your counter-response library?' with Yes/Save button. Saved counter-responses are stored in recovery_paths.counterResponses (List<String>). They are surfaced on the Reach Out modal and the Lapse flow as quick-access reminders.

Module 2 UI copy

Element	Copy
Card name	Question the story
Card description	Challenge the thoughts that give you permission to slip.
Session title	Thought examination
Session duration hint	About 5 minutes

Element	Copy
Intro text shown before session	"The thought isn't the problem. Believing it without question is. This takes about 5 minutes and builds the most important habit of all: pausing before the story becomes an action."
Completion toast	"That thought has less power now that you've looked at it."
Library prompt	"Add to counter-response library? — This will be available when you need it most."
Library empty state	"Your counter-responses will appear here. Do a thought examination to build them."

5.3 Module 3 — Remember your why (Anchor to Your Values)

Primary activity: one-time values inventory. Recurring: weekly compass check.

Values inventory (one-time, 8 domains)

Shown as an 8-step flow. For each domain: display domain name and guiding question. User writes their value text in a free-text field, then rates importance (1-10) and current alignment (1-10). Gap score is calculated and displayed.

Domain	Guiding question
Intimate relationship	What does love and faithfulness look like in how I show up for my partner?
Family	What kind of son/daughter/parent/sibling do I want to be known as?
Friendship	How do I want to show up for the people who matter to me?
Work and contribution	What does it mean to do my work with integrity and purpose?
Personal growth	What kind of person am I becoming, and is that who I want to be?
Health	How do I want to care for the body and mind God gave me?
Spiritual life	What does walking faithfully look like for me, in practice?
Creative and leisure	What nourishes me that has nothing to do with obligation?

Weekly compass check prompts

#	Prompt text
1	Looking at each of my top values this week — did my actions move toward them or away from them?
2	Where was the biggest gap this week between what matters to me and how I actually lived?
3	One small course correction for next week: what will I do differently?

Module 3 UI copy

Element	Copy
Card name	Remember your why
Card description	Anchor change to what actually matters to you.
Values inventory title	"What do you live for?"
Values inventory intro	"This is the most important thing in your Recovery Path. Change driven by shame is unstable. Change driven by who you actually want to be lasts. This takes about 10 minutes and you only do it once."
Gap score label	"Gap between importance and how you're living"
Compass check title	"Weekly compass check"
Compass check intro	"Five minutes. Once a week. Your most important habit maintenance."
Inventory completion toast	"Your values are now the foundation of your path."
Compass completion toast	"Compass checked. You know where you're heading."

5.4 Module 4 — Set up your safeguards (Build Your Guardrails)

Primary activities: (A) environmental restructuring checklist; (B) high-risk situation coping plans. Both are one-time setups that can be revised.

A — Environmental restructuring checklist

A checklist of concrete changes relevant to the specific abstain item. Pre-populated based on the habit's abstainItem field. User marks each as Done / Not applicable. At least 2 must be marked Done to complete this section.

Abstain item	Pre-populated checklist items
No porn	1. Install content filter on all devices 2. Remove habit browser from home screen 3. Device-free bedroom rule 4. Accountability partner set up (links to M/partner section) 5. Screen time limits on device settings
No gambling	1. Self-exclude from all gambling sites (links to guidance) 2. Delete gambling apps 3. Block gambling sites at router level 4. Share financial oversight with a trusted person during this season 5. Remove saved payment methods from gambling platforms
No alcohol	1. Remove alcohol from your home 2. Identify two alcohol-free social alternatives 3. Plan what you'll drink at social events (have it ready) 4. Tell one person close to you about this commitment
No social media	1. Delete apps from phone (access via browser only) 2. Turn off all push notifications 3. Set specific times for checking (no other times) 4. Enable greyscale mode on device 5. Set screen-time limits

Abstain item	Pre-populated checklist items
No junk food / No doom-scrolling / Other	1. Remove the highest-risk item from your home environment 2. Identify what you'll do instead when the urge hits 3. Tell someone who will notice and can support you

B — High-risk situation (HRS) coping plans

User creates up to 5 HRS plans. Each plan has three fields. Plans are stored in recovery_paths.hrsPlan and surfaced in the Lapse flow and Module 4 review sessions.

Field	Label shown	Placeholder text
situation	The situation	e.g. 'Late at night, alone with my phone, feeling stressed'
earlyWarnings	Early warning signs	e.g. 'Restlessness in my chest, opening social media repeatedly, telling myself I deserve a break'
firstResponse	My first response	e.g. 'Close the device, text Sarah, go to the kitchen and make tea'
contactName	Who I'll contact	Select from contacts or type a name

Urge surfing session

#	Prompt text
1	Name the urge: 'I am having an urge to [behaviour].' Where in your body do you feel it right now?
2	Observe it without acting. Watch it for 5 minutes. Did it peak and start to ease? Describe what happened.
3	What did it feel like to watch the urge rather than act on it?

Module 4 UI copy

Element	Copy
Card name	Set up your safeguards
Card description	Change your environment before willpower is needed.
Checklist intro	"Willpower is most limited exactly when you need it most. These changes make the right thing easier and the habit harder — before the urge hits."
HRS intro	"Up to five situations where you're most vulnerable. For each one, you'll have a plan ready before you need it."
Checklist completion toast	"Your environment is working with you now."
HRS plan save toast	"Plan saved. It'll be there when you need it."

Element	Copy
Urge surfing intro	"Urges are not commands. They rise, peak (usually within 20 minutes), and pass — whether or not you act on them. This session helps you practise riding the arc."

5.5 Module 5 — Getting back up (Navigate Lapses)

Unlocks at Phase 3 (30 days or first lapse). Primary activities: pre-writing a recovery letter, and completing the lapse analysis flow (see Screen 4.7).

Recovery letter prompts

One-time guided writing exercise. User writes a letter to their future struggling self. Four sequential prompts shown across a single session.

#	Prompt text
1	Start with grace: What do you want your struggling self to know before anything else?
2	Name the truth: What is true about you that a setback doesn't change?
3	Call them back: What value or person or future do you want your struggling self to come back to?
4	Give them the next step: What is the one small thing you want them to do right now?

After all four prompts are answered, the app stitches them into a single letter shown in a final preview card with the heading: "Your letter, for when you need it most." User can edit the combined text before saving. Saved to recovery_paths.recoveryLetterDraft.

Quarterly maintenance review prompts

#	Prompt text
1	What has genuinely changed in the last three months? Be honest and specific.
2	Where is my pattern still fragile? What situations or states still feel dangerous?
3	Have my values shifted or deepened? Is anything I said in my values inventory no longer true?
4	What one thing will I do differently in the next three months?

Module 5 UI copy

Element	Copy
Card name	Getting back up
Card description	Navigate setbacks without spiralling.

Element	Copy
Unlock message	"Module 5 is now open. This is the step most people skip — and the one that makes the rest stick."
Recovery letter intro	"This is the most important thing you'll write in your Recovery Path. A letter from you, to you, for the moment after a setback. It takes about 10 minutes and you only write it once."
Recovery letter completion	"Your letter is saved. It will appear automatically the next time you record a setback."
Lapse prompt CTA	"Record a setback" (always visible when M5 unlocked, low-contrast)
AVE warning shown in lapse flow	"The thought 'I've failed' is not a fact. It's a thinking pattern called the Abstinence Violation Effect — and it causes more harm than the setback itself. Notice the thought. Don't follow it."
Quarterly review title	"Three-month check-in"
Quarterly review intro	"Ten minutes, four questions. The most important maintenance you can do."

SECTION 6

Push Notification Specification

All notification triggers, titles, and body copy

6.1 Accountability Partner notifications

Trigger	Title	Body copy
Owner invites a partner	Sent to: owner (confirmation)	"Invitation sent to [Name]. You'll hear back when they accept."
Partner receives invitation	Sent to: partner	[OwnerName] wants to walk with you on MyWalk
Partner receives invitation body		"[OwnerName] is breaking [habitAbstainItem] and has invited you to be their accountability partner. Tap to see what this means and decide."
Partner accepts	Sent to: owner	[Name] is walking with you
Partner accepts body		"[Name] has accepted your invitation. They'll receive your reach-out messages from now on. Your habit card has been updated."
Partner declines	Sent to: owner	[Name] wasn't able to accept right now
Partner declines body		"That's okay — you can invite someone else from your habit settings."
Owner sends reach-out	Sent to: partner	[OwnerName] is reaching out
Owner sends reach-out body		"[MessagePreview]..." (first 60 chars of message + ellipsis if truncated)
Partner replies (if reply implemented)	Sent to: owner	[PartnerName] replied
Partner replies body		"[MessagePreview]..."

6.2 Recovery Path notifications

Trigger	Title	Body copy
Day 1 (path started)	Your Recovery Path begins today	"Your first step: a short check-in. It takes 2 minutes and starts building the picture."
Daily check-in reminder (configurable time)	Time for your daily check-in	"A few honest sentences. That's all it takes today."

Trigger	Title	Body copy
Module 2 unlocks (14 days)	A new step is ready	"You've been tracking for 14 days. 'Question the story' is now open in your Recovery Path."
Module 5 unlocks (30 days)	Your path just deepened	"Module 5 is now open. This is the step that makes recovery stick — don't skip it."
Lapse recorded	You recorded a setback	"Your Recovery Path has a step for exactly this moment. Take it when you're ready."
Recovery letter complete	Your letter is ready	"You wrote something important today. It will be there for you when you need it most."
Weekly compass check due (7-day interval)	Weekly compass check	"Five minutes to make sure you're still heading where you want to go."
Quarterly review due (90-day interval)	Three-month check-in	"You've come a long way. Ten minutes to see how far, and where next."
5-day streak (check-ins)	Five days straight	"Five daily check-ins. The pattern is getting clearer."
Missed 3 consecutive days	We noticed you've been away	"No judgement — life happens. Your Recovery Path is right where you left it."

SECTION 7

Navigation, Routing & State Management

GoRouter additions and new Cubit/Bloc requirements

7.1 New GoRouter routes

Route path	Screen	Parameters
/accountability/accept/:token	PartnerAcceptanceScreen	token: String (inviteToken)
/habits/:habitId/partner	PartnershipDetailScreen	habitId: String
/habits/:habitId/reach-out	ReachOutSheet (modal)	habitId: String
/habits/:habitId/recovery-path	RecoveryPathHomeScreen	habitId: String
/habits/:habitId/recovery-path/module/:moduleNumber	ModuleDetailScreen	habitId: String, moduleNumber: int
/habits/:habitId/recovery-path/module/:moduleNumber/session	ModuleSessionScreen	habitId: String, moduleNumber: int, sessionType: String
/habits/:habitId/recovery-path/lapse	LapseRecordingFlow	habitId: String
/habits/:habitId/recovery-path/letter	RecoveryLetterScreen	habitId: String

Deep link handling

The /accountability/accept/:token route must be registered as a deep link (both Android intent-filter and iOS universal link). The invite token is looked up in accountability_partnerships where inviteToken == token. Expired or invalid tokens show an error screen (copy: screen 4.2 above).

firebase_dynamic_links or the newer Firebase Hosting-based approach should be used for the invitation URL generation.

7.2 New Cubits required

Cubit name	Responsibility	Key states
AccountabilityPartnershipCubit	Manages partnership doc lifecycle: invite, accept, decline, end, real-time status listener.	PartnershipInitial, PartnershipLoading, PartnershipNone, PartnershipPending, PartnershipActive, PartnershipError
ReachOutCubit	Manages the reach-out message send flow including offline handling.	ReachOutIdle, ReachOutSending, ReachOutSent, ReachOutError

Cubit name	Responsibility	Key states
RecoveryPathCubit	Manages recovery_paths document: creation, phase calculation, module unlock logic, daily check-in status.	RecoveryPathNotStarted, RecoveryPathLoading, RecoveryPathActive(path, phase, modules), RecoveryPathError
ModuleSessionCubit	Manages a single module session: prompt sequence, entry saves, completion detection.	SessionIdle, SessionActive(step, totalSteps), SessionSaving, SessionComplete, SessionError
LapseRecordingCubit	Manages the 3-step lapse flow: step tracking, data accumulation, final write.	LapseStep1, LapseStep2, LapseStep3, LapseSaving, LapseComplete, LapseError
RecoveryLetterCubit	Manages the 4-prompt letter writing flow and final stitched letter.	LetterIdle, LetterWriting(step), LetterPreview(text), LetterSaving, LetterSaved, LetterError

7.3 Firestore security rules additions

Add the following rule patterns to firestore.rules:

```
// accountability_partnerships
match /accountability_partnerships/{partnershipId} {
  allow read: if request.auth.uid == resource.data.ownerId
              || request.auth.uid == resource.data.partnerId;
  allow create: if request.auth.uid == request.resource.data.ownerId;
  allow update: if request.auth.uid == resource.data.ownerId
              || request.auth.uid == resource.data.partnerId;
}

// partner_messages
match /partner_messages/{messageId} {
  function isParty() {
    let p = get(/databases/$(database)/documents/
             accountability_partnerships/$(resource.data.partnershipId));
    return request.auth.uid == p.data.ownerId
           || request.auth.uid == p.data.partnerId;
  }
  allow read, write: if isParty();
}

// recovery_paths and sub-collection
match /recovery_paths/{pathId} {
  allow read, write: if request.auth.uid == resource.data.userId;
  match /recovery_sessions/{sessionId} {
    allow read, write: if request.auth.uid ==
```

```
get(/databases/$(database)/documents/recovery_paths/$(pathId)).data.userId;
  }
}
```

SECTION 8

Implementation Phases

Suggested build order to ship incrementally

Phase A — Accountability Partner (ship first)

Lower complexity, highest emotional safety value. Ships independently of Recovery Path.

- Retire SOS button from HabitCard.
- Add accountability_partnerships collection and Firestore rules.
- Add partner section to Habit setup screen (all 3 states).
- Build PartnerAcceptanceScreen with deep-link routing.
- Build ReachOutSheet (modal).
- Update Today card: partner strip + Reach out button.
- Wire AccountabilityPartnershipCubit and ReachOutCubit.
- Set up push notifications for all partnership events (Section 6.1).
- Add nudge logic below coping plan chips.

Phase B — Recovery Path foundation

Core path structure, Module 1 and Module 3. Most used modules first.

- Add recovery_paths collection and rules.
- Build RecoveryPathHomeScreen (begin state + active state).
- Build RecoveryPathCubit with phase calculation logic.
- Build ModuleSessionScreen (generic — used by all modules).
- Implement Module 1 (See what drives it) — daily check-in prompts.
- Implement Module 3 (Remember your why) — values inventory + compass check.
- Add Recovery Path teaser card to habit setup screen.
- Add Recovery Path entry point to Today card.
- Set up daily check-in reminder notification.

Phase C — Recovery Path deep features

Modules 2, 4, 5 and the lapse flow.

- Implement Module 2 (Question the story) — 5-step thought examination + counter-response library.
- Implement Module 4 (Set up your safeguards) — checklist + HRS coping plans + urge surfing.
- Build LapseRecordingFlow (3 steps with RecoveryLetterCubit).
- Implement Module 5 (Getting back up) — recovery letter + quarterly review.
- Wire all Phase 3 push notifications.

- Module unlock notifications.
- Quarterly maintenance review prompt logic.