TENDER DOCUMENT

RIV/ELEC/2026/017

Supply and installation of electrical works at Rivermead Primary School

Employer: Rivermead Local Municipality

Synthetic test document - fictional data

Part C1: Tender notice and conditions

Materials for the project are available from suppliers in the district and from the nearest regional centre. The existing electrical installation consists of a main board in the plant room and three sub boards. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection.

The roof is covered with fibre cement sheeting supported on steel trusses. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The kitchen, ablution blocks and storeroom are located on the eastern side of the building.

The existing electrical installation consists of a main board in the plant room and three sub boards. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The surrounding properties are residential and the nearest shop is a few hundred metres away.

The area has a mild climate and rainfall is mostly in the summer months. Rivermead Primary School is a single-storey brick building constructed in 1987 and extended in 2004. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection.

Materials for the project are available from suppliers in the district and from the nearest regional centre. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. Rivermead Primary School is a single-storey brick building constructed in 1987 and extended in 2004. The building is located in Rivermead and is used throughout the week by community groups.

Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The site is fenced and has a single vehicle gate on the northern boundary. The external areas include a paved forecourt, a small garden and a covered walkway. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The kitchen, ablution blocks and storeroom are located on the eastern side of the building.

A previous renovation replaced the plumbing and the ceiling in the main hall. The municipality has operated the facility since 1996 and the local committee manages bookings. Parking for site vehicles is available at the rear of the property near the service entrance.

Materials for the project are available from suppliers in the district and from the nearest regional centre. A previous renovation replaced the plumbing and the ceiling in the main hall. Rivermead Primary School is a single-storey brick building constructed in 1987 and extended in 2004.

The site is fenced and has a single vehicle gate on the northern boundary. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The existing electrical installation consists of a main board in the plant room and three sub boards. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The existing electrical installation consists of a main board in the plant room and three sub boards. The surrounding properties are residential and the nearest shop is a few hundred metres away.

The area has a mild climate and rainfall is mostly in the summer months. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The works are located on erf 1042 and the title deed is held by the municipality.

The employer must give the contractor access to the site within seven days of the commencement date. The external areas include a paved forecourt, a small garden and a covered walkway. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices.

The site is fenced and has a single vehicle gate on the northern boundary. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The scope of work covers the main hall, the offices, the passages and the external areas. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The external areas include a paved forecourt, a small garden and a covered walkway. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices.

Parking for site vehicles is available at the rear of the property near the service entrance. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule.

The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The building is located in Rivermead and is used throughout the week by community groups.

Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. Materials for the project are available from suppliers in the district and from the nearest regional centre. Tenderers must complete the declaration of interest and the declaration of past supply chain management practices. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The existing electrical installation consists of a main board in the plant room and three sub boards. The municipality has operated the facility since 1996 and the local committee manages bookings.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The municipality has operated the facility since 1996 and the local committee manages bookings. The works are located on erf 1042 and the title deed is held by the municipality.

The existing electrical installation consists of a main board in the plant room and three sub boards. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The municipality has operated the facility since 1996 and the local committee manages bookings.

Materials for the project are available from suppliers in the district and from the nearest regional centre. The roof is covered with fibre cement sheeting supported on steel trusses. All electrical work must comply with SANS 10142-1 and be certified by a registered person. Parking for site vehicles is available at the rear of the property near the service entrance. Materials for the project are available from suppliers in the district and from the nearest regional centre.

The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. Parking for site vehicles is available at the rear of the property near the service entrance. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The existing electrical installation consists of a main board in the plant room and three sub boards. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. Tenderers must score a minimum of 60 out of 100 points for functionality to qualify for price evaluation. The site is fenced and has a single vehicle gate on the northern boundary. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices.

Rivermead Primary School is a single-storey brick building constructed in 1987 and extended in 2004. The site is fenced and has a single vehicle gate on the northern boundary. The roof is covered with fibre cement sheeting supported on steel trusses.

The works are located on erf 1042 and the title deed is held by the municipality. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The building is located in Rivermead and is used throughout the week by community groups. The roof is covered with fibre cement sheeting supported on steel trusses.

The area has a mild climate and rainfall is mostly in the summer months. The building is located in Rivermead and is used throughout the week by community groups. Only tenderers registered with the Construction Industry Development Board with a contractor grading of 3EP or higher in the electrical engineering works category may submit tenders. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The existing electrical installation consists of a main board in the plant room and three sub boards.

The community committee reports that the building is busiest on weekday evenings and on Saturdays. The existing electrical installation consists of a main board in the plant room and three sub boards. Parking for site vehicles is available at the rear of the property near the service entrance. The roof is covered with fibre cement sheeting supported on steel trusses.

The site is fenced and has a single vehicle gate on the northern boundary. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The surrounding properties are residential and the nearest shop is a few hundred metres away.

Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. Rivermead Primary School is a single-storey brick building constructed in 1987 and extended in 2004. The building is located in Rivermead and is used throughout the week by community groups.

The existing electrical installation consists of a main board in the plant room and three sub boards. The employer's agent has prepared the specifications in accordance with standard industry practice. Electricity is supplied through a metered connection from the municipal network. The roof is covered with fibre cement sheeting supported on steel trusses. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life.

Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The site is fenced and has a single vehicle gate on the northern boundary. The municipality has operated the facility since 1996 and the local committee manages bookings.

Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The site is fenced and has a single vehicle gate on the northern boundary. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The roof is covered with fibre cement sheeting supported on steel trusses. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. Parking for site vehicles is available at the rear of the property near the service entrance. Materials for the project are available from suppliers in the district and from the nearest regional centre.

The existing electrical installation consists of a main board in the plant room and three sub boards. The area has a mild climate and rainfall is mostly in the summer months. Parking for site vehicles is available at the rear of the property near the service entrance. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. A previous renovation replaced the plumbing and the ceiling in the main hall.

The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The area has a mild climate and rainfall is mostly in the summer months. Electricity is supplied through a metered connection from the municipal network. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection.

The existing electrical installation consists of a main board in the plant room and three sub boards. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. Sealed tenders must be deposited in the tender box at Rivermead Town Hall, 4 Sample Road no later than 11:00 on Friday 22 December 2026. The municipality has operated the facility since 1996 and the local committee manages bookings. The site is fenced and has a single vehicle gate on the northern boundary.

A previous renovation replaced the plumbing and the ceiling in the main hall. The municipality has operated the facility since 1996 and the local committee manages bookings. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The roof is covered with fibre cement sheeting supported on steel trusses. The works are located on erf 1042 and the title deed is held by the municipality.

The building is located in Rivermead and is used throughout the week by community groups. The site is fenced and has a single vehicle gate on the northern boundary. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The scope of work covers the main hall, the offices, the passages and the external areas. The external areas include a paved forecourt, a small garden and a covered walkway.

The roof is covered with fibre cement sheeting supported on steel trusses. Materials for the project are available from suppliers in the district and from the nearest regional centre. Part C3 describes the extent of the works and the standard of workmanship expected in general terms.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. Rivermead Primary School is a single-storey brick building constructed in 1987 and extended in 2004. Materials for the project are available from suppliers in the district and from the nearest regional centre. Part C3 describes the extent of the works and the standard of workmanship expected in general terms.

The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The surrounding properties are residential and the nearest shop is a few hundred metres away. The building is located in Rivermead and is used throughout the week by community groups. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The existing electrical installation consists of a main board in the plant room and three sub boards.

The external areas include a paved forecourt, a small garden and a covered walkway. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The employer's agent has prepared the specifications in accordance with standard industry practice. The scope of work covers the main hall, the offices, the passages and the external areas.

The municipality is required by law to publish the names of successful tenderers on its notice board. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The employer's agent has prepared the specifications in accordance with standard industry practice.

The site is fenced and has a single vehicle gate on the northern boundary. Materials for the project are available from suppliers in the district and from the nearest regional centre. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The existing electrical installation consists of a main board in the plant room and three sub boards.

The community committee reports that the building is busiest on weekday evenings and on Saturdays. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The works are located on erf 1042 and the title deed is held by the municipality. The kitchen, ablution blocks and storeroom are located on the eastern side of the building.

Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The area has a mild climate and rainfall is mostly in the summer months. The employer's agent has prepared the specifications in accordance with standard industry practice.

The surrounding properties are residential and the nearest shop is a few hundred metres away. The building is located in Rivermead and is used throughout the week by community groups. Electricity is supplied through a metered connection from the municipal network.

Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The surrounding properties are residential and the nearest shop is a few hundred metres away. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection.

The employer's agent shall inspect the works at intervals and must record defects in the site diary. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The employer's agent has prepared the specifications in accordance with standard industry practice.

Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The external areas include a paved forecourt, a small garden and a covered walkway. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The site is fenced and has a single vehicle gate on the northern boundary.

Part C3: Scope of work and conditions of contract

Electricity is supplied through a metered connection from the municipal network. The works are located on erf 1042 and the title deed is held by the municipality. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The employer's agent has prepared the specifications in accordance with standard industry practice.

Materials for the project are available from suppliers in the district and from the nearest regional centre. The existing electrical installation consists of a main board in the plant room and three sub boards. The municipality has operated the facility since 1996 and the local committee manages bookings.

Rivermead Primary School is a single-storey brick building constructed in 1987 and extended in 2004. The roof is covered with fibre cement sheeting supported on steel trusses. The employer's agent has prepared the specifications in accordance with standard industry practice. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The external areas include a paved forecourt, a small garden and a covered walkway.

The area has a mild climate and rainfall is mostly in the summer months. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The building is located in Rivermead and is used throughout the week by community groups. The works are located on erf 1042 and the title deed is held by the municipality. A previous renovation replaced the plumbing and the ceiling in the main hall.

The surrounding properties are residential and the nearest shop is a few hundred metres away. Materials for the project are available from suppliers in the district and from the nearest regional centre. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices.

Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The site is fenced and has a single vehicle gate on the northern boundary. Parking for site vehicles is available at the rear of the property near the service entrance. The building is located in Rivermead and is used throughout the week by community groups.

The area has a mild climate and rainfall is mostly in the summer months. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. Parking for site vehicles is available at the rear of the property near the service entrance. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule.

A previous renovation replaced the plumbing and the ceiling in the main hall. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The building is located in Rivermead and is used throughout the week by community groups. The employer's agent has prepared the specifications in accordance with standard industry practice.

The existing electrical installation consists of a main board in the plant room and three sub boards. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches.

The roof is covered with fibre cement sheeting supported on steel trusses. Parking for site vehicles is available at the rear of the property near the service entrance. The scope of work covers the main hall, the offices, the passages and the external areas. The area has a mild climate and rainfall is mostly in the summer months. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection.

Rivermead Primary School is a single-storey brick building constructed in 1987 and extended in 2004. The works are located on erf 1042 and the title deed is held by the municipality. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life.

The existing electrical installation consists of a main board in the plant room and three sub boards. The building is located in Rivermead and is used throughout the week by community groups. A previous renovation replaced the plumbing and the ceiling in the main hall.

The site is fenced and has a single vehicle gate on the northern boundary. The surrounding properties are residential and the nearest shop is a few hundred metres away. A previous renovation replaced the plumbing and the ceiling in the main hall.

Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The employer's agent has prepared the specifications in accordance with standard industry practice. The site is fenced and has a single vehicle gate on the northern boundary. The existing electrical installation consists of a main board in the plant room and three sub boards.

The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. Written queries should reach the contact person at least 5 days before the closing date. The existing electrical installation consists of a main board in the plant room and three sub boards. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection.

Rivermead Primary School is a single-storey brick building constructed in 1987 and extended in 2004. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The existing electrical installation consists of a main board in the plant room and three sub boards. The municipality has operated the facility since 1996 and the local committee manages bookings.

The site is fenced and has a single vehicle gate on the northern boundary. The works are located on erf 1042 and the title deed is held by the municipality. Parking for site vehicles is available at the rear of the property near the service entrance. The scope of work covers the main hall, the offices, the passages and the external areas. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule.

The works are located on erf 1042 and the title deed is held by the municipality. The existing electrical installation consists of a main board in the plant room and three sub boards. The employer's agent has prepared the specifications in accordance with standard industry practice.

Electricity is supplied through a metered connection from the municipal network. The area has a mild climate and rainfall is mostly in the summer months. The municipality has operated the facility since 1996 and the local committee manages bookings. The roof is covered with fibre cement sheeting supported on steel trusses.

The area has a mild climate and rainfall is mostly in the summer months. The scope of work covers the main hall, the offices, the passages and the external areas. The roof is covered with fibre cement sheeting supported on steel trusses. The employer's agent has prepared the specifications in accordance with standard industry practice.

The area has a mild climate and rainfall is mostly in the summer months. Materials for the project are available from suppliers in the district and from the nearest regional centre. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life.

The site is fenced and has a single vehicle gate on the northern boundary. The municipality has operated the facility since 1996 and the local committee manages bookings. Parking for site vehicles is available at the rear of the property near the service entrance. A previous renovation replaced the plumbing and the ceiling in the main hall. Materials for the project are available from suppliers in the district and from the nearest regional centre.

The employer's agent has prepared the specifications in accordance with standard industry practice. The works are located on erf 1042 and the title deed is held by the municipality. Parking for site vehicles is available at the rear of the property near the service entrance.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The scope of work covers the main hall, the offices, the passages and the external areas. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. A previous renovation replaced the plumbing and the ceiling in the main hall.

A previous renovation replaced the plumbing and the ceiling in the main hall. The scope of work covers the main hall, the offices, the passages and the external areas. The area has a mild climate and rainfall is mostly in the summer months. The existing electrical installation consists of a main board in the plant room and three sub boards.

The community committee reports that the building is busiest on weekday evenings and on Saturdays. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The municipality has operated the facility since 1996 and the local committee manages bookings. The works are located on erf 1042 and the title deed is held by the municipality.

Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The site is fenced and has a single vehicle gate on the northern boundary. Parking for site vehicles is available at the rear of the property near the service entrance.

The scope of work covers the main hall, the offices, the passages and the external areas. The building is located in Rivermead and is used throughout the week by community groups. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The external areas include a paved forecourt, a small garden and a covered walkway.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The employer's agent has prepared the specifications in accordance with standard industry practice. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. Materials for the project are available from suppliers in the district and from the nearest regional centre.

The surrounding properties are residential and the nearest shop is a few hundred metres away. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. Tenderers must submit a valid tax compliance status pin issued by the South African Revenue Service. The employer's agent has prepared the specifications in accordance with standard industry practice. The surrounding properties are residential and the nearest shop is a few hundred metres away.

Electricity is supplied through a metered connection from the municipal network. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The works are located on erf 1042 and the title deed is held by the municipality. A previous renovation replaced the plumbing and the ceiling in the main hall. Rivermead Primary School is a single-storey brick building constructed in 1987 and extended in 2004.

Parking for site vehicles is available at the rear of the property near the service entrance. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The roof is covered with fibre cement sheeting supported on steel trusses.

Payment certificates shall be issued monthly and the employer shall pay within thirty days of receipt of a valid invoice. The employer's agent has prepared the specifications in accordance with standard industry practice. The area has a mild climate and rainfall is mostly in the summer months.

An earlier phase of the project was completed on 3 June 2019 and its drawings are held by the employer. The external areas include a paved forecourt, a small garden and a covered walkway. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection.

The area has a mild climate and rainfall is mostly in the summer months. The external areas include a paved forecourt, a small garden and a covered walkway. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches.

The scope of work covers the main hall, the offices, the passages and the external areas. The area has a mild climate and rainfall is mostly in the summer months. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. Parking for site vehicles is available at the rear of the property near the service entrance.

The municipality has operated the facility since 1996 and the local committee manages bookings. The building is located in Rivermead and is used throughout the week by community groups. Materials for the project are available from suppliers in the district and from the nearest regional centre. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The area has a mild climate and rainfall is mostly in the summer months.

The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The roof is covered with fibre cement sheeting supported on steel trusses. The employer's agent has prepared the specifications in accordance with standard industry practice.

Rivermead Primary School is a single-storey brick building constructed in 1987 and extended in 2004. The employer's agent has prepared the specifications in accordance with standard industry practice. Tenderers must submit a programme showing completion within 12 weeks of the commencement date. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. A previous renovation replaced the plumbing and the ceiling in the main hall.

The site is fenced and has a single vehicle gate on the northern boundary. The area has a mild climate and rainfall is mostly in the summer months. Rivermead Primary School is a single-storey brick building constructed in 1987 and extended in 2004. The works are located on erf 1042 and the title deed is held by the municipality.

The community committee reports that the building is busiest on weekday evenings and on Saturdays. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The site is fenced and has a single vehicle gate on the northern boundary. The roof is covered with fibre cement sheeting supported on steel trusses. Parking for site vehicles is available at the rear of the property near the service entrance. The surrounding properties are residential and the nearest shop is a few hundred metres away.

The site is fenced and has a single vehicle gate on the northern boundary. The existing electrical installation consists of a main board in the plant room and three sub boards. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. Electricity is supplied through a metered connection from the municipal network.

Materials for the project are available from suppliers in the district and from the nearest regional centre. The area has a mild climate and rainfall is mostly in the summer months. The existing electrical installation consists of a main board in the plant room and three sub boards. Parking for site vehicles is available at the rear of the property near the service entrance.

The external areas include a paved forecourt, a small garden and a covered walkway. Rivermead Primary School is a single-storey brick building constructed in 1987 and extended in 2004. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

The surrounding properties are residential and the nearest shop is a few hundred metres away. A previous renovation replaced the plumbing and the ceiling in the main hall. The roof is covered with fibre cement sheeting supported on steel trusses. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life.

The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The works are located on erf 1042 and the title deed is held by the municipality. A certified copy of the company registration certificate must be included in the tender submission. The municipality has operated the facility since 1996 and the local committee manages bookings. The roof is covered with fibre cement sheeting supported on steel trusses.

Rivermead Primary School is a single-storey brick building constructed in 1987 and extended in 2004. The works are located on erf 1042 and the title deed is held by the municipality. The scope of work covers the main hall, the offices, the passages and the external areas.