TENDER DOCUMENT

STO/ELEC/2026/054

Supply and installation of electrical works at Stonebridge Clinic

Employer: Stonebridge District Council

Synthetic test document - fictional data

Part C1: Tender notice and conditions

Stonebridge Clinic is a single-storey brick building constructed in 1987 and extended in 2004. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. A previous renovation replaced the plumbing and the ceiling in the main hall. The area has a mild climate and rainfall is mostly in the summer months. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. All electrical work must comply with SANS 10142-1 and be certified by a registered person. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The surrounding properties are residential and the nearest shop is a few hundred metres away.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

The scope of work covers the main hall, the offices, the passages and the external areas. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The works are located on erf 1042 and the title deed is held by the municipality. The municipality has operated the facility since 1996 and the local committee manages bookings.

The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The site is fenced and has a single vehicle gate on the northern boundary. Stonebridge Clinic is a single-storey brick building constructed in 1987 and extended in 2004.

The roof is covered with fibre cement sheeting supported on steel trusses. Materials for the project are available from suppliers in the district and from the nearest regional centre. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The employer's agent has prepared the specifications in accordance with standard industry practice.

The existing electrical installation consists of a main board in the plant room and three sub boards. The building is located in Stonebridge and is used throughout the week by community groups. The surrounding properties are residential and the nearest shop is a few hundred metres away. A previous renovation replaced the plumbing and the ceiling in the main hall.

The municipality has operated the facility since 1996 and the local committee manages bookings. The area has a mild climate and rainfall is mostly in the summer months. A certified copy of the company registration certificate must be included in the tender submission. The roof is covered with fibre cement sheeting supported on steel trusses. The site is fenced and has a single vehicle gate on the northern boundary.

The community committee reports that the building is busiest on weekday evenings and on Saturdays. The employer's agent has prepared the specifications in accordance with standard industry practice. The existing electrical installation consists of a main board in the plant room and three sub boards. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection.

Parking for site vehicles is available at the rear of the property near the service entrance. The site is fenced and has a single vehicle gate on the northern boundary. Tenderers must submit a valid tax compliance status pin issued by the South African Revenue Service. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The municipality has operated the facility since 1996 and the local committee manages bookings.

The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The area has a mild climate and rainfall is mostly in the summer months. Stonebridge Clinic is a single-storey brick building constructed in 1987 and extended in 2004. The municipality has operated the facility since 1996 and the local committee manages bookings.

The community committee reports that the building is busiest on weekday evenings and on Saturdays. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The roof is covered with fibre cement sheeting supported on steel trusses. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule.

Materials for the project are available from suppliers in the district and from the nearest regional centre. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The works are located on erf 1042 and the title deed is held by the municipality.

The agreement shall be governed by the laws of the Republic of South Africa. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

The building is located in Stonebridge and is used throughout the week by community groups. The community committee reports that the building is busiest on weekday evenings and on Saturdays. Parking for site vehicles is available at the rear of the property near the service entrance. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices.

Stonebridge Clinic is a single-storey brick building constructed in 1987 and extended in 2004. The external areas include a paved forecourt, a small garden and a covered walkway. The area has a mild climate and rainfall is mostly in the summer months. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life.

A previous renovation replaced the plumbing and the ceiling in the main hall. Electricity is supplied through a metered connection from the municipal network. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The employer's agent has prepared the specifications in accordance with standard industry practice. The municipality has operated the facility since 1996 and the local committee manages bookings.

Stonebridge Clinic is a single-storey brick building constructed in 1987 and extended in 2004. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. Part C3 describes the extent of the works and the standard of workmanship expected in general terms.

The community committee reports that the building is busiest on weekday evenings and on Saturdays. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The site is fenced and has a single vehicle gate on the northern boundary.

The site is fenced and has a single vehicle gate on the northern boundary. The community committee reports that the building is busiest on weekday evenings and on Saturdays. Materials for the project are available from suppliers in the district and from the nearest regional centre.

Stonebridge Clinic is a single-storey brick building constructed in 1987 and extended in 2004. The surrounding properties are residential and the nearest shop is a few hundred metres away. The existing electrical installation consists of a main board in the plant room and three sub boards.

The works are located on erf 1042 and the title deed is held by the municipality. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The existing electrical installation consists of a main board in the plant room and three sub boards. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The external areas include a paved forecourt, a small garden and a covered walkway.

The building is located in Stonebridge and is used throughout the week by community groups. Stonebridge Clinic is a single-storey brick building constructed in 1987 and extended in 2004. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection.

The scope of work covers the main hall, the offices, the passages and the external areas. The site is fenced and has a single vehicle gate on the northern boundary. The external areas include a paved forecourt, a small garden and a covered walkway. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. Stonebridge Clinic is a single-storey brick building constructed in 1987 and extended in 2004.

The surrounding properties are residential and the nearest shop is a few hundred metres away. The existing electrical installation consists of a main board in the plant room and three sub boards. Only tenderers registered with the Construction Industry Development Board with a contractor grading of 3EP or higher in the electrical engineering works category may submit tenders. The scope of work covers the main hall, the offices, the passages and the external areas. Parking for site vehicles is available at the rear of the property near the service entrance.

Payment certificates shall be issued monthly and the employer shall pay within thirty days of receipt of a valid invoice. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. Materials for the project are available from suppliers in the district and from the nearest regional centre.

The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. Parking for site vehicles is available at the rear of the property near the service entrance. The roof is covered with fibre cement sheeting supported on steel trusses. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The kitchen, ablution blocks and storeroom are located on the eastern side of the building.

Electricity is supplied through a metered connection from the municipal network. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The scope of work covers the main hall, the offices, the passages and the external areas. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. Stonebridge Clinic is a single-storey brick building constructed in 1987 and extended in 2004.

The building is located in Stonebridge and is used throughout the week by community groups. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The roof is covered with fibre cement sheeting supported on steel trusses. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection.

Parking for site vehicles is available at the rear of the property near the service entrance. The community committee reports that the building is busiest on weekday evenings and on Saturdays. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. A previous renovation replaced the plumbing and the ceiling in the main hall.

The external areas include a paved forecourt, a small garden and a covered walkway. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The employer's agent has prepared the specifications in accordance with standard industry practice.

The works are located on erf 1042 and the title deed is held by the municipality. The existing electrical installation consists of a main board in the plant room and three sub boards. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The employer's agent has prepared the specifications in accordance with standard industry practice. The external areas include a paved forecourt, a small garden and a covered walkway.

The area has a mild climate and rainfall is mostly in the summer months. Parking for site vehicles is available at the rear of the property near the service entrance. The scope of work covers the main hall, the offices, the passages and the external areas. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

Electricity is supplied through a metered connection from the municipal network. The community committee reports that the building is busiest on weekday evenings and on Saturdays. If preference points are claimed, a certified copy of a valid B-BBEE certificate or sworn affidavit must be submitted. The works are located on erf 1042 and the title deed is held by the municipality. The employer's agent has prepared the specifications in accordance with standard industry practice.

The site is fenced and has a single vehicle gate on the northern boundary. Electricity is supplied through a metered connection from the municipal network. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The municipality has operated the facility since 1996 and the local committee manages bookings. The external areas include a paved forecourt, a small garden and a covered walkway.

The surrounding properties are residential and the nearest shop is a few hundred metres away. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. A compulsory site inspection and clarification meeting will be held at Stonebridge Clinic on Tuesday 11 December 2026 at 09:00, and tenderers who do not attend will be disqualified. The building is located in Stonebridge and is used throughout the week by community groups. A previous renovation replaced the plumbing and the ceiling in the main hall.

A previous renovation replaced the plumbing and the ceiling in the main hall. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices.

Electricity is supplied through a metered connection from the municipal network. The works are located on erf 1042 and the title deed is held by the municipality. A previous renovation replaced the plumbing and the ceiling in the main hall. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The building is located in Stonebridge and is used throughout the week by community groups.

The site is fenced and has a single vehicle gate on the northern boundary. The works are located on erf 1042 and the title deed is held by the municipality. Electricity is supplied through a metered connection from the municipal network. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches.

The site is fenced and has a single vehicle gate on the northern boundary. The external areas include a paved forecourt, a small garden and a covered walkway. Electricity is supplied through a metered connection from the municipal network. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

Stonebridge Clinic is a single-storey brick building constructed in 1987 and extended in 2004. The roof is covered with fibre cement sheeting supported on steel trusses. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices.

Electricity is supplied through a metered connection from the municipal network. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. Parking for site vehicles is available at the rear of the property near the service entrance. The municipality has operated the facility since 1996 and the local committee manages bookings.

Stonebridge Clinic is a single-storey brick building constructed in 1987 and extended in 2004. The community committee reports that the building is busiest on weekday evenings and on Saturdays. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. A previous renovation replaced the plumbing and the ceiling in the main hall. The works are located on erf 1042 and the title deed is held by the municipality.

The building is located in Stonebridge and is used throughout the week by community groups. The site is fenced and has a single vehicle gate on the northern boundary. Sealed tenders must be deposited in the tender box at Stonebridge Municipal Offices, 9 Demo Avenue no later than 11:00 on Monday 26 December 2026. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The municipality has operated the facility since 1996 and the local committee manages bookings. The site is fenced and has a single vehicle gate on the northern boundary. A previous renovation replaced the plumbing and the ceiling in the main hall. Parking for site vehicles is available at the rear of the property near the service entrance.

The employer must give the contractor access to the site within seven days of the commencement date. The building is located in Stonebridge and is used throughout the week by community groups. The employer's agent has prepared the specifications in accordance with standard industry practice.

Part C3: Scope of work and conditions of contract

The area has a mild climate and rainfall is mostly in the summer months. The employer's agent has prepared the specifications in accordance with standard industry practice. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The external areas include a paved forecourt, a small garden and a covered walkway.

Electricity is supplied through a metered connection from the municipal network. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The employer's agent has prepared the specifications in accordance with standard industry practice.

The roof is covered with fibre cement sheeting supported on steel trusses. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The building is located in Stonebridge and is used throughout the week by community groups.

The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The surrounding properties are residential and the nearest shop is a few hundred metres away. Tender rates must remain valid for 120 days after the closing date. The employer's agent has prepared the specifications in accordance with standard industry practice. The existing electrical installation consists of a main board in the plant room and three sub boards.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The area has a mild climate and rainfall is mostly in the summer months. The roof is covered with fibre cement sheeting supported on steel trusses. The employer's agent has prepared the specifications in accordance with standard industry practice.

The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. Stonebridge Clinic is a single-storey brick building constructed in 1987 and extended in 2004. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. A previous renovation replaced the plumbing and the ceiling in the main hall.

The employer's agent has prepared the specifications in accordance with standard industry practice. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. Materials for the project are available from suppliers in the district and from the nearest regional centre.

The building is located in Stonebridge and is used throughout the week by community groups. The existing electrical installation consists of a main board in the plant room and three sub boards. The scope of work covers the main hall, the offices, the passages and the external areas.

The works are located on erf 1042 and the title deed is held by the municipality. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

The scope of work covers the main hall, the offices, the passages and the external areas. Parking for site vehicles is available at the rear of the property near the service entrance. Electricity is supplied through a metered connection from the municipal network. The building is located in Stonebridge and is used throughout the week by community groups. The surrounding properties are residential and the nearest shop is a few hundred metres away.

The area has a mild climate and rainfall is mostly in the summer months. The roof is covered with fibre cement sheeting supported on steel trusses. Electricity is supplied through a metered connection from the municipal network. The surrounding properties are residential and the nearest shop is a few hundred metres away.

The building is located in Stonebridge and is used throughout the week by community groups. The site is fenced and has a single vehicle gate on the northern boundary. The employer's agent has prepared the specifications in accordance with standard industry practice. Materials for the project are available from suppliers in the district and from the nearest regional centre. The municipality has operated the facility since 1996 and the local committee manages bookings.

The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The scope of work covers the main hall, the offices, the passages and the external areas. The kitchen, ablution blocks and storeroom are located on the eastern side of the building.

The building is located in Stonebridge and is used throughout the week by community groups. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. Electricity is supplied through a metered connection from the municipal network.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The external areas include a paved forecourt, a small garden and a covered walkway. The existing electrical installation consists of a main board in the plant room and three sub boards. The building is located in Stonebridge and is used throughout the week by community groups.

Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The municipality has operated the facility since 1996 and the local committee manages bookings. The area has a mild climate and rainfall is mostly in the summer months.

Parking for site vehicles is available at the rear of the property near the service entrance. The external areas include a paved forecourt, a small garden and a covered walkway. The municipality has operated the facility since 1996 and the local committee manages bookings. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule.

The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The scope of work covers the main hall, the offices, the passages and the external areas. The contractor shall provide a defects liability period of 24 months from the date of practical completion. The municipality has operated the facility since 1996 and the local committee manages bookings. The works are located on erf 1042 and the title deed is held by the municipality.

Parking for site vehicles is available at the rear of the property near the service entrance. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. Stonebridge Clinic is a single-storey brick building constructed in 1987 and extended in 2004. The surrounding properties are residential and the nearest shop is a few hundred metres away.

The employer's agent has prepared the specifications in accordance with standard industry practice. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The roof is covered with fibre cement sheeting supported on steel trusses.

The site is fenced and has a single vehicle gate on the northern boundary. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. Electricity is supplied through a metered connection from the municipal network. The area has a mild climate and rainfall is mostly in the summer months.

Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. Electricity is supplied through a metered connection from the municipal network. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices.

The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The building is located in Stonebridge and is used throughout the week by community groups. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The roof is covered with fibre cement sheeting supported on steel trusses.

The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The external areas include a paved forecourt, a small garden and a covered walkway. The works are located on erf 1042 and the title deed is held by the municipality. The site is fenced and has a single vehicle gate on the northern boundary.

The employer's agent shall inspect the works at intervals and must record defects in the site diary. Stonebridge Clinic is a single-storey brick building constructed in 1987 and extended in 2004. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices.

The building is located in Stonebridge and is used throughout the week by community groups. The community committee reports that the building is busiest on weekday evenings and on Saturdays. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The employer's agent has prepared the specifications in accordance with standard industry practice. Materials for the project are available from suppliers in the district and from the nearest regional centre.

The community committee reports that the building is busiest on weekday evenings and on Saturdays. The building is located in Stonebridge and is used throughout the week by community groups. Part C3 describes the extent of the works and the standard of workmanship expected in general terms.

The existing electrical installation consists of a main board in the plant room and three sub boards. A previous renovation replaced the plumbing and the ceiling in the main hall. The scope of work covers the main hall, the offices, the passages and the external areas. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices.

The external areas include a paved forecourt, a small garden and a covered walkway. The works are located on erf 1042 and the title deed is held by the municipality. Materials for the project are available from suppliers in the district and from the nearest regional centre. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life.

A previous renovation replaced the plumbing and the ceiling in the main hall. The municipality has operated the facility since 1996 and the local committee manages bookings. The scope of work covers the main hall, the offices, the passages and the external areas. The employer's agent has prepared the specifications in accordance with standard industry practice. Electricity is supplied through a metered connection from the municipal network.

The works are located on erf 1042 and the title deed is held by the municipality. The roof is covered with fibre cement sheeting supported on steel trusses. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. Part C3 describes the extent of the works and the standard of workmanship expected in general terms.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The area has a mild climate and rainfall is mostly in the summer months. The external areas include a paved forecourt, a small garden and a covered walkway.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The site is fenced and has a single vehicle gate on the northern boundary. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The scope of work covers the main hall, the offices, the passages and the external areas.

The roof is covered with fibre cement sheeting supported on steel trusses. The employer's agent has prepared the specifications in accordance with standard industry practice. The surrounding properties are residential and the nearest shop is a few hundred metres away.

The employer's agent has prepared the specifications in accordance with standard industry practice. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The area has a mild climate and rainfall is mostly in the summer months. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The works are located on erf 1042 and the title deed is held by the municipality.

The community committee reports that the building is busiest on weekday evenings and on Saturdays. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The employer's agent has prepared the specifications in accordance with standard industry practice. Materials for the project are available from suppliers in the district and from the nearest regional centre. Part C3 describes the extent of the works and the standard of workmanship expected in general terms.

Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The site is fenced and has a single vehicle gate on the northern boundary. Parking for site vehicles is available at the rear of the property near the service entrance. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices.

Materials for the project are available from suppliers in the district and from the nearest regional centre. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The existing electrical installation consists of a main board in the plant room and three sub boards. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. Electricity is supplied through a metered connection from the municipal network.

The facility is required to keep a register of all electrical faults reported by the caretaker. Parking for site vehicles is available at the rear of the property near the service entrance. The municipality has operated the facility since 1996 and the local committee manages bookings.

The community committee reports that the building is busiest on weekday evenings and on Saturdays. The building is located in Stonebridge and is used throughout the week by community groups. The works are located on erf 1042 and the title deed is held by the municipality.