TENDER DOCUMENT

KAR/ELEC/2026/085

Supply and installation of electrical works at Karoo Heights Sports Complex

Employer: Karoo Heights Municipality

Synthetic test document - fictional data

Part C1: Tender notice and conditions

The employer's agent has prepared the specifications in accordance with standard industry practice. The surrounding properties are residential and the nearest shop is a few hundred metres away. A previous renovation replaced the plumbing and the ceiling in the main hall.

Electricity is supplied through a metered connection from the municipal network. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The area has a mild climate and rainfall is mostly in the summer months. The municipality has operated the facility since 1996 and the local committee manages bookings.

The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The building is located in Karoo and is used throughout the week by community groups. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices.

The works are located on erf 1042 and the title deed is held by the municipality. The roof is covered with fibre cement sheeting supported on steel trusses. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. A previous renovation replaced the plumbing and the ceiling in the main hall. Materials for the project are available from suppliers in the district and from the nearest regional centre.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The roof is covered with fibre cement sheeting supported on steel trusses. Parking for site vehicles is available at the rear of the property near the service entrance. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches.

The scope of work covers the main hall, the offices, the passages and the external areas. The existing electrical installation consists of a main board in the plant room and three sub boards. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The area has a mild climate and rainfall is mostly in the summer months.

The surrounding properties are residential and the nearest shop is a few hundred metres away. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. Tenderers must complete the declaration of interest and the declaration of past supply chain management practices. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches.

The surrounding properties are residential and the nearest shop is a few hundred metres away. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The scope of work covers the main hall, the offices, the passages and the external areas. Materials for the project are available from suppliers in the district and from the nearest regional centre.

The community committee reports that the building is busiest on weekday evenings and on Saturdays. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. Materials for the project are available from suppliers in the district and from the nearest regional centre.

The scope of work covers the main hall, the offices, the passages and the external areas. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The area has a mild climate and rainfall is mostly in the summer months. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection.

The building is located in Karoo and is used throughout the week by community groups. The scope of work covers the main hall, the offices, the passages and the external areas. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule.

The works are located on erf 1042 and the title deed is held by the municipality. The scope of work covers the main hall, the offices, the passages and the external areas. The external areas include a paved forecourt, a small garden and a covered walkway.

Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The existing electrical installation consists of a main board in the plant room and three sub boards. The contractor shall provide a defects liability period of 6 months from the date of practical completion. The site is fenced and has a single vehicle gate on the northern boundary. The works are located on erf 1042 and the title deed is held by the municipality.

Parking for site vehicles is available at the rear of the property near the service entrance. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. The existing electrical installation consists of a main board in the plant room and three sub boards. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. Electricity is supplied through a metered connection from the municipal network.

The community committee reports that the building is busiest on weekday evenings and on Saturdays. The site is fenced and has a single vehicle gate on the northern boundary. Materials for the project are available from suppliers in the district and from the nearest regional centre.

Materials for the project are available from suppliers in the district and from the nearest regional centre. The site is fenced and has a single vehicle gate on the northern boundary. Electricity is supplied through a metered connection from the municipal network. The surrounding properties are residential and the nearest shop is a few hundred metres away.

A previous tender for similar works closed on 14 March 2024 and was awarded to a local contractor. The roof is covered with fibre cement sheeting supported on steel trusses. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection.

Materials for the project are available from suppliers in the district and from the nearest regional centre. The external areas include a paved forecourt, a small garden and a covered walkway. The roof is covered with fibre cement sheeting supported on steel trusses.

The surrounding properties are residential and the nearest shop is a few hundred metres away. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The external areas include a paved forecourt, a small garden and a covered walkway.

The external areas include a paved forecourt, a small garden and a covered walkway. The employer's agent has prepared the specifications in accordance with standard industry practice. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule.

The municipality is required by law to publish the names of successful tenderers on its notice board. The works are located on erf 1042 and the title deed is held by the municipality. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

The employer's agent has prepared the specifications in accordance with standard industry practice. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life.

Parking for site vehicles is available at the rear of the property near the service entrance. The surrounding properties are residential and the nearest shop is a few hundred metres away. The existing electrical installation consists of a main board in the plant room and three sub boards. The site is fenced and has a single vehicle gate on the northern boundary.

The building is located in Karoo and is used throughout the week by community groups. The works are located on erf 1042 and the title deed is held by the municipality. The site is fenced and has a single vehicle gate on the northern boundary.

Electricity is supplied through a metered connection from the municipal network. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The community committee reports that the building is busiest on weekday evenings and on Saturdays. Parking for site vehicles is available at the rear of the property near the service entrance.

Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. A previous renovation replaced the plumbing and the ceiling in the main hall. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The scope of work covers the main hall, the offices, the passages and the external areas.

The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. Electricity is supplied through a metered connection from the municipal network. Parking for site vehicles is available at the rear of the property near the service entrance. The municipality has operated the facility since 1996 and the local committee manages bookings. The external areas include a paved forecourt, a small garden and a covered walkway.

The municipality has operated the facility since 1996 and the local committee manages bookings. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The scope of work covers the main hall, the offices, the passages and the external areas. The area has a mild climate and rainfall is mostly in the summer months. The site is fenced and has a single vehicle gate on the northern boundary.

Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The area has a mild climate and rainfall is mostly in the summer months. The works are located on erf 1042 and the title deed is held by the municipality. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The kitchen, ablution blocks and storeroom are located on the eastern side of the building.

The community committee reports that the building is busiest on weekday evenings and on Saturdays. The works are located on erf 1042 and the title deed is held by the municipality. The surrounding properties are residential and the nearest shop is a few hundred metres away. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The municipality has operated the facility since 1996 and the local committee manages bookings.

The area has a mild climate and rainfall is mostly in the summer months. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The works are located on erf 1042 and the title deed is held by the municipality. A previous renovation replaced the plumbing and the ceiling in the main hall.

A previous renovation replaced the plumbing and the ceiling in the main hall. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The area has a mild climate and rainfall is mostly in the summer months. The employer's agent has prepared the specifications in accordance with standard industry practice. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule.

The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule.

The existing electrical installation consists of a main board in the plant room and three sub boards. The area has a mild climate and rainfall is mostly in the summer months. Electricity is supplied through a metered connection from the municipal network.

Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The municipality has operated the facility since 1996 and the local committee manages bookings. The building is located in Karoo and is used throughout the week by community groups. The surrounding properties are residential and the nearest shop is a few hundred metres away. The site is fenced and has a single vehicle gate on the northern boundary.

Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The employer's agent has prepared the specifications in accordance with standard industry practice. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The scope of work covers the main hall, the offices, the passages and the external areas. The existing electrical installation consists of a main board in the plant room and three sub boards.

The area has a mild climate and rainfall is mostly in the summer months. The works are located on erf 1042 and the title deed is held by the municipality. A previous renovation replaced the plumbing and the ceiling in the main hall.

The scope of work covers the main hall, the offices, the passages and the external areas. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The municipality has operated the facility since 1996 and the local committee manages bookings. A previous renovation replaced the plumbing and the ceiling in the main hall.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The scope of work covers the main hall, the offices, the passages and the external areas. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. The area has a mild climate and rainfall is mostly in the summer months.

Parking for site vehicles is available at the rear of the property near the service entrance. A previous renovation replaced the plumbing and the ceiling in the main hall. The community committee reports that the building is busiest on weekday evenings and on Saturdays. Electricity is supplied through a metered connection from the municipal network.

The area has a mild climate and rainfall is mostly in the summer months. The existing electrical installation consists of a main board in the plant room and three sub boards. The external areas include a paved forecourt, a small garden and a covered walkway. Parking for site vehicles is available at the rear of the property near the service entrance.

The building is located in Karoo and is used throughout the week by community groups. The works are located on erf 1042 and the title deed is held by the municipality. The municipality has operated the facility since 1996 and the local committee manages bookings. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The roof is covered with fibre cement sheeting supported on steel trusses.

The surrounding properties are residential and the nearest shop is a few hundred metres away. The site is fenced and has a single vehicle gate on the northern boundary. The building is located in Karoo and is used throughout the week by community groups. Parking for site vehicles is available at the rear of the property near the service entrance. The roof is covered with fibre cement sheeting supported on steel trusses.

The roof is covered with fibre cement sheeting supported on steel trusses. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. The building is located in Karoo and is used throughout the week by community groups. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection.

Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The employer's agent has prepared the specifications in accordance with standard industry practice. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The existing electrical installation consists of a main board in the plant room and three sub boards. The building is located in Karoo and is used throughout the week by community groups.

Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The employer's agent has prepared the specifications in accordance with standard industry practice.

Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The site is fenced and has a single vehicle gate on the northern boundary. The surrounding properties are residential and the nearest shop is a few hundred metres away. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life.

Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. Materials for the project are available from suppliers in the district and from the nearest regional centre. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The kitchen, ablution blocks and storeroom are located on the eastern side of the building.

The community committee reports that the building is busiest on weekday evenings and on Saturdays. The building is located in Karoo and is used throughout the week by community groups. Parking for site vehicles is available at the rear of the property near the service entrance. Electricity is supplied through a metered connection from the municipal network.

The building is located in Karoo and is used throughout the week by community groups. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. Tenderers must provide a valid letter of good standing issued by the Compensation Fund. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The kitchen, ablution blocks and storeroom are located on the eastern side of the building.

The surrounding properties are residential and the nearest shop is a few hundred metres away. The works are located on erf 1042 and the title deed is held by the municipality. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. Materials for the project are available from suppliers in the district and from the nearest regional centre.

The scope of work covers the main hall, the offices, the passages and the external areas. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches.

The roof is covered with fibre cement sheeting supported on steel trusses. The municipality has operated the facility since 1996 and the local committee manages bookings. The site is fenced and has a single vehicle gate on the northern boundary. Electricity is supplied through a metered connection from the municipal network. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. Parking for site vehicles is available at the rear of the property near the service entrance. The existing electrical installation consists of a main board in the plant room and three sub boards. The external areas include a paved forecourt, a small garden and a covered walkway. The municipality has operated the facility since 1996 and the local committee manages bookings.

The area has a mild climate and rainfall is mostly in the summer months. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The municipality has operated the facility since 1996 and the local committee manages bookings.

The surrounding properties are residential and the nearest shop is a few hundred metres away. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The works are located on erf 1042 and the title deed is held by the municipality. A previous renovation replaced the plumbing and the ceiling in the main hall.

The municipality has operated the facility since 1996 and the local committee manages bookings. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. A previous renovation replaced the plumbing and the ceiling in the main hall.

The surrounding properties are residential and the nearest shop is a few hundred metres away. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices.

Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The works are located on erf 1042 and the title deed is held by the municipality. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. The roof is covered with fibre cement sheeting supported on steel trusses. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule.

The roof is covered with fibre cement sheeting supported on steel trusses. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The area has a mild climate and rainfall is mostly in the summer months. The surrounding properties are residential and the nearest shop is a few hundred metres away.

The municipality has operated the facility since 1996 and the local committee manages bookings. The employer's agent has prepared the specifications in accordance with standard industry practice. The area has a mild climate and rainfall is mostly in the summer months. Parking for site vehicles is available at the rear of the property near the service entrance. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule.

Materials for the project are available from suppliers in the district and from the nearest regional centre. Electricity is supplied through a metered connection from the municipal network. The municipality has operated the facility since 1996 and the local committee manages bookings.

Electricity is supplied through a metered connection from the municipal network. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. The employer's agent has prepared the specifications in accordance with standard industry practice.

Electricity is supplied through a metered connection from the municipal network. The roof is covered with fibre cement sheeting supported on steel trusses. A previous renovation replaced the plumbing and the ceiling in the main hall. The kitchen, ablution blocks and storeroom are located on the eastern side of the building.

Parking for site vehicles is available at the rear of the property near the service entrance. The works are located on erf 1042 and the title deed is held by the municipality. The scope of work covers the main hall, the offices, the passages and the external areas. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The surrounding properties are residential and the nearest shop is a few hundred metres away.

The employer's agent has prepared the specifications in accordance with standard industry practice. The scope of work covers the main hall, the offices, the passages and the external areas. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. The surrounding properties are residential and the nearest shop is a few hundred metres away. The area has a mild climate and rainfall is mostly in the summer months.

The municipality has operated the facility since 1996 and the local committee manages bookings. The employer's agent has prepared the specifications in accordance with standard industry practice. The existing electrical installation consists of a main board in the plant room and three sub boards. The site is fenced and has a single vehicle gate on the northern boundary.

The works are located on erf 1042 and the title deed is held by the municipality. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. The employer's agent has prepared the specifications in accordance with standard industry practice. The site is fenced and has a single vehicle gate on the northern boundary.

The external areas include a paved forecourt, a small garden and a covered walkway. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The works are located on erf 1042 and the title deed is held by the municipality.

The works are located on erf 1042 and the title deed is held by the municipality. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life.

The employer's agent has prepared the specifications in accordance with standard industry practice. The site is fenced and has a single vehicle gate on the northern boundary. The existing electrical installation consists of a main board in the plant room and three sub boards. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule.

The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The area has a mild climate and rainfall is mostly in the summer months. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. Parking for site vehicles is available at the rear of the property near the service entrance.

Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. Electricity is supplied through a metered connection from the municipal network.

The roof is covered with fibre cement sheeting supported on steel trusses. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The site is fenced and has a single vehicle gate on the northern boundary.

The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The area has a mild climate and rainfall is mostly in the summer months. The works are located on erf 1042 and the title deed is held by the municipality. The roof is covered with fibre cement sheeting supported on steel trusses. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches.

Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. The municipality has operated the facility since 1996 and the local committee manages bookings. The roof is covered with fibre cement sheeting supported on steel trusses. Part C3 describes the extent of the works and the standard of workmanship expected in general terms.

Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

The municipality has operated the facility since 1996 and the local committee manages bookings. A previous renovation replaced the plumbing and the ceiling in the main hall. The roof is covered with fibre cement sheeting supported on steel trusses. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. Materials for the project are available from suppliers in the district and from the nearest regional centre. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

The works are located on erf 1042 and the title deed is held by the municipality. The area has a mild climate and rainfall is mostly in the summer months. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection.

The scope of work covers the main hall, the offices, the passages and the external areas. The external areas include a paved forecourt, a small garden and a covered walkway. Parking for site vehicles is available at the rear of the property near the service entrance.

The employer's agent has prepared the specifications in accordance with standard industry practice. The scope of work covers the main hall, the offices, the passages and the external areas. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection.

Electricity is supplied through a metered connection from the municipal network. The employer's agent has prepared the specifications in accordance with standard industry practice. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The works are located on erf 1042 and the title deed is held by the municipality.

The area has a mild climate and rainfall is mostly in the summer months. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. The municipality has operated the facility since 1996 and the local committee manages bookings.

Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The area has a mild climate and rainfall is mostly in the summer months. The roof is covered with fibre cement sheeting supported on steel trusses.

The roof is covered with fibre cement sheeting supported on steel trusses. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. Parking for site vehicles is available at the rear of the property near the service entrance.

Materials for the project are available from suppliers in the district and from the nearest regional centre. The area has a mild climate and rainfall is mostly in the summer months. The external areas include a paved forecourt, a small garden and a covered walkway.

The scope of work covers the main hall, the offices, the passages and the external areas. The existing electrical installation consists of a main board in the plant room and three sub boards. Only tenderers registered with the Construction Industry Development Board with a contractor grading of 6EP or higher in the electrical engineering works category may submit tenders. The external areas include a paved forecourt, a small garden and a covered walkway. A previous renovation replaced the plumbing and the ceiling in the main hall.

Materials for the project are available from suppliers in the district and from the nearest regional centre. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule.

Materials for the project are available from suppliers in the district and from the nearest regional centre. The employer's agent has prepared the specifications in accordance with standard industry practice. The roof is covered with fibre cement sheeting supported on steel trusses. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches.

The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The external areas include a paved forecourt, a small garden and a covered walkway. The community committee reports that the building is busiest on weekday evenings and on Saturdays. A previous renovation replaced the plumbing and the ceiling in the main hall.

The external areas include a paved forecourt, a small garden and a covered walkway. The area has a mild climate and rainfall is mostly in the summer months. The existing electrical installation consists of a main board in the plant room and three sub boards.

Materials for the project are available from suppliers in the district and from the nearest regional centre. The works are located on erf 1042 and the title deed is held by the municipality. The external areas include a paved forecourt, a small garden and a covered walkway. The employer's agent has prepared the specifications in accordance with standard industry practice.

The surrounding properties are residential and the nearest shop is a few hundred metres away. The municipality has operated the facility since 1996 and the local committee manages bookings. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection.

The existing electrical installation consists of a main board in the plant room and three sub boards. The municipality has operated the facility since 1996 and the local committee manages bookings. The employer's agent has prepared the specifications in accordance with standard industry practice. The scope of work covers the main hall, the offices, the passages and the external areas.

A previous renovation replaced the plumbing and the ceiling in the main hall. Materials for the project are available from suppliers in the district and from the nearest regional centre. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices.

The scope of work covers the main hall, the offices, the passages and the external areas. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The building is located in Karoo and is used throughout the week by community groups.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. Materials for the project are available from suppliers in the district and from the nearest regional centre. The surrounding properties are residential and the nearest shop is a few hundred metres away.

The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The works are located on erf 1042 and the title deed is held by the municipality. The external areas include a paved forecourt, a small garden and a covered walkway.

The employer's agent has prepared the specifications in accordance with standard industry practice. The existing electrical installation consists of a main board in the plant room and three sub boards. The works are located on erf 1042 and the title deed is held by the municipality. A previous renovation replaced the plumbing and the ceiling in the main hall.

The community committee reports that the building is busiest on weekday evenings and on Saturdays. The works are located on erf 1042 and the title deed is held by the municipality. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004.

The scope of work covers the main hall, the offices, the passages and the external areas. Parking for site vehicles is available at the rear of the property near the service entrance. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The employer's agent has prepared the specifications in accordance with standard industry practice.

The building is located in Karoo and is used throughout the week by community groups. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The existing electrical installation consists of a main board in the plant room and three sub boards.

The building is located in Karoo and is used throughout the week by community groups. The surrounding properties are residential and the nearest shop is a few hundred metres away. Parking for site vehicles is available at the rear of the property near the service entrance.

The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

The municipality has operated the facility since 1996 and the local committee manages bookings. Parking for site vehicles is available at the rear of the property near the service entrance. The building is located in Karoo and is used throughout the week by community groups.

Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. The roof is covered with fibre cement sheeting supported on steel trusses. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The surrounding properties are residential and the nearest shop is a few hundred metres away.

Parking for site vehicles is available at the rear of the property near the service entrance. The building is located in Karoo and is used throughout the week by community groups. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection.

The external areas include a paved forecourt, a small garden and a covered walkway. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. Tenderers must submit a valid tax compliance status pin issued by the South African Revenue Service. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. Materials for the project are available from suppliers in the district and from the nearest regional centre.

The works are located on erf 1042 and the title deed is held by the municipality. Electricity is supplied through a metered connection from the municipal network. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The municipality has operated the facility since 1996 and the local committee manages bookings.

Electricity is supplied through a metered connection from the municipal network. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices.

The existing electrical installation consists of a main board in the plant room and three sub boards. The building is located in Karoo and is used throughout the week by community groups. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. Electricity is supplied through a metered connection from the municipal network. The scope of work covers the main hall, the offices, the passages and the external areas.

The employer's agent has prepared the specifications in accordance with standard industry practice. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The scope of work covers the main hall, the offices, the passages and the external areas. The kitchen, ablution blocks and storeroom are located on the eastern side of the building.

The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The surrounding properties are residential and the nearest shop is a few hundred metres away. The building is located in Karoo and is used throughout the week by community groups. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The works are located on erf 1042 and the title deed is held by the municipality.

Electricity is supplied through a metered connection from the municipal network. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. A previous renovation replaced the plumbing and the ceiling in the main hall. The building is located in Karoo and is used throughout the week by community groups. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection.

Part C3 describes the extent of the works and the standard of workmanship expected in general terms. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The site is fenced and has a single vehicle gate on the northern boundary. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. Electricity is supplied through a metered connection from the municipal network.

A previous renovation replaced the plumbing and the ceiling in the main hall. The community committee reports that the building is busiest on weekday evenings and on Saturdays. Materials for the project are available from suppliers in the district and from the nearest regional centre.

The site is fenced and has a single vehicle gate on the northern boundary. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. The building is located in Karoo and is used throughout the week by community groups. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

The municipality has operated the facility since 1996 and the local committee manages bookings. The existing electrical installation consists of a main board in the plant room and three sub boards. The works are located on erf 1042 and the title deed is held by the municipality. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices.

Parking for site vehicles is available at the rear of the property near the service entrance. The municipality has operated the facility since 1996 and the local committee manages bookings. The building is located in Karoo and is used throughout the week by community groups.

Materials for the project are available from suppliers in the district and from the nearest regional centre. The site is fenced and has a single vehicle gate on the northern boundary. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The external areas include a paved forecourt, a small garden and a covered walkway.

An earlier phase of the project was completed on 3 June 2019 and its drawings are held by the employer. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The municipality has operated the facility since 1996 and the local committee manages bookings.

Materials for the project are available from suppliers in the district and from the nearest regional centre. The external areas include a paved forecourt, a small garden and a covered walkway. The employer's agent has prepared the specifications in accordance with standard industry practice.

Electricity is supplied through a metered connection from the municipal network. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The municipality has operated the facility since 1996 and the local committee manages bookings. Parking for site vehicles is available at the rear of the property near the service entrance. The scope of work covers the main hall, the offices, the passages and the external areas.

The external areas include a paved forecourt, a small garden and a covered walkway. Parking for site vehicles is available at the rear of the property near the service entrance. The site is fenced and has a single vehicle gate on the northern boundary.

Part C3: Scope of work and conditions of contract

Parking for site vehicles is available at the rear of the property near the service entrance. The works are located on erf 1042 and the title deed is held by the municipality. The existing electrical installation consists of a main board in the plant room and three sub boards.

The agreement shall be governed by the laws of the Republic of South Africa. Parking for site vehicles is available at the rear of the property near the service entrance. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004.

The surrounding properties are residential and the nearest shop is a few hundred metres away. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. Materials for the project are available from suppliers in the district and from the nearest regional centre. The kitchen, ablution blocks and storeroom are located on the eastern side of the building.

The site is fenced and has a single vehicle gate on the northern boundary. The municipality has operated the facility since 1996 and the local committee manages bookings. The surrounding properties are residential and the nearest shop is a few hundred metres away.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The site is fenced and has a single vehicle gate on the northern boundary. A previous renovation replaced the plumbing and the ceiling in the main hall. The scope of work covers the main hall, the offices, the passages and the external areas.

A previous tender for similar works closed on 14 March 2024 and was awarded to a local contractor. The employer's agent has prepared the specifications in accordance with standard industry practice. Part C3 describes the extent of the works and the standard of workmanship expected in general terms.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The roof is covered with fibre cement sheeting supported on steel trusses. The scope of work covers the main hall, the offices, the passages and the external areas.

The area has a mild climate and rainfall is mostly in the summer months. The scope of work covers the main hall, the offices, the passages and the external areas. The existing electrical installation consists of a main board in the plant room and three sub boards. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The building is located in Karoo and is used throughout the week by community groups.

The external areas include a paved forecourt, a small garden and a covered walkway. The site is fenced and has a single vehicle gate on the northern boundary. A previous renovation replaced the plumbing and the ceiling in the main hall.

The scope of work covers the main hall, the offices, the passages and the external areas. The roof is covered with fibre cement sheeting supported on steel trusses. The surrounding properties are residential and the nearest shop is a few hundred metres away. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

The scope of work covers the main hall, the offices, the passages and the external areas. Materials for the project are available from suppliers in the district and from the nearest regional centre. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule.

A previous renovation replaced the plumbing and the ceiling in the main hall. The municipality has operated the facility since 1996 and the local committee manages bookings. Parking for site vehicles is available at the rear of the property near the service entrance.

The roof is covered with fibre cement sheeting supported on steel trusses. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. A previous renovation replaced the plumbing and the ceiling in the main hall. The works are located on erf 1042 and the title deed is held by the municipality. The scope of work covers the main hall, the offices, the passages and the external areas.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The scope of work covers the main hall, the offices, the passages and the external areas. The area has a mild climate and rainfall is mostly in the summer months. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The site is fenced and has a single vehicle gate on the northern boundary.

Materials for the project are available from suppliers in the district and from the nearest regional centre. The building is located in Karoo and is used throughout the week by community groups. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004.

Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The area has a mild climate and rainfall is mostly in the summer months. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. The site is fenced and has a single vehicle gate on the northern boundary. A previous renovation replaced the plumbing and the ceiling in the main hall.

The site is fenced and has a single vehicle gate on the northern boundary. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices.

Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The existing electrical installation consists of a main board in the plant room and three sub boards.

The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. Electricity is supplied through a metered connection from the municipal network. The external areas include a paved forecourt, a small garden and a covered walkway. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches.

The facility is required to keep a register of all electrical faults reported by the caretaker. The site is fenced and has a single vehicle gate on the northern boundary. The roof is covered with fibre cement sheeting supported on steel trusses.

The employer's agent has prepared the specifications in accordance with standard industry practice. The roof is covered with fibre cement sheeting supported on steel trusses. The municipality has operated the facility since 1996 and the local committee manages bookings.

The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. Parking for site vehicles is available at the rear of the property near the service entrance. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. A previous renovation replaced the plumbing and the ceiling in the main hall.

The community committee reports that the building is busiest on weekday evenings and on Saturdays. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. A previous renovation replaced the plumbing and the ceiling in the main hall.

The external areas include a paved forecourt, a small garden and a covered walkway. The area has a mild climate and rainfall is mostly in the summer months. The kitchen, ablution blocks and storeroom are located on the eastern side of the building.

Electricity is supplied through a metered connection from the municipal network. The municipality has operated the facility since 1996 and the local committee manages bookings. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The surrounding properties are residential and the nearest shop is a few hundred metres away. The existing electrical installation consists of a main board in the plant room and three sub boards.

Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. The employer's agent has prepared the specifications in accordance with standard industry practice. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The external areas include a paved forecourt, a small garden and a covered walkway.

Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. The works are located on erf 1042 and the title deed is held by the municipality. The roof is covered with fibre cement sheeting supported on steel trusses. Electricity is supplied through a metered connection from the municipal network.

The existing electrical installation consists of a main board in the plant room and three sub boards. Electricity is supplied through a metered connection from the municipal network. The roof is covered with fibre cement sheeting supported on steel trusses. The building is located in Karoo and is used throughout the week by community groups. The scope of work covers the main hall, the offices, the passages and the external areas.

Electricity is supplied through a metered connection from the municipal network. The scope of work covers the main hall, the offices, the passages and the external areas. Materials for the project are available from suppliers in the district and from the nearest regional centre. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004.

Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. Electricity is supplied through a metered connection from the municipal network. The building is located in Karoo and is used throughout the week by community groups.

Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. Parking for site vehicles is available at the rear of the property near the service entrance. A previous renovation replaced the plumbing and the ceiling in the main hall. Electricity is supplied through a metered connection from the municipal network.

Materials for the project are available from suppliers in the district and from the nearest regional centre. The roof is covered with fibre cement sheeting supported on steel trusses. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The scope of work covers the main hall, the offices, the passages and the external areas.

Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The existing electrical installation consists of a main board in the plant room and three sub boards. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life.

The area has a mild climate and rainfall is mostly in the summer months. Electricity is supplied through a metered connection from the municipal network. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices.

The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The external areas include a paved forecourt, a small garden and a covered walkway. A previous renovation replaced the plumbing and the ceiling in the main hall. Electricity is supplied through a metered connection from the municipal network.

The works are located on erf 1042 and the title deed is held by the municipality. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The employer's agent has prepared the specifications in accordance with standard industry practice. The surrounding properties are residential and the nearest shop is a few hundred metres away. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The site is fenced and has a single vehicle gate on the northern boundary. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The building is located in Karoo and is used throughout the week by community groups. The external areas include a paved forecourt, a small garden and a covered walkway.

The facility is required to keep a register of all electrical faults reported by the caretaker. The roof is covered with fibre cement sheeting supported on steel trusses. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches.

A previous renovation replaced the plumbing and the ceiling in the main hall. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The community committee reports that the building is busiest on weekday evenings and on Saturdays. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The building is located in Karoo and is used throughout the week by community groups.

The building was valued at R12 million in the municipality's last asset register. Parking for site vehicles is available at the rear of the property near the service entrance. The existing electrical installation consists of a main board in the plant room and three sub boards.

The works are located on erf 1042 and the title deed is held by the municipality. The external areas include a paved forecourt, a small garden and a covered walkway. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices.

A previous renovation replaced the plumbing and the ceiling in the main hall. The existing electrical installation consists of a main board in the plant room and three sub boards. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule.

The existing electrical installation consists of a main board in the plant room and three sub boards. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The site is fenced and has a single vehicle gate on the northern boundary.

The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The existing electrical installation consists of a main board in the plant room and three sub boards. The external areas include a paved forecourt, a small garden and a covered walkway.

The employer's agent has prepared the specifications in accordance with standard industry practice. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. A compulsory site inspection and clarification meeting will be held at Karoo Heights Sports Complex on Monday 9 November 2026 at 09:00, and tenderers who do not attend will be disqualified. The site is fenced and has a single vehicle gate on the northern boundary. The external areas include a paved forecourt, a small garden and a covered walkway.

Materials for the project are available from suppliers in the district and from the nearest regional centre. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches.

Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. A previous renovation replaced the plumbing and the ceiling in the main hall. The surrounding properties are residential and the nearest shop is a few hundred metres away. Electricity is supplied through a metered connection from the municipal network.

The roof is covered with fibre cement sheeting supported on steel trusses. The area has a mild climate and rainfall is mostly in the summer months. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. Electricity is supplied through a metered connection from the municipal network.

The scope of work covers the main hall, the offices, the passages and the external areas. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches.

Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. The site is fenced and has a single vehicle gate on the northern boundary. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule.

The community committee reports that the building is busiest on weekday evenings and on Saturdays. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The roof is covered with fibre cement sheeting supported on steel trusses. The external areas include a paved forecourt, a small garden and a covered walkway.

Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. Electricity is supplied through a metered connection from the municipal network. The municipality has operated the facility since 1996 and the local committee manages bookings. A previous renovation replaced the plumbing and the ceiling in the main hall. The external areas include a paved forecourt, a small garden and a covered walkway.

Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The surrounding properties are residential and the nearest shop is a few hundred metres away. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection.

The surrounding properties are residential and the nearest shop is a few hundred metres away. The site is fenced and has a single vehicle gate on the northern boundary. A previous renovation replaced the plumbing and the ceiling in the main hall. The roof is covered with fibre cement sheeting supported on steel trusses.

Parking for site vehicles is available at the rear of the property near the service entrance. The scope of work covers the main hall, the offices, the passages and the external areas. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices.

The building is located in Karoo and is used throughout the week by community groups. The employer's agent has prepared the specifications in accordance with standard industry practice. Parking for site vehicles is available at the rear of the property near the service entrance. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The kitchen, ablution blocks and storeroom are located on the eastern side of the building.

The surrounding properties are residential and the nearest shop is a few hundred metres away. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The scope of work covers the main hall, the offices, the passages and the external areas. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life.

The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The area has a mild climate and rainfall is mostly in the summer months. The works are located on erf 1042 and the title deed is held by the municipality.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. The municipality has operated the facility since 1996 and the local committee manages bookings. The existing electrical installation consists of a main board in the plant room and three sub boards. The site is fenced and has a single vehicle gate on the northern boundary.

Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The surrounding properties are residential and the nearest shop is a few hundred metres away. The area has a mild climate and rainfall is mostly in the summer months. Part C3 describes the extent of the works and the standard of workmanship expected in general terms.

The site is fenced and has a single vehicle gate on the northern boundary. The municipality has operated the facility since 1996 and the local committee manages bookings. The roof is covered with fibre cement sheeting supported on steel trusses. Electricity is supplied through a metered connection from the municipal network. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches.

Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The works are located on erf 1042 and the title deed is held by the municipality. Materials for the project are available from suppliers in the district and from the nearest regional centre.

The area has a mild climate and rainfall is mostly in the summer months. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The scope of work covers the main hall, the offices, the passages and the external areas. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The external areas include a paved forecourt, a small garden and a covered walkway.

The area has a mild climate and rainfall is mostly in the summer months. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The building is located in Karoo and is used throughout the week by community groups.

The building is located in Karoo and is used throughout the week by community groups. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The works are located on erf 1042 and the title deed is held by the municipality. The scope of work covers the main hall, the offices, the passages and the external areas. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule.

The scope of work covers the main hall, the offices, the passages and the external areas. The community committee reports that the building is busiest on weekday evenings and on Saturdays. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004.

The building is located in Karoo and is used throughout the week by community groups. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices.

The external areas include a paved forecourt, a small garden and a covered walkway. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The works are located on erf 1042 and the title deed is held by the municipality. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches.

Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The municipality has operated the facility since 1996 and the local committee manages bookings. Materials for the project are available from suppliers in the district and from the nearest regional centre. The building is located in Karoo and is used throughout the week by community groups. The external areas include a paved forecourt, a small garden and a covered walkway.

Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004.

A previous renovation replaced the plumbing and the ceiling in the main hall. Parking for site vehicles is available at the rear of the property near the service entrance. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. The scope of work covers the main hall, the offices, the passages and the external areas. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection.

The employer's agent has prepared the specifications in accordance with standard industry practice. Electricity is supplied through a metered connection from the municipal network. The works are located on erf 1042 and the title deed is held by the municipality. Materials for the project are available from suppliers in the district and from the nearest regional centre.

The area has a mild climate and rainfall is mostly in the summer months. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The surrounding properties are residential and the nearest shop is a few hundred metres away.

The community committee reports that the building is busiest on weekday evenings and on Saturdays. The employer's agent has prepared the specifications in accordance with standard industry practice. The Form of Offer and Acceptance must be completed and signed by an authorised representative of the tenderer. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. Part C3 describes the extent of the works and the standard of workmanship expected in general terms.

The works are located on erf 1042 and the title deed is held by the municipality. A previous renovation replaced the plumbing and the ceiling in the main hall. The scope of work covers the main hall, the offices, the passages and the external areas.

A previous renovation replaced the plumbing and the ceiling in the main hall. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. A certified copy of the company registration certificate must be included in the tender submission. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

Parking for site vehicles is available at the rear of the property near the service entrance. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. The existing electrical installation consists of a main board in the plant room and three sub boards.

The works are located on erf 1042 and the title deed is held by the municipality. The employer's agent has prepared the specifications in accordance with standard industry practice. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. Parking for site vehicles is available at the rear of the property near the service entrance.

The existing electrical installation consists of a main board in the plant room and three sub boards. The site is fenced and has a single vehicle gate on the northern boundary. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life.

The external areas include a paved forecourt, a small garden and a covered walkway. The roof is covered with fibre cement sheeting supported on steel trusses. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. The works are located on erf 1042 and the title deed is held by the municipality.

Parking for site vehicles is available at the rear of the property near the service entrance. The municipality has operated the facility since 1996 and the local committee manages bookings. The roof is covered with fibre cement sheeting supported on steel trusses.

The external areas include a paved forecourt, a small garden and a covered walkway. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The existing electrical installation consists of a main board in the plant room and three sub boards. The employer's agent has prepared the specifications in accordance with standard industry practice. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The community committee reports that the building is busiest on weekday evenings and on Saturdays. Parking for site vehicles is available at the rear of the property near the service entrance. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. Electricity is supplied through a metered connection from the municipal network.

The surrounding properties are residential and the nearest shop is a few hundred metres away. The roof is covered with fibre cement sheeting supported on steel trusses. The external areas include a paved forecourt, a small garden and a covered walkway.

Site hours of the facility are from 08:00 to 22:00 on weekdays and the caretaker locks the gates at 22:30. The employer's agent has prepared the specifications in accordance with standard industry practice. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The external areas include a paved forecourt, a small garden and a covered walkway. The building is located in Karoo and is used throughout the week by community groups. The site is fenced and has a single vehicle gate on the northern boundary.

The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The roof is covered with fibre cement sheeting supported on steel trusses.

The community committee reports that the building is busiest on weekday evenings and on Saturdays. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection.

The external areas include a paved forecourt, a small garden and a covered walkway. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The municipality has operated the facility since 1996 and the local committee manages bookings. Electricity is supplied through a metered connection from the municipal network. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection.

The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. A previous renovation replaced the plumbing and the ceiling in the main hall.

The municipality has operated the facility since 1996 and the local committee manages bookings. The building is located in Karoo and is used throughout the week by community groups. The external areas include a paved forecourt, a small garden and a covered walkway.

The agreement shall be governed by the laws of the Republic of South Africa. A previous renovation replaced the plumbing and the ceiling in the main hall. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

The employer's agent has prepared the specifications in accordance with standard industry practice. The existing electrical installation consists of a main board in the plant room and three sub boards. The works are located on erf 1042 and the title deed is held by the municipality. Parking for site vehicles is available at the rear of the property near the service entrance.

The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. Parking for site vehicles is available at the rear of the property near the service entrance. The surrounding properties are residential and the nearest shop is a few hundred metres away.

The building is located in Karoo and is used throughout the week by community groups. Materials for the project are available from suppliers in the district and from the nearest regional centre. The roof is covered with fibre cement sheeting supported on steel trusses. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. The area has a mild climate and rainfall is mostly in the summer months.

The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The building is located in Karoo and is used throughout the week by community groups. The works are located on erf 1042 and the title deed is held by the municipality. Materials for the project are available from suppliers in the district and from the nearest regional centre. The site is fenced and has a single vehicle gate on the northern boundary.

The municipality has operated the facility since 1996 and the local committee manages bookings. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The area has a mild climate and rainfall is mostly in the summer months. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

The area has a mild climate and rainfall is mostly in the summer months. The surrounding properties are residential and the nearest shop is a few hundred metres away. The works are located on erf 1042 and the title deed is held by the municipality. A previous renovation replaced the plumbing and the ceiling in the main hall.

Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. Electricity is supplied through a metered connection from the municipal network. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The site is fenced and has a single vehicle gate on the northern boundary. Materials for the project are available from suppliers in the district and from the nearest regional centre.

The building is located in Karoo and is used throughout the week by community groups. Materials for the project are available from suppliers in the district and from the nearest regional centre. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The existing electrical installation consists of a main board in the plant room and three sub boards. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches.

The surrounding properties are residential and the nearest shop is a few hundred metres away. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The municipality has operated the facility since 1996 and the local committee manages bookings.

The municipality has operated the facility since 1996 and the local committee manages bookings. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The existing electrical installation consists of a main board in the plant room and three sub boards. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches.

The external areas include a paved forecourt, a small garden and a covered walkway. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The site is fenced and has a single vehicle gate on the northern boundary. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life.

The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. Electricity is supplied through a metered connection from the municipal network. The area has a mild climate and rainfall is mostly in the summer months. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection.

The works are located on erf 1042 and the title deed is held by the municipality. The employer's agent has prepared the specifications in accordance with standard industry practice. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life.

Materials for the project are available from suppliers in the district and from the nearest regional centre. The building is located in Karoo and is used throughout the week by community groups. The surrounding properties are residential and the nearest shop is a few hundred metres away. The scope of work covers the main hall, the offices, the passages and the external areas. The area has a mild climate and rainfall is mostly in the summer months.

The scope of work covers the main hall, the offices, the passages and the external areas. The community committee reports that the building is busiest on weekday evenings and on Saturdays. Parking for site vehicles is available at the rear of the property near the service entrance.

The community committee reports that the building is busiest on weekday evenings and on Saturdays. The roof is covered with fibre cement sheeting supported on steel trusses. The site is fenced and has a single vehicle gate on the northern boundary. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The external areas include a paved forecourt, a small garden and a covered walkway.

Materials for the project are available from suppliers in the district and from the nearest regional centre. The scope of work covers the main hall, the offices, the passages and the external areas. The surrounding properties are residential and the nearest shop is a few hundred metres away. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches.

The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The surrounding properties are residential and the nearest shop is a few hundred metres away. The kitchen, ablution blocks and storeroom are located on the eastern side of the building.

Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The surrounding properties are residential and the nearest shop is a few hundred metres away. The existing electrical installation consists of a main board in the plant room and three sub boards. The area has a mild climate and rainfall is mostly in the summer months. The roof is covered with fibre cement sheeting supported on steel trusses.

Parking for site vehicles is available at the rear of the property near the service entrance. The surrounding properties are residential and the nearest shop is a few hundred metres away. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The area has a mild climate and rainfall is mostly in the summer months. The kitchen, ablution blocks and storeroom are located on the eastern side of the building.

The surrounding properties are residential and the nearest shop is a few hundred metres away. The area has a mild climate and rainfall is mostly in the summer months. The existing electrical installation consists of a main board in the plant room and three sub boards. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The scope of work covers the main hall, the offices, the passages and the external areas.

The external areas include a paved forecourt, a small garden and a covered walkway. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The municipality has operated the facility since 1996 and the local committee manages bookings. The surrounding properties are residential and the nearest shop is a few hundred metres away.

Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The municipality has operated the facility since 1996 and the local committee manages bookings. The area has a mild climate and rainfall is mostly in the summer months. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The scope of work covers the main hall, the offices, the passages and the external areas.

The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The existing electrical installation consists of a main board in the plant room and three sub boards. Parking for site vehicles is available at the rear of the property near the service entrance. The area has a mild climate and rainfall is mostly in the summer months.

The building is located in Karoo and is used throughout the week by community groups. The existing electrical installation consists of a main board in the plant room and three sub boards. Electricity is supplied through a metered connection from the municipal network. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The surrounding properties are residential and the nearest shop is a few hundred metres away.

The facility is required to keep a register of all electrical faults reported by the caretaker. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The municipality has operated the facility since 1996 and the local committee manages bookings.

Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The works are located on erf 1042 and the title deed is held by the municipality.

Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The external areas include a paved forecourt, a small garden and a covered walkway. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. A previous renovation replaced the plumbing and the ceiling in the main hall.

A previous renovation replaced the plumbing and the ceiling in the main hall. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The roof is covered with fibre cement sheeting supported on steel trusses. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches.

The area has a mild climate and rainfall is mostly in the summer months. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The external areas include a paved forecourt, a small garden and a covered walkway.

The building is located in Karoo and is used throughout the week by community groups. The surrounding properties are residential and the nearest shop is a few hundred metres away. The works are located on erf 1042 and the title deed is held by the municipality. The employer's agent has prepared the specifications in accordance with standard industry practice. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection.

The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The works are located on erf 1042 and the title deed is held by the municipality. Materials for the project are available from suppliers in the district and from the nearest regional centre. The kitchen, ablution blocks and storeroom are located on the eastern side of the building.

The existing electrical installation consists of a main board in the plant room and three sub boards. The community committee reports that the building is busiest on weekday evenings and on Saturdays. A previous renovation replaced the plumbing and the ceiling in the main hall.

The surrounding properties are residential and the nearest shop is a few hundred metres away. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection.

Materials for the project are available from suppliers in the district and from the nearest regional centre. The area has a mild climate and rainfall is mostly in the summer months. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The external areas include a paved forecourt, a small garden and a covered walkway.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. Sealed tenders must be deposited in the tender box at Karoo Heights Reception, 31 Fictional Lane no later than 11:00 on Tuesday 25 November 2026. The surrounding properties are residential and the nearest shop is a few hundred metres away. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

The municipality has operated the facility since 1996 and the local committee manages bookings. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The existing electrical installation consists of a main board in the plant room and three sub boards.

The community committee reports that the building is busiest on weekday evenings and on Saturdays. The roof is covered with fibre cement sheeting supported on steel trusses. The area has a mild climate and rainfall is mostly in the summer months.

The surrounding properties are residential and the nearest shop is a few hundred metres away. The municipality has operated the facility since 1996 and the local committee manages bookings. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. Materials for the project are available from suppliers in the district and from the nearest regional centre. Parking for site vehicles is available at the rear of the property near the service entrance.

The surrounding properties are residential and the nearest shop is a few hundred metres away. The external areas include a paved forecourt, a small garden and a covered walkway. If preference points are claimed, a certified copy of a valid B-BBEE certificate or sworn affidavit must be submitted. The scope of work covers the main hall, the offices, the passages and the external areas. The employer's agent has prepared the specifications in accordance with standard industry practice.

The municipality is required by law to publish the names of successful tenderers on its notice board. Materials for the project are available from suppliers in the district and from the nearest regional centre. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

Part C2: Pricing data - Bill of Quantities

Rates and amounts are to be completed by the tenderer.

Item	Description	Unit	Qty	Rate	Amount
SECTION: PRELIMINARIES AND GENERAL					
1.1	Health and safety plan and file	Sum	1		
1.2	Provisional sum for builder's work in connection with electrical installation	Sum	1	R 50 466.00	
SECTION: DISTRIBUTION BOARDS					
2.1	Miniature circuit breaker, 1-pole, 32 A, 6 kA	No.	50		
SECTION: CONTAINMENT					
3.1	PVC conduit, 20 mm, surface mounted	mtr	1 282		
3.2	Steel conduit, 25 mm, surface mounted	m	266.00		
3.3	PVC trunking, 100 x 50 mm	mtr	105		
SECTION: CABLES					
4.1	2-core 1.5 mm2 PVC insulated copper cable, installed in conduit	Metre	732.00		
4.2	2-core 2.5 mm2 PVC insulated copper cable, installed in conduit	m			
4.3	2-core 4 mm2 PVC insulated copper cable, installed in conduit	Metre	532		
4.4	2-core 6 mm2 PVC insulated copper cable, installed in conduit	m	931		
4.5	2-core 16 mm2 PVC insulated copper cable, installed in conduit	Metre	856.00		
4.6	3-core 6 mm2 PVC insulated copper cable, installed in conduit	Metre	659.00		
4.7	3-core 10 mm2 PVC insulated copper cable, installed in conduit	m	258		
4.8	3-core 16 mm2 PVC insulated copper cable, installed in conduit	mtr	665.00		
4.9	4-core 2.5 mm2 PVC insulated copper cable, installed in conduit	mtr	197		
4.10	4-core 4 mm2 PVC insulated copper cable, installed in conduit (rate only)	m			
4.11	4-core 10 mm2 PVC insulated copper cable, installed in conduit	Metre	508.00		
4.12	4-core 16 mm2 PVC insulated copper cable, installed in conduit	Metre			
SECTION: LIGHTING					
5.1	LED batten luminaire, 1200 mm, 36 W	each	26		
5.2	LED floodlight, 100 W, IP65	Nr	19		
5.3	Light switch, 1-lever, 1-way	Nr			
SECTION: SMALL POWER					
6.1	Double switched socket outlet, 16 A	each	41		
6.2	Single switched socket outlet, 16 A	each	36		

Item	Description	Unit	Qty	Rate	Amount
6.3	Data outlet, Cat 6, double	No.	34		
6.4	Isolator, 20 A, weatherproof	no	10		
SECTION: EARTHING AND TESTING					
7.1	Earth rod, copper clad, 1.5 m	No.	18		
7.2	Bare copper earth conductor, 16 mm2	mtr	33.00		
7.3	Testing, commissioning and certificate of compliance	sum	1		