TENDER DOCUMENT

GRE/ELEC/2026/040

Supply and installation of electrical works at Greenvale Community Hall

Employer: Greenvale Municipality

Synthetic test document - fictional data

Part C1: Tender notice and conditions

Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The roof is covered with fibre cement sheeting supported on steel trusses. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The employer's agent has prepared the specifications in accordance with standard industry practice.

The site is fenced and has a single vehicle gate on the northern boundary. The surrounding properties are residential and the nearest shop is a few hundred metres away. The employer's agent has prepared the specifications in accordance with standard industry practice. The scope of work covers the main hall, the offices, the passages and the external areas.

The external areas include a paved forecourt, a small garden and a covered walkway. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The scope of work covers the main hall, the offices, the passages and the external areas.

Electricity is supplied through a metered connection from the municipal network. The building is located in Greenvale and is used throughout the week by community groups. The surrounding properties are residential and the nearest shop is a few hundred metres away. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. Part C3 describes the extent of the works and the standard of workmanship expected in general terms.

The municipality has operated the facility since 1996 and the local committee manages bookings. The works are located on erf 1042 and the title deed is held by the municipality. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. A previous renovation replaced the plumbing and the ceiling in the main hall.

The works are located on erf 1042 and the title deed is held by the municipality. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches.

Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The external areas include a paved forecourt, a small garden and a covered walkway. The municipality has operated the facility since 1996 and the local committee manages bookings.

Part C3 describes the extent of the works and the standard of workmanship expected in general terms. Electricity is supplied through a metered connection from the municipal network. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The roof is covered with fibre cement sheeting supported on steel trusses. Materials for the project are available from suppliers in the district and from the nearest regional centre. The building is located in Greenvale and is used throughout the week by community groups.

The works are located on erf 1042 and the title deed is held by the municipality. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. Materials for the project are available from suppliers in the district and from the nearest regional centre.

The external areas include a paved forecourt, a small garden and a covered walkway. Materials for the project are available from suppliers in the district and from the nearest regional centre. The site is fenced and has a single vehicle gate on the northern boundary. The employer's agent has prepared the specifications in accordance with standard industry practice.

3.2 Only tenderers registered with the Construction Industry Development Board with a contractor grading of 4EP or higher in the electrical engineering works category may submit tenders.

The community committee reports that the building is busiest on weekday evenings and on Saturdays. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The municipality has operated the facility since 1996 and the local committee manages bookings. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule.

3.6 A certified copy of the company registration certificate must be included in the tender submission.

The municipality has operated the facility since 1996 and the local committee manages bookings. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The area has a mild climate and rainfall is mostly in the summer months. Greenvale Community Hall is a single-storey brick building constructed in 1987 and extended in 2004. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection.

The municipality has operated the facility since 1996 and the local committee manages bookings. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection.

The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The area has a mild climate and rainfall is mostly in the summer months. Part C3 describes the extent of the works and the standard of workmanship expected in general terms.

The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The municipality has operated the facility since 1996 and the local committee manages bookings. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection.

3.9 The contractor shall provide a defects liability period of 12 months from the date of practical completion.

The works are located on erf 1042 and the title deed is held by the municipality. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The employer's agent has prepared the specifications in accordance with standard industry practice.

Electricity is supplied through a metered connection from the municipal network. Parking for site vehicles is available at the rear of the property near the service entrance. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection.

Electricity is supplied through a metered connection from the municipal network. The roof is covered with fibre cement sheeting supported on steel trusses. Parking for site vehicles is available at the rear of the property near the service entrance.

The employer shall appoint a project manager who will act as the employer's representative during the contract. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. Parking for site vehicles is available at the rear of the property near the service entrance.

Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The building is located in Greenvale and is used throughout the week by community groups. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

The employer must give the contractor access to the site within seven days of the commencement date. Greenvale Community Hall is a single-storey brick building constructed in 1987 and extended in 2004. The scope of work covers the main hall, the offices, the passages and the external areas.

The building is located in Greenvale and is used throughout the week by community groups. The community committee reports that the building is busiest on weekday evenings and on Saturdays. A previous renovation replaced the plumbing and the ceiling in the main hall. The external areas include a paved forecourt, a small garden and a covered walkway.

The roof is covered with fibre cement sheeting supported on steel trusses. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. Parking for site vehicles is available at the rear of the property near the service entrance. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The works are located on erf 1042 and the title deed is held by the municipality. The surrounding properties are residential and the nearest shop is a few hundred metres away.

Electricity is supplied through a metered connection from the municipal network. The external areas include a paved forecourt, a small garden and a covered walkway. The area has a mild climate and rainfall is mostly in the summer months.

The employer's agent has prepared the specifications in accordance with standard industry practice. The municipality has operated the facility since 1996 and the local committee manages bookings. Greenvale Community Hall is a single-storey brick building constructed in 1987 and extended in 2004. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection.

3.3 Tenderers must submit a valid tax compliance status pin issued by the South African Revenue Service.

Materials for the project are available from suppliers in the district and from the nearest regional centre. The building is located in Greenvale and is used throughout the week by community groups. Parking for site vehicles is available at the rear of the property near the service entrance. The works are located on erf 1042 and the title deed is held by the municipality.

3.4 Tenderers must complete the declaration of interest and the declaration of past supply chain management practices.

Greenvale Community Hall is a single-storey brick building constructed in 1987 and extended in 2004. The municipality has operated the facility since 1996 and the local committee manages bookings. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The scope of work covers the main hall, the offices, the passages and the external areas. The external areas include a paved forecourt, a small garden and a covered walkway.

3.8 If preference points are claimed, a certified copy of a valid B-BBEE certificate or sworn affidavit must be submitted.

The existing electrical installation consists of a main board in the plant room and three sub boards. The building is located in Greenvale and is used throughout the week by community groups. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

3.1 Sealed tenders must be deposited in the tender box at Greenvale Civic Centre, 12 Example Street no later than 11:00 on Friday 26 November 2026.

Part C3 describes the extent of the works and the standard of workmanship expected in general terms. Materials for the project are available from suppliers in the district and from the nearest regional centre. The area has a mild climate and rainfall is mostly in the summer months. Greenvale Community Hall is a single-storey brick building constructed in 1987 and extended in 2004. The site is fenced and has a single vehicle gate on the northern boundary.

A previous renovation replaced the plumbing and the ceiling in the main hall. Electricity is supplied through a metered connection from the municipal network. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The scope of work covers the main hall, the offices, the passages and the external areas.

Part C3: Scope of work and conditions of contract

Parking for site vehicles is available at the rear of the property near the service entrance. A previous renovation replaced the plumbing and the ceiling in the main hall. The building is located in Greenvale and is used throughout the week by community groups.

The external areas include a paved forecourt, a small garden and a covered walkway. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The works are located on erf 1042 and the title deed is held by the municipality. The site is fenced and has a single vehicle gate on the northern boundary. Part C3 describes the extent of the works and the standard of workmanship expected in general terms.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The works are located on erf 1042 and the title deed is held by the municipality. The building is located in Greenvale and is used throughout the week by community groups.

The surrounding properties are residential and the nearest shop is a few hundred metres away. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The external areas include a paved forecourt, a small garden and a covered walkway.

The existing electrical installation consists of a main board in the plant room and three sub boards. A previous renovation replaced the plumbing and the ceiling in the main hall. The roof is covered with fibre cement sheeting supported on steel trusses. The scope of work covers the main hall, the offices, the passages and the external areas. The area has a mild climate and rainfall is mostly in the summer months.

The building is located in Greenvale and is used throughout the week by community groups. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The external areas include a paved forecourt, a small garden and a covered walkway. The site is fenced and has a single vehicle gate on the northern boundary. The surrounding properties are residential and the nearest shop is a few hundred metres away.

The existing electrical installation consists of a main board in the plant room and three sub boards. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The external areas include a paved forecourt, a small garden and a covered walkway.

The area has a mild climate and rainfall is mostly in the summer months. The building is located in Greenvale and is used throughout the week by community groups. Parking for site vehicles is available at the rear of the property near the service entrance. The employer's agent has prepared the specifications in accordance with standard industry practice.

Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The site is fenced and has a single vehicle gate on the northern boundary.

The scope of work covers the main hall, the offices, the passages and the external areas. The building is located in Greenvale and is used throughout the week by community groups. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The works are located on erf 1042 and the title deed is held by the municipality. The roof is covered with fibre cement sheeting supported on steel trusses.

Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. Electricity is supplied through a metered connection from the municipal network. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The building is located in Greenvale and is used throughout the week by community groups. The employer's agent has prepared the specifications in accordance with standard industry practice.

The works are located on erf 1042 and the title deed is held by the municipality. The area has a mild climate and rainfall is mostly in the summer months. The site is fenced and has a single vehicle gate on the northern boundary.

The works are located on erf 1042 and the title deed is held by the municipality. The area has a mild climate and rainfall is mostly in the summer months. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches.

A previous renovation replaced the plumbing and the ceiling in the main hall. The scope of work covers the main hall, the offices, the passages and the external areas. The surrounding properties are residential and the nearest shop is a few hundred metres away.

The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. Parking for site vehicles is available at the rear of the property near the service entrance. The roof is covered with fibre cement sheeting supported on steel trusses. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. Materials for the project are available from suppliers in the district and from the nearest regional centre.

The works are located on erf 1042 and the title deed is held by the municipality. The existing electrical installation consists of a main board in the plant room and three sub boards. Parking for site vehicles is available at the rear of the property near the service entrance. The external areas include a paved forecourt, a small garden and a covered walkway. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule.

The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The community committee reports that the building is busiest on weekday evenings and on Saturdays. Materials for the project are available from suppliers in the district and from the nearest regional centre. The building is located in Greenvale and is used throughout the week by community groups. The existing electrical installation consists of a main board in the plant room and three sub boards.

The municipality has operated the facility since 1996 and the local committee manages bookings. The building is located in Greenvale and is used throughout the week by community groups. Parking for site vehicles is available at the rear of the property near the service entrance. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The roof is covered with fibre cement sheeting supported on steel trusses.

The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The surrounding properties are residential and the nearest shop is a few hundred metres away. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The employer's agent has prepared the specifications in accordance with standard industry practice. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life.

3.7 Tenderers must submit a programme showing completion within 10 weeks of the commencement date.

Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule.

The community committee reports that the building is busiest on weekday evenings and on Saturdays. Parking for site vehicles is available at the rear of the property near the service entrance. The roof is covered with fibre cement sheeting supported on steel trusses. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The area has a mild climate and rainfall is mostly in the summer months.

The area has a mild climate and rainfall is mostly in the summer months. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. Parking for site vehicles is available at the rear of the property near the service entrance.

The facility is required to keep a register of all electrical faults reported by the caretaker. The scope of work covers the main hall, the offices, the passages and the external areas. The area has a mild climate and rainfall is mostly in the summer months.

The municipality has operated the facility since 1996 and the local committee manages bookings. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The site is fenced and has a single vehicle gate on the northern boundary. A previous renovation replaced the plumbing and the ceiling in the main hall.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. Parking for site vehicles is available at the rear of the property near the service entrance. The site is fenced and has a single vehicle gate on the northern boundary. A previous renovation replaced the plumbing and the ceiling in the main hall.

3.5 Tenderers must provide a valid letter of good standing issued by the Compensation Fund.

Greenvale Community Hall is a single-storey brick building constructed in 1987 and extended in 2004. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The municipality has operated the facility since 1996 and the local committee manages bookings. The surrounding properties are residential and the nearest shop is a few hundred metres away.

The roof is covered with fibre cement sheeting supported on steel trusses. Electricity is supplied through a metered connection from the municipal network. The site is fenced and has a single vehicle gate on the northern boundary. The external areas include a paved forecourt, a small garden and a covered walkway. The scope of work covers the main hall, the offices, the passages and the external areas.

The building is located in Greenvale and is used throughout the week by community groups. The existing electrical installation consists of a main board in the plant room and three sub boards. The roof is covered with fibre cement sheeting supported on steel trusses. The surrounding properties are residential and the nearest shop is a few hundred metres away.

Greenvale Community Hall is a single-storey brick building constructed in 1987 and extended in 2004. The existing electrical installation consists of a main board in the plant room and three sub boards. The municipality has operated the facility since 1996 and the local committee manages bookings.

Electricity is supplied through a metered connection from the municipal network. The surrounding properties are residential and the nearest shop is a few hundred metres away. Parking for site vehicles is available at the rear of the property near the service entrance.

The works are located on erf 1042 and the title deed is held by the municipality. The site is fenced and has a single vehicle gate on the northern boundary. Electricity is supplied through a metered connection from the municipal network. The building is located in Greenvale and is used throughout the week by community groups. The scope of work covers the main hall, the offices, the passages and the external areas.

Part C2: Pricing data - Bill of Quantities

Rates and amounts are to be completed by the tenderer.

Item	Description	Unit	Qty	Rate	Amount
SECTION: DISTRIBUTION BOARDS					
A1	Main distribution board, 400 A, 3-phase, wall mounted, with busbars	no	2		
A2	Sub distribution board, 63 A, 12-way, surface mounted	no	2		
A3	Miniature circuit breaker, 3-pole, 63 A, 10 kA	no	4		
A4	Surge protection device, type 2, 3-phase	no	1		
SECTION: CONTAINMENT					
B1	Galvanised cable tray, 100 mm wide, including supports	m	125		
B2	Steel conduit, 25 mm, surface mounted	m	426		
SECTION: CABLES					
C1	2-core 1.5 mm2 PVC insulated copper cable, installed in conduit	m	772		
C2	2-core 2.5 mm2 PVC insulated copper cable, installed in conduit	m	340		
C3	2-core 4 mm2 PVC insulated copper cable, installed in conduit	m	244		
C4	2-core 6 mm2 PVC insulated copper cable, installed in conduit	m	298		
C5	2-core 16 mm2 PVC insulated copper cable, installed in conduit	m	1080		
C6	3-core 6 mm2 PVC insulated copper cable, installed in conduit	m	1026		
C7	4-core 1.5 mm2 PVC insulated copper cable, installed in conduit	m	408		
C8	4-core 2.5 mm2 PVC insulated copper cable, installed in conduit	m	779		
C9	4-core 4 mm2 PVC insulated copper cable, installed in conduit	m	194		
SECTION: LIGHTING					
D1	Light switch, 1-lever, 1-way	no	93		
SECTION: SMALL POWER					
E1	Double switched socket outlet, 16 A	no	126		
E2	Single switched socket outlet, 16 A	no	26		