TENDER DOCUMENT

GRE/ELEC/2026/074

Supply and installation of electrical works at Greenvale Community Hall

Employer: Greenvale Municipality

Synthetic test document - fictional data

Part C1: Tender notice and conditions

The municipality has operated the facility since 1996 and the local committee manages bookings. The surrounding properties are residential and the nearest shop is a few hundred metres away. Electricity is supplied through a metered connection from the municipal network. A previous renovation replaced the plumbing and the ceiling in the main hall.

A previous renovation replaced the plumbing and the ceiling in the main hall. The external areas include a paved forecourt, a small garden and a covered walkway. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule.

A previous renovation replaced the plumbing and the ceiling in the main hall. Electricity is supplied through a metered connection from the municipal network. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The surrounding properties are residential and the nearest shop is a few hundred metres away. The area has a mild climate and rainfall is mostly in the summer months.

The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. A previous renovation replaced the plumbing and the ceiling in the main hall. The employer's agent has prepared the specifications in accordance with standard industry practice.

Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The surrounding properties are residential and the nearest shop is a few hundred metres away. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life.

3.1 Sealed tenders must be deposited in the tender box at Greenvale Civic Centre, 12 Example Street no later than 11:00 on Tuesday 24 December 2026.

Parking for site vehicles is available at the rear of the property near the service entrance. The municipality has operated the facility since 1996 and the local committee manages bookings. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. Materials for the project are available from suppliers in the district and from the nearest regional centre.

Materials for the project are available from suppliers in the district and from the nearest regional centre. The community committee reports that the building is busiest on weekday evenings and on Saturdays. Electricity is supplied through a metered connection from the municipal network.

Electricity is supplied through a metered connection from the municipal network. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The kitchen, ablution blocks and storeroom are located on the eastern side of the building.

An earlier phase of the project was completed on 3 June 2019 and its drawings are held by the employer. The scope of work covers the main hall, the offices, the passages and the external areas. Parking for site vehicles is available at the rear of the property near the service entrance.

The external areas include a paved forecourt, a small garden and a covered walkway. The existing electrical installation consists of a main board in the plant room and three sub boards. Materials for the project are available from suppliers in the district and from the nearest regional centre.

Greenvale Community Hall is a single-storey brick building constructed in 1987 and extended in 2004. The works are located on erf 1042 and the title deed is held by the municipality. A previous renovation replaced the plumbing and the ceiling in the main hall. The site is fenced and has a single vehicle gate on the northern boundary. The external areas include a paved forecourt, a small garden and a covered walkway.

A previous renovation replaced the plumbing and the ceiling in the main hall. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The site is fenced and has a single vehicle gate on the northern boundary.

Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. A previous renovation replaced the plumbing and the ceiling in the main hall. The site is fenced and has a single vehicle gate on the northern boundary.

Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. A previous renovation replaced the plumbing and the ceiling in the main hall.

The municipality is required by law to publish the names of successful tenderers on its notice board. The site is fenced and has a single vehicle gate on the northern boundary. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

The area has a mild climate and rainfall is mostly in the summer months. Parking for site vehicles is available at the rear of the property near the service entrance. The site is fenced and has a single vehicle gate on the northern boundary. The works are located on erf 1042 and the title deed is held by the municipality. Part C3 describes the extent of the works and the standard of workmanship expected in general terms.

The municipality has operated the facility since 1996 and the local committee manages bookings. The area has a mild climate and rainfall is mostly in the summer months. A previous renovation replaced the plumbing and the ceiling in the main hall. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The surrounding properties are residential and the nearest shop is a few hundred metres away. The site is fenced and has a single vehicle gate on the northern boundary.

Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The external areas include a paved forecourt, a small garden and a covered walkway. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The site is fenced and has a single vehicle gate on the northern boundary.

3.7 A certificate of compliance must be handed over to the employer on completion of the works.

The municipality has operated the facility since 1996 and the local committee manages bookings. The scope of work covers the main hall, the offices, the passages and the external areas. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. Greenvale Community Hall is a single-storey brick building constructed in 1987 and extended in 2004. The building is located in Greenvale and is used throughout the week by community groups.

The surrounding properties are residential and the nearest shop is a few hundred metres away. Materials for the project are available from suppliers in the district and from the nearest regional centre. The community committee reports that the building is busiest on weekday evenings and on Saturdays. Parking for site vehicles is available at the rear of the property near the service entrance.

The municipality has operated the facility since 1996 and the local committee manages bookings. The surrounding properties are residential and the nearest shop is a few hundred metres away. The area has a mild climate and rainfall is mostly in the summer months.

The municipality has operated the facility since 1996 and the local committee manages bookings. A previous renovation replaced the plumbing and the ceiling in the main hall. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. Electricity is supplied through a metered connection from the municipal network.

3.9 Written queries should reach the contact person at least 7 days before the closing date.

Electricity is supplied through a metered connection from the municipal network. The building is located in Greenvale and is used throughout the week by community groups. The scope of work covers the main hall, the offices, the passages and the external areas.

The municipality has operated the facility since 1996 and the local committee manages bookings. The existing electrical installation consists of a main board in the plant room and three sub boards. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. Part C3 describes the extent of the works and the standard of workmanship expected in general terms.

3.4 Proof of public liability insurance of not less than R5 million must be attached to the tender.

The employer's agent shall inspect the works at intervals and must record defects in the site diary. The area has a mild climate and rainfall is mostly in the summer months. Electricity is supplied through a metered connection from the municipal network.

The community committee reports that the building is busiest on weekday evenings and on Saturdays. The works are located on erf 1042 and the title deed is held by the municipality. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The site is fenced and has a single vehicle gate on the northern boundary. The employer's agent has prepared the specifications in accordance with standard industry practice.

The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The works are located on erf 1042 and the title deed is held by the municipality. Electricity is supplied through a metered connection from the municipal network.

3.6 Tender rates must remain valid for 60 days after the closing date.

Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The site is fenced and has a single vehicle gate on the northern boundary. Electricity is supplied through a metered connection from the municipal network. The roof is covered with fibre cement sheeting supported on steel trusses.

The roof is covered with fibre cement sheeting supported on steel trusses. The employer's agent has prepared the specifications in accordance with standard industry practice. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The building is located in Greenvale and is used throughout the week by community groups.

A previous renovation replaced the plumbing and the ceiling in the main hall. The surrounding properties are residential and the nearest shop is a few hundred metres away. The works are located on erf 1042 and the title deed is held by the municipality. The municipality has operated the facility since 1996 and the local committee manages bookings. Part C3 describes the extent of the works and the standard of workmanship expected in general terms.

The external areas include a paved forecourt, a small garden and a covered walkway. Parking for site vehicles is available at the rear of the property near the service entrance. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

3.10 Tenderers must submit a programme showing completion within 8 weeks of the commencement date.

The external areas include a paved forecourt, a small garden and a covered walkway. The building is located in Greenvale and is used throughout the week by community groups. The community committee reports that the building is busiest on weekday evenings and on Saturdays. Electricity is supplied through a metered connection from the municipal network.

The area has a mild climate and rainfall is mostly in the summer months. The building is located in Greenvale and is used throughout the week by community groups. A previous renovation replaced the plumbing and the ceiling in the main hall.

A previous renovation replaced the plumbing and the ceiling in the main hall. The municipality has operated the facility since 1996 and the local committee manages bookings. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices.

The scope of work covers the main hall, the offices, the passages and the external areas. A previous renovation replaced the plumbing and the ceiling in the main hall. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The external areas include a paved forecourt, a small garden and a covered walkway.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The roof is covered with fibre cement sheeting supported on steel trusses. The building is located in Greenvale and is used throughout the week by community groups. The existing electrical installation consists of a main board in the plant room and three sub boards. The external areas include a paved forecourt, a small garden and a covered walkway.

Parking for site vehicles is available at the rear of the property near the service entrance. The area has a mild climate and rainfall is mostly in the summer months. The municipality has operated the facility since 1996 and the local committee manages bookings. The building is located in Greenvale and is used throughout the week by community groups.

3.2 Only tenderers registered with the Construction Industry Development Board with a contractor grading of 6EP or higher in the electrical engineering works category may submit tenders.

Part C3 describes the extent of the works and the standard of workmanship expected in general terms. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches.

Part C3: Scope of work and conditions of contract

Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule.

The site is fenced and has a single vehicle gate on the northern boundary. Greenvale Community Hall is a single-storey brick building constructed in 1987 and extended in 2004. Parking for site vehicles is available at the rear of the property near the service entrance. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The kitchen, ablution blocks and storeroom are located on the eastern side of the building.

The municipality has operated the facility since 1996 and the local committee manages bookings. A previous renovation replaced the plumbing and the ceiling in the main hall. Electricity is supplied through a metered connection from the municipal network. The area has a mild climate and rainfall is mostly in the summer months.

The surrounding properties are residential and the nearest shop is a few hundred metres away. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The roof is covered with fibre cement sheeting supported on steel trusses. The scope of work covers the main hall, the offices, the passages and the external areas.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The roof is covered with fibre cement sheeting supported on steel trusses. The community committee reports that the building is busiest on weekday evenings and on Saturdays. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The surrounding properties are residential and the nearest shop is a few hundred metres away.

3.5 A certified copy of the company registration certificate must be included in the tender submission.

Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The site is fenced and has a single vehicle gate on the northern boundary. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The area has a mild climate and rainfall is mostly in the summer months.

Materials for the project are available from suppliers in the district and from the nearest regional centre. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. Greenvale Community Hall is a single-storey brick building constructed in 1987 and extended in 2004. The external areas include a paved forecourt, a small garden and a covered walkway.

The roof is covered with fibre cement sheeting supported on steel trusses. The municipality has operated the facility since 1996 and the local committee manages bookings. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The area has a mild climate and rainfall is mostly in the summer months.

The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The external areas include a paved forecourt, a small garden and a covered walkway. Electricity is supplied through a metered connection from the municipal network. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The works are located on erf 1042 and the title deed is held by the municipality.

Greenvale Community Hall is a single-storey brick building constructed in 1987 and extended in 2004. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The municipality has operated the facility since 1996 and the local committee manages bookings. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The existing electrical installation consists of a main board in the plant room and three sub boards.

The site is fenced and has a single vehicle gate on the northern boundary. The scope of work covers the main hall, the offices, the passages and the external areas. The roof is covered with fibre cement sheeting supported on steel trusses.

The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The site is fenced and has a single vehicle gate on the northern boundary. The surrounding properties are residential and the nearest shop is a few hundred metres away.

3.8 Tenderers must score a minimum of 60 out of 100 points for functionality to qualify for price evaluation.

The scope of work covers the main hall, the offices, the passages and the external areas. The works are located on erf 1042 and the title deed is held by the municipality. The employer's agent has prepared the specifications in accordance with standard industry practice.

Electricity is supplied through a metered connection from the municipal network. The site is fenced and has a single vehicle gate on the northern boundary. The external areas include a paved forecourt, a small garden and a covered walkway. The building is located in Greenvale and is used throughout the week by community groups. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection.

The existing electrical installation consists of a main board in the plant room and three sub boards. Greenvale Community Hall is a single-storey brick building constructed in 1987 and extended in 2004. The roof is covered with fibre cement sheeting supported on steel trusses.

The community committee reports that the building is busiest on weekday evenings and on Saturdays. The existing electrical installation consists of a main board in the plant room and three sub boards. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. Electricity is supplied through a metered connection from the municipal network. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The works are located on erf 1042 and the title deed is held by the municipality. The area has a mild climate and rainfall is mostly in the summer months. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

The existing electrical installation consists of a main board in the plant room and three sub boards. The scope of work covers the main hall, the offices, the passages and the external areas. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection.

The site is fenced and has a single vehicle gate on the northern boundary. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. Materials for the project are available from suppliers in the district and from the nearest regional centre.

The municipality has operated the facility since 1996 and the local committee manages bookings. The area has a mild climate and rainfall is mostly in the summer months. A previous renovation replaced the plumbing and the ceiling in the main hall. The existing electrical installation consists of a main board in the plant room and three sub boards. The site is fenced and has a single vehicle gate on the northern boundary.

The municipality has operated the facility since 1996 and the local committee manages bookings. Greenvale Community Hall is a single-storey brick building constructed in 1987 and extended in 2004. The building is located in Greenvale and is used throughout the week by community groups. The surrounding properties are residential and the nearest shop is a few hundred metres away.

Part C3 describes the extent of the works and the standard of workmanship expected in general terms. Electricity is supplied through a metered connection from the municipal network. The works are located on erf 1042 and the title deed is held by the municipality. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life.

The site is fenced and has a single vehicle gate on the northern boundary. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. Electricity is supplied through a metered connection from the municipal network. The kitchen, ablution blocks and storeroom are located on the eastern side of the building.

The existing electrical installation consists of a main board in the plant room and three sub boards. The site is fenced and has a single vehicle gate on the northern boundary. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. Materials for the project are available from suppliers in the district and from the nearest regional centre.

The area has a mild climate and rainfall is mostly in the summer months. The scope of work covers the main hall, the offices, the passages and the external areas. The surrounding properties are residential and the nearest shop is a few hundred metres away. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The works are located on erf 1042 and the title deed is held by the municipality.

The community committee reports that the building is busiest on weekday evenings and on Saturdays. The roof is covered with fibre cement sheeting supported on steel trusses. The municipality has operated the facility since 1996 and the local committee manages bookings. The area has a mild climate and rainfall is mostly in the summer months. The surrounding properties are residential and the nearest shop is a few hundred metres away.

The area has a mild climate and rainfall is mostly in the summer months. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The external areas include a paved forecourt, a small garden and a covered walkway. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life.

3.3 Tenderers must submit a valid tax compliance status pin issued by the South African Revenue Service.

The roof is covered with fibre cement sheeting supported on steel trusses. The site is fenced and has a single vehicle gate on the northern boundary. The municipality has operated the facility since 1996 and the local committee manages bookings. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

The roof is covered with fibre cement sheeting supported on steel trusses. The works are located on erf 1042 and the title deed is held by the municipality. A previous renovation replaced the plumbing and the ceiling in the main hall. The scope of work covers the main hall, the offices, the passages and the external areas. The building is located in Greenvale and is used throughout the week by community groups.

The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. A previous renovation replaced the plumbing and the ceiling in the main hall. The external areas include a paved forecourt, a small garden and a covered walkway. The works are located on erf 1042 and the title deed is held by the municipality. Electricity is supplied through a metered connection from the municipal network.

Parking for site vehicles is available at the rear of the property near the service entrance. Electricity is supplied through a metered connection from the municipal network. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The external areas include a paved forecourt, a small garden and a covered walkway. The existing electrical installation consists of a main board in the plant room and three sub boards.

The employer's agent has prepared the specifications in accordance with standard industry practice. The site is fenced and has a single vehicle gate on the northern boundary. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

The surrounding properties are residential and the nearest shop is a few hundred metres away. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The site is fenced and has a single vehicle gate on the northern boundary. The employer's agent has prepared the specifications in accordance with standard industry practice. The external areas include a paved forecourt, a small garden and a covered walkway.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The surrounding properties are residential and the nearest shop is a few hundred metres away. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection.

The building is located in Greenvale and is used throughout the week by community groups. A previous renovation replaced the plumbing and the ceiling in the main hall. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The employer's agent has prepared the specifications in accordance with standard industry practice. The surrounding properties are residential and the nearest shop is a few hundred metres away.