# TENDER DOCUMENT

## KAR/ELEC/2026/015

Supply and installation of electrical works at Karoo Heights Sports Complex

Employer: Karoo Heights Municipality

Synthetic test document - fictional data

## Part C1: Tender notice and conditions

The roof is covered with fibre cement sheeting supported on steel trusses. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The scope of work covers the main hall, the offices, the passages and the external areas. The area has a mild climate and rainfall is mostly in the summer months.

Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The scope of work covers the main hall, the offices, the passages and the external areas. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The building is located in Karoo and is used throughout the week by community groups.

The roof is covered with fibre cement sheeting supported on steel trusses. The community committee reports that the building is busiest on weekday evenings and on Saturdays. Electricity is supplied through a metered connection from the municipal network. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices.

Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. Parking for site vehicles is available at the rear of the property near the service entrance. The existing electrical installation consists of a main board in the plant room and three sub boards.

The surrounding properties are residential and the nearest shop is a few hundred metres away. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The Form of Offer and Acceptance must be completed and signed by an authorised representative of the tenderer. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The scope of work covers the main hall, the offices, the passages and the external areas.

The building is located in Karoo and is used throughout the week by community groups. Electricity is supplied through a metered connection from the municipal network. A previous renovation replaced the plumbing and the ceiling in the main hall.

Electricity is supplied through a metered connection from the municipal network. The municipality has operated the facility since 1996 and the local committee manages bookings. Written queries should reach the contact person at least 10 days before the closing date. The building is located in Karoo and is used throughout the week by community groups. The employer's agent has prepared the specifications in accordance with standard industry practice.

The community committee reports that the building is busiest on weekday evenings and on Saturdays. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The existing electrical installation consists of a main board in the plant room and three sub boards.

Payment certificates shall be issued monthly and the employer shall pay within thirty days of receipt of a valid invoice. The employer's agent has prepared the specifications in accordance with standard industry practice. The scope of work covers the main hall, the offices, the passages and the external areas.

The works are located on erf 1042 and the title deed is held by the municipality. Parking for site vehicles is available at the rear of the property near the service entrance. The building is located in Karoo and is used throughout the week by community groups. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life.

Materials for the project are available from suppliers in the district and from the nearest regional centre. The building is located in Karoo and is used throughout the week by community groups. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life.

The external areas include a paved forecourt, a small garden and a covered walkway. The works are located on erf 1042 and the title deed is held by the municipality. A certified copy of the company registration certificate must be included in the tender submission. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004.

Materials for the project are available from suppliers in the district and from the nearest regional centre. The roof is covered with fibre cement sheeting supported on steel trusses. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices.

The agreement shall be governed by the laws of the Republic of South Africa. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life.

The municipality has operated the facility since 1996 and the local committee manages bookings. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The site is fenced and has a single vehicle gate on the northern boundary.

Materials for the project are available from suppliers in the district and from the nearest regional centre. Parking for site vehicles is available at the rear of the property near the service entrance. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices.

The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. A previous renovation replaced the plumbing and the ceiling in the main hall. Sealed tenders must be deposited in the tender box at Karoo Heights Reception, 31 Fictional Lane no later than 11:00 on Tuesday 25 December 2026. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. The municipality has operated the facility since 1996 and the local committee manages bookings.

The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The municipality has operated the facility since 1996 and the local committee manages bookings. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

A previous renovation replaced the plumbing and the ceiling in the main hall. Electricity is supplied through a metered connection from the municipal network. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The scope of work covers the main hall, the offices, the passages and the external areas.

The municipality has operated the facility since 1996 and the local committee manages bookings. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. Materials for the project are available from suppliers in the district and from the nearest regional centre. Part C3 describes the extent of the works and the standard of workmanship expected in general terms.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The area has a mild climate and rainfall is mostly in the summer months.

The community committee reports that the building is busiest on weekday evenings and on Saturdays. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. Materials for the project are available from suppliers in the district and from the nearest regional centre. The area has a mild climate and rainfall is mostly in the summer months. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices.

The building is located in Karoo and is used throughout the week by community groups. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The area has a mild climate and rainfall is mostly in the summer months.

The roof is covered with fibre cement sheeting supported on steel trusses. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The existing electrical installation consists of a main board in the plant room and three sub boards. The works are located on erf 1042 and the title deed is held by the municipality. Parking for site vehicles is available at the rear of the property near the service entrance.

The surrounding properties are residential and the nearest shop is a few hundred metres away. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. The scope of work covers the main hall, the offices, the passages and the external areas. The building is located in Karoo and is used throughout the week by community groups.

The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. Parking for site vehicles is available at the rear of the property near the service entrance. Electricity is supplied through a metered connection from the municipal network.

Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. The works are located on erf 1042 and the title deed is held by the municipality. Electricity is supplied through a metered connection from the municipal network. The external areas include a paved forecourt, a small garden and a covered walkway.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The employer's agent has prepared the specifications in accordance with standard industry practice. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004.

The building was valued at R12 million in the municipality's last asset register. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The site is fenced and has a single vehicle gate on the northern boundary.

Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. A previous renovation replaced the plumbing and the ceiling in the main hall. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The area has a mild climate and rainfall is mostly in the summer months.

The existing electrical installation consists of a main board in the plant room and three sub boards. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. Materials for the project are available from suppliers in the district and from the nearest regional centre. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life.

The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The scope of work covers the main hall, the offices, the passages and the external areas. The external areas include a paved forecourt, a small garden and a covered walkway. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004.

Parking for site vehicles is available at the rear of the property near the service entrance. The external areas include a paved forecourt, a small garden and a covered walkway. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The area has a mild climate and rainfall is mostly in the summer months.

The employer's agent has prepared the specifications in accordance with standard industry practice. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. Parking for site vehicles is available at the rear of the property near the service entrance. The surrounding properties are residential and the nearest shop is a few hundred metres away.

Parking for site vehicles is available at the rear of the property near the service entrance. The employer's agent has prepared the specifications in accordance with standard industry practice. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. Electricity is supplied through a metered connection from the municipal network.

Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The community committee reports that the building is busiest on weekday evenings and on Saturdays. Part C3 describes the extent of the works and the standard of workmanship expected in general terms.

A previous renovation replaced the plumbing and the ceiling in the main hall. The building is located in Karoo and is used throughout the week by community groups. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches.

The surrounding properties are residential and the nearest shop is a few hundred metres away. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The municipality has operated the facility since 1996 and the local committee manages bookings.

Materials for the project are available from suppliers in the district and from the nearest regional centre. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The external areas include a paved forecourt, a small garden and a covered walkway. The community committee reports that the building is busiest on weekday evenings and on Saturdays.

The scope of work covers the main hall, the offices, the passages and the external areas. The building is located in Karoo and is used throughout the week by community groups. The municipality has operated the facility since 1996 and the local committee manages bookings. A previous renovation replaced the plumbing and the ceiling in the main hall.

The municipality has operated the facility since 1996 and the local committee manages bookings. Materials for the project are available from suppliers in the district and from the nearest regional centre. Tenderers must submit a programme showing completion within 10 weeks of the commencement date. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The kitchen, ablution blocks and storeroom are located on the eastern side of the building.

The area has a mild climate and rainfall is mostly in the summer months. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The surrounding properties are residential and the nearest shop is a few hundred metres away. The employer's agent has prepared the specifications in accordance with standard industry practice.

The building was valued at R12 million in the municipality's last asset register. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life.

Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. The municipality has operated the facility since 1996 and the local committee manages bookings. The site is fenced and has a single vehicle gate on the northern boundary.

The works are located on erf 1042 and the title deed is held by the municipality. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The surrounding properties are residential and the nearest shop is a few hundred metres away. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices.

The building is located in Karoo and is used throughout the week by community groups. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The works are located on erf 1042 and the title deed is held by the municipality. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The surrounding properties are residential and the nearest shop is a few hundred metres away. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule.

Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The site is fenced and has a single vehicle gate on the northern boundary.

The community committee reports that the building is busiest on weekday evenings and on Saturdays. The site is fenced and has a single vehicle gate on the northern boundary. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. Materials for the project are available from suppliers in the district and from the nearest regional centre. The roof is covered with fibre cement sheeting supported on steel trusses.

The community committee reports that the building is busiest on weekday evenings and on Saturdays. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. The employer's agent has prepared the specifications in accordance with standard industry practice. Electricity is supplied through a metered connection from the municipal network. The building is located in Karoo and is used throughout the week by community groups.

The community committee reports that the building is busiest on weekday evenings and on Saturdays. The municipality has operated the facility since 1996 and the local committee manages bookings. The kitchen, ablution blocks and storeroom are located on the eastern side of the building.

The scope of work covers the main hall, the offices, the passages and the external areas. A previous renovation replaced the plumbing and the ceiling in the main hall. Tenderers must submit a valid tax compliance status pin issued by the South African Revenue Service. The surrounding properties are residential and the nearest shop is a few hundred metres away. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule.

## Part C3: Scope of work and conditions of contract

The employer's agent has prepared the specifications in accordance with standard industry practice. Electricity is supplied through a metered connection from the municipal network. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004.

The surrounding properties are residential and the nearest shop is a few hundred metres away. Electricity is supplied through a metered connection from the municipal network. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. The existing electrical installation consists of a main board in the plant room and three sub boards.

Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The works are located on erf 1042 and the title deed is held by the municipality. The building is located in Karoo and is used throughout the week by community groups.

Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The roof is covered with fibre cement sheeting supported on steel trusses. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life.

The municipality has operated the facility since 1996 and the local committee manages bookings. The site is fenced and has a single vehicle gate on the northern boundary. A compulsory site inspection and clarification meeting will be held at Karoo Heights Sports Complex on Wednesday 5 December 2026 at 10:30, and tenderers who do not attend will be disqualified. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The scope of work covers the main hall, the offices, the passages and the external areas.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The building is located in Karoo and is used throughout the week by community groups. The municipality has operated the facility since 1996 and the local committee manages bookings. The employer's agent has prepared the specifications in accordance with standard industry practice.

A previous renovation replaced the plumbing and the ceiling in the main hall. The area has a mild climate and rainfall is mostly in the summer months. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The works are located on erf 1042 and the title deed is held by the municipality.

The building is located in Karoo and is used throughout the week by community groups. The scope of work covers the main hall, the offices, the passages and the external areas. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches.

The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The roof is covered with fibre cement sheeting supported on steel trusses. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life.

The site is fenced and has a single vehicle gate on the northern boundary. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. Parking for site vehicles is available at the rear of the property near the service entrance. The surrounding properties are residential and the nearest shop is a few hundred metres away.

The external areas include a paved forecourt, a small garden and a covered walkway. The surrounding properties are residential and the nearest shop is a few hundred metres away. The building is located in Karoo and is used throughout the week by community groups. Electricity is supplied through a metered connection from the municipal network.

Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. Electricity is supplied through a metered connection from the municipal network. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The works are located on erf 1042 and the title deed is held by the municipality. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life.

The existing electrical installation consists of a main board in the plant room and three sub boards. Electricity is supplied through a metered connection from the municipal network. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule.

The scope of work covers the main hall, the offices, the passages and the external areas. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The external areas include a paved forecourt, a small garden and a covered walkway. Part C3 describes the extent of the works and the standard of workmanship expected in general terms.

The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. Electricity is supplied through a metered connection from the municipal network. The site is fenced and has a single vehicle gate on the northern boundary. The municipality has operated the facility since 1996 and the local committee manages bookings. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life.

The kitchen, ablution blocks and storeroom are located on the eastern side of the building. Parking for site vehicles is available at the rear of the property near the service entrance. The existing electrical installation consists of a main board in the plant room and three sub boards. The municipality has operated the facility since 1996 and the local committee manages bookings. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices.

The site is fenced and has a single vehicle gate on the northern boundary. The building is located in Karoo and is used throughout the week by community groups. The scope of work covers the main hall, the offices, the passages and the external areas.

The scope of work covers the main hall, the offices, the passages and the external areas. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. Electricity is supplied through a metered connection from the municipal network. The works are located on erf 1042 and the title deed is held by the municipality. The employer's agent has prepared the specifications in accordance with standard industry practice.

The area has a mild climate and rainfall is mostly in the summer months. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. Electricity is supplied through a metered connection from the municipal network.

Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. Electricity is supplied through a metered connection from the municipal network. The municipality has operated the facility since 1996 and the local committee manages bookings.

The works are located on erf 1042 and the title deed is held by the municipality. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The building is located in Karoo and is used throughout the week by community groups. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life.

The scope of work covers the main hall, the offices, the passages and the external areas. The municipality has operated the facility since 1996 and the local committee manages bookings. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. Electricity is supplied through a metered connection from the municipal network. The works are located on erf 1042 and the title deed is held by the municipality.

The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The building is located in Karoo and is used throughout the week by community groups. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The roof is covered with fibre cement sheeting supported on steel trusses.

The building was valued at R12 million in the municipality's last asset register. The scope of work covers the main hall, the offices, the passages and the external areas. The existing electrical installation consists of a main board in the plant room and three sub boards.

The site is fenced and has a single vehicle gate on the northern boundary. The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The surrounding properties are residential and the nearest shop is a few hundred metres away. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life.

The existing electrical installation consists of a main board in the plant room and three sub boards. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. Materials for the project are available from suppliers in the district and from the nearest regional centre. Parking for site vehicles is available at the rear of the property near the service entrance.

The area has a mild climate and rainfall is mostly in the summer months. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The scope of work covers the main hall, the offices, the passages and the external areas. The existing electrical installation consists of a main board in the plant room and three sub boards.

The external areas include a paved forecourt, a small garden and a covered walkway. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. Parking for site vehicles is available at the rear of the property near the service entrance.

Materials for the project are available from suppliers in the district and from the nearest regional centre. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. A previous renovation replaced the plumbing and the ceiling in the main hall.

Parking for site vehicles is available at the rear of the property near the service entrance. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The works are located on erf 1042 and the title deed is held by the municipality. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. The area has a mild climate and rainfall is mostly in the summer months.

The building is located in Karoo and is used throughout the week by community groups. The community committee reports that the building is busiest on weekday evenings and on Saturdays. The scope of work covers the main hall, the offices, the passages and the external areas. The municipality has operated the facility since 1996 and the local committee manages bookings. The works are located on erf 1042 and the title deed is held by the municipality.

The employer's agent has prepared the specifications in accordance with standard industry practice. The works are located on erf 1042 and the title deed is held by the municipality. Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. Parking for site vehicles is available at the rear of the property near the service entrance. The area has a mild climate and rainfall is mostly in the summer months.

The roof is covered with fibre cement sheeting supported on steel trusses. The building is located in Karoo and is used throughout the week by community groups. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches.

Part C3 describes the extent of the works and the standard of workmanship expected in general terms. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches. Electricity is supplied through a metered connection from the municipal network.

Existing luminaires in the hall are fluorescent fittings that have reached the end of their service life. The municipality has operated the facility since 1996 and the local committee manages bookings. The area has a mild climate and rainfall is mostly in the summer months. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches.

The employer's agent has prepared the specifications in accordance with standard industry practice. The external areas include a paved forecourt, a small garden and a covered walkway. Parking for site vehicles is available at the rear of the property near the service entrance. The works are located on erf 1042 and the title deed is held by the municipality.

Materials for the project are available from suppliers in the district and from the nearest regional centre. Drawings of the existing layout have been prepared by the employer's agent and are available for inspection. Part C3 describes the extent of the works and the standard of workmanship expected in general terms. The scope of work covers the main hall, the offices, the passages and the external areas. The area has a mild climate and rainfall is mostly in the summer months.

Electricity is supplied through a metered connection from the municipal network. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The kitchen, ablution blocks and storeroom are located on the eastern side of the building.

The municipality has operated the facility since 1996 and the local committee manages bookings. Materials for the project are available from suppliers in the district and from the nearest regional centre. The works are located on erf 1042 and the title deed is held by the municipality. The kitchen, ablution blocks and storeroom are located on the eastern side of the building.

The site is fenced and has a single vehicle gate on the northern boundary. Electricity is supplied through a metered connection from the municipal network. A previous renovation replaced the plumbing and the ceiling in the main hall. The area has a mild climate and rainfall is mostly in the summer months.

The roof is covered with fibre cement sheeting supported on steel trusses. The site is fenced and has a single vehicle gate on the northern boundary. Materials for the project are available from suppliers in the district and from the nearest regional centre. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. Most of the existing wiring is concealed in the ceiling void and the roof space is accessible through two hatches.

Part C3 describes the extent of the works and the standard of workmanship expected in general terms. Parking for site vehicles is available at the rear of the property near the service entrance. The surrounding properties are residential and the nearest shop is a few hundred metres away.

The site is fenced and has a single vehicle gate on the northern boundary. The building is located in Karoo and is used throughout the week by community groups. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The area has a mild climate and rainfall is mostly in the summer months. The works are located on erf 1042 and the title deed is held by the municipality.

The tender documents consist of the invitation, the conditions of tender, the scope of work and the pricing schedule. Karoo Heights Sports Complex is a single-storey brick building constructed in 1987 and extended in 2004. Only tenderers registered with the Construction Industry Development Board with a contractor grading of 4EP or higher in the electrical engineering works category may submit tenders. The kitchen, ablution blocks and storeroom are located on the eastern side of the building. The employer's agent has prepared the specifications in accordance with standard industry practice.

The surrounding properties are residential and the nearest shop is a few hundred metres away. Electricity is supplied through a metered connection from the municipal network. The municipality has operated the facility since 1996 and the local committee manages bookings. The main hall seats about two hundred people and the adjoining rooms are used as classrooms and offices. The site is fenced and has a single vehicle gate on the northern boundary.

The external areas include a paved forecourt, a small garden and a covered walkway. The scope of work covers the main hall, the offices, the passages and the external areas. Tender rates must remain valid for 60 days after the closing date. The roof is covered with fibre cement sheeting supported on steel trusses. A previous renovation replaced the plumbing and the ceiling in the main hall.