Code Workstation

Design Document


https://github.com/lrickard/CodeWorkstation/wiki

Lukas Rickard - Project Leader - <u>I_rickard@u.pacific.edu</u>

Jake MacMillan - Integrations Lead - <u>j_macmillan1@u.pacific.edu</u>

Last Revision: 10/27/2015

System Architecture



Personal Computer Hardware - Modern personal computer with i386 or x86 architecture Operating System - Debian at first but hopefully available on all common operating systems Qt GUI Library - Provides event handling, interface with OS, GUI elements, and windowing PyQt API - Provides interface with Qt libraries through python

Code Workstations - Initialized window, loads settings, saves settings, and runs commands QScintilla - Text editor build into Qt will allow users to edit text

Qt Buttons - Creates button press events with run commands and activate code

Qt Command - Created with an amalgamation of Qt interface types to provide text display and command entering with radio button settings

System Requirements

Hardware Requirements:

We suspect a single core 1 GHz CPU and 512MB of RAM will enable responsive use.

Software Requirements:

Python 3, Qt5, and PyQt5.

System Requirements:

32 or 64 bit operating system, Debian Linux and OSX are what we are developing for.

External Interfaces

Qt - Will be used for generating windows, interfaces, and handling events.


http://doc.qt.io/

PyQt - A Python API to interface with Qt Libraries

https://riverbankcomputing.com/software/pyqt/intro

Software Design

Class Diagrams:




Class Specifications:

Interaction Diagrams:

Design Considerations:

User Interface Design



Buttons:

- Left Click: This should run the command stored in the button
- Right Click: This should open the menu for entering a command and an output location for the button

Text Editor:

- Right Click: This should expose a list of well know commands such as copy, paste, select all, etc.
- (Possible) Shortcuts: While most linux systems have keyboard command shortcuts, we are considering adding additional configurable shortcuts which will move the cursor and select text in convenient ways

Command Boxes:

- Left Click: This should expose the menu for entering commands and setting up automatic run
- Right Click: This should expose the option to delete or duplicate(pending) the command box and its settings

File Dropdown:

- Click Save Settings: This should save the current commands and window settings to the default location
- Click Save File: This should save the currently editing file

- Click Save File As: This should launch a save dialog/file explorer(part of Qt) which will allow the user to save the text in the main text box anywhere on the system where they have permissions

New Dropdown:

- Click Button: A new button will appear with the menu for command entering and output location exposed
- Click hover over CommandBox: Options for Left Dock, Right Dock, Top Dock, and Bottom Dock will appear

Glossary of Terms

API - Application Programming Interfaces (APIs) allow a programmer to access functionality of a library or previously created code with a specifically exposed functions and variables.

Python - A high level interpreted scripting/programming language.

OS - Operating Systems (OSs) interact with hardware and firmware to form a base for other software to interact with hardware and display things to a user. Examples: Windows 7, Debian Linux, OSX

OSX - A Macintosh operating system (OS)

UI/GUI - User Interface or Graphical User interface

UML - Unified Modeling Language is used to create class diagrams in a consistent manner Command - Throughout this document this generally refers to a word, phrase, or set of words and phrases which can be executed in an operating system's shell/terminal.

References

Qt - http://www.qt.io/ PyQt - https://riverbankcomputing.com/software/pyqt/intro Python - https://www.python.org/