

March 11, 2026

## **Organizational Safety Highlights/Achievements**

### **1) Safety Education and Training**

#### Safety Education & Training (SE&T)

- February EOM SE&T completion final percentage: 63%
  - Number of individual staff who completed training event: 82/130

#### Face to Face (F2F) Training Events

- February face-to-face safety briefings completed: 1

### **2) Facility/Emergency Equipment Operational and Readiness Inspections**

#### Facility Safety Inspections

- February Facility Safety Inspection final percentage: 45%
  - Number individual facilities completed inspections: 10/22

#### AED

- February EOM AED operational check final percentage: 89%
  - Number individual facilities completed AED inspections: 17/19

#### Fire Extinguishers (FE)

- February fire extinguisher readiness checks final percentage: 37%
  - Number individual facilities completed FE inspections: 10/27

#### Fire Detection and Protection Control Panels (FCP)

- February FCP check final percentage: 22%
  - Number individual facility FCP inspections completed Nov: 2/9

#### Fire Alarm (FA) Operational Checks

- January FA check final percentage: 0%
  - Number individual facility FA inspections completed Nov: 0/17

### **3) Parks/Playground Safety Inspections**

- Number parks/playground safety inspections completed February: 5

### **4) Voluntary Safety Hazard Report**

#### CLR Citizen

- February: 0

#### LR Parks & Recreation Employees

- February: 0

## 5) Completed vs Deferred Safety Hazards in the Maintenance Work Order System

EOM February 2026

- Completed: 89%
- Deferred: 11%

## 6) Procurement/Proposals

- Continuing contract with ArkSkyView, LLC for professional drone services for various parks construction and recreation projects and programs

## 7) Marketing/Communication

- February Parks Drone Operations
  - Flew company drone for continued construction development at The Centre work site
  - Working with Marketing/Communications - provide images/videos from various projects and programs to showcase Parks operations on website
  - - POC: Graham B

## 8) Operations & Maintenance (Safety) Support

### Weather Safety Data Source: LRPR Perry-Weather Platform

- Weather Factors That Affect Parks Construction and Parks Maintenance Operations
  - Temperature
    - = Average Temp EOM February: 53.3 Degrees
  - Rain Days
    - = Number days with rain/snow EOM February: 3
  - Rain Accumulation Totals
    - = Total Monthly Rainfall EOM February: 1.52 Inches
  - Relative Humidity (Drives Heat Index)
    - = Average Relative Humidity EOM February: 64.4%
  - Heat Index
    - = Days above Heat Index (105) EOM February: 0 Day
  - Cold Weather
    - = Days below Freezing (32) EOM February: 4

## 9) AED/CPR/FA Recurrences

- AED/CPR/FA re-currencies are completed as scheduled for February – March re-currency training forthcoming

## 10) ADA Compliance Requirements/Progress - February

- ADA Transition Plan still developing w/Cromwell
  - Parks working with CLR legal Department in conjunction with Cromwell