

Method	Description
<code>getDate()</code>	Returns the day of the month (from 1-31)
<code>getDay()</code>	Returns the day of the week (from 0-6)
<code>getFullYear()</code>	Returns the year
<code>getHours()</code>	Returns the hour (from 0-23)
<code>getMilliseconds()</code>	Returns the milliseconds (from 0-999)
<code>getMinutes()</code>	Returns the minutes (from 0-59)
<code>getMonth()</code>	Returns the month (from 0-11)
<code>getSeconds()</code>	Returns the seconds (from 0-59)
<code>getTime()</code>	Returns the number of milliseconds since midnight Jan 1 1970, and a specified date
<code>getTimezoneOffset()</code>	Returns the time difference between UTC time and local time, in minutes
<code>getUTCDate()</code>	Returns the day of the month, according to universal time (from 1-31)
<code>getUTCDay()</code>	Returns the day of the week, according to universal time (from 0-6)
<code>getUTCHours()</code>	Returns the hour, according to universal time (from 0-23)
<code>getUTCMilliseconds()</code>	Returns the milliseconds, according to universal time (from 0-999)
<code>getUTCMinutes()</code>	Returns the minutes, according to universal time (from 0-59)
<code>getUTCMonth()</code>	Returns the month, according to universal time (from 0-11)
<code>getUTCSeconds()</code>	Returns the seconds, according to universal time (from 0-59)
<code>getYear()</code>	<b>Deprecated.</b> Use the <code>getFullYear()</code> method instead
<code>now()</code>	Returns the number of milliseconds since midnight Jan 1, 1970
<code>parse()</code>	Parses a date string and returns the number of milliseconds since January 1, 1970

```

db.datecoll.insert({_id : 1, name : '가나다', dt : ISODate()})
db.datecoll.insert({_id : 2, name : 'abc', dt : ISODate("2020-01-01")})
db.datecoll.insert({_id : 3, name : 'xyz', dt : ISODate("2021-05-25 13:10")})
db.datecoll.insert({_id : 4, name : 'lmn', dt : ISODate("2021-05-25 13:05")})
db.datecoll.insert({_id : 5, name : 'ㄱ ㅋ', dt : ISODate("2020-10-05")})
db.datecoll.insert({_id : 6, name : 'mmm', dt : new Date()})
db.datecoll.insert({_id : 7, name : 'kkk', dt : ISODate("1998-11-07T00:00:00Z")})

db.datecoll.find()

```

```
db.datecoll.find().sort({dt : 1})  
db.datecoll.find().sort({dt : -1})
```

```
var v = db.datecoll.find()  
while(v.hasNext()) {  
    var d = v.next();  
    print(d.dt.getYear()+1900)  
}
```

```
db.datecoll.find().forEach(  
    function(c) {  
        print(  
            c.dt.getFullYear()  
        );  
    }  
)
```

```
db.datecoll.find().map(  
    function(c) {  
        c = c.dt.getFullYear();  
        return c;  
    }  
)
```

```
db.datecoll.find().forEach(  
    function(doc) {  
        if(doc.dt.getFullYear() == 2021)  
            print(doc._id);  
            print(doc.name);  
            print(doc.dt)  
    }  
)
```