APOLLO V2 · BUTTON · CELL RENDER

variant = Outline · state = Disabled · size = icon

Resolved from `data/components/Button.component.json` (GAP-5 closure path) against `data/tokens.json`, light mode. Icon-only — `variantConstraints` suppress `buttonText`, `showLeftIcon`, `showRightIcon`, `showKbdGroup`; the cell exposes a single fixed icon slot only.

VISUAL

attr: disabled · aria-disabled="true"

44 × 44 · touch-target ✓

state = :disabled · 1:1

RESOLVED CSS

```
/* Apollo v2 Button — variant=Outline, state=Disabled, size=icon */
.btn[data-variant="outline"][data-size="icon"]:disabled {
  display:         inline-flex;
  align-items:     center;
  justify-content: center;
  gap:             0;        /* gap=null — single slot */

  height:          44px;     /* {height.h-11} */
  width:           44px;     /* hardcoded — SP-4, should bind
{width.w-11} */
  padding:         0;        /* padding-x=0, padding-y=0 */

  border:          1px solid #737373;
                         /* {border-width.border} · solid ·
{color.base.muted-foreground} */
  border-radius:   9999px;   /* {border-radius.rounded-full} — pill
*/

  background:      #fafafa;  /* {color.custom.background-dark-input-
30}
                                        — Outline.Disabled keeps
default fill (GAP-5) */
  color:           #737373;  /* {color.base.muted-foreground} — icon
stroke */

  opacity:         1;        /* {opacity.opacity-100} — tinted, not
alpha-dimmed */
  cursor:          not-allowed;
  pointer-events:  none;
  /* typography: null — icon-only, no label */
  /* focus-ring: n/a — state ≠ Focus */
}
.btn > .icon { width: 16px; height: 16px; } /* {height.h-4} (cell
emits raw 16px) */
```

PROPERTY	TOKEN REFERENCE	RESOLVED VALUE
fill	{color.custom.background-dark-input-30}	#fafafa
border.width	{border-width.border}	1px
border.color	{color.base.muted-foreground}	#737373 GAP-5 closed
text/icon-color	{color.base.muted-foreground}	#737373
radius	{border-radius.rounded-full}	9999px pill · universal
height	{height.h-11}	44px
width	— (no binding)	44px hardcoded · SP-4
padding-x / padding-y	— (zero)	0 / 0
gap	null	— single slot
typography	null	— no label
iconSize	{height.h-4}	16px $bindingStatus: partial
opacity	{opacity.opacity-100}	1
focus-ring	—	n/a (state ≠ Focus)
clipsContent	— (variant ≠ Default)	false
touch target	a11y.minTouchTarget	44 × 44 WCAG 2.5.5 ✓

AUDIT SIGNALS 5

GAP-5	Outline Disabled border + text resolve to `muted-foreground`, not `primary-disabled`. Closed 2026-05-15 via cell `112:1310`. Border and icon both emit `#737373`; the background stays at the default `custom/background-dark-input-30` rather than shifting to a disabled token. Render reflects the corrected per-state border-color map.
SP-4	icon-size width hardcoded `44px` instead of `{width.w-11}`. `$widthBindingStatus: "hardcoded"` on `bindings.size.icon.width`. Matching token (`width.w-11 = 44px`) exists in `tokens.json` — source DS should rebind. Surfaced as audit-findings-for-source.md · Finding 2 (MEDIUM).
SP-4	iconSize partially bound. `bindings.size.icon.iconSize = {height.h-4}` but the cell emits a raw `16px` with no node-level binding. `$iconSizeBindingStatus: "partial"`. Cell is using a height token for a width property — semantic mismatch with `{width.w-4}` (also 16px). Bundle-side observation only; renderer applies the resolved value.
a11y	Touch-target compliant. 44 × 44 px hits the WCAG 2.5.5 floor — per `a11y.touchTargetCompliance.compliant`, `icon` joins `default`, `lg`, and `icon-lg` as a compliant size. The `icon-xs` / `icon-sm` siblings do *not*.
contract	Disabled rendering contract. HTML `disabled` + `aria-disabled="true"` + `pointer-events: none`. Opacity is held at 1 on purpose — Apollo v2's disabled affordance is the muted border/icon color, not an alpha dim. Do not stack a `0.5` opacity on top.

Notes. variantConstraints for size ∈ {icon, icon-xs, icon-sm, icon-lg} disable buttonText / showLeftIcon / showRightIcon / showKbdGroup — the icon slot is fixed, single, and not user-swappable through props at this size. Lucide CircleArrowLeft stands in as a representative payload; renderer applies stroke via currentColor.