

README — ULCM_M1_Extraction_Fields_by_RQ.docx

Purpose: Companion reference for the ULCM M1 Rapid Review (StrongMinds Ultra-Low-Cost Model for Adult Depression). Tells the extractor, for every one of the 18 research questions, exactly which fields to pull, how to code them, and which section of the final Decision Brief the answer feeds.

1. What this document is

A **47-page operational specification** that expands the extraction schema in Appendix D of the protocol into a question-by-question, field-by-field playbook. It is the source-of-truth for what a “complete” extraction record looks like on any given paper.

It is not:

- A replacement for Appendix D of the protocol. Appendix D remains canonical for field IDs, types, and controlled vocabularies. This document is additive.
- The prompt the LLM sees at run-time. That is ULCM_M1_Extraction_Prompt.md (see its own README).
- A synthesis plan. Synthesis logic (harvest plots, forest plots, cost harmonisation) lives in protocol §4.5.

2. What it maps

Two things, side by side, for every field:

1. **Field → protocol.** Every field is anchored to a section of the protocol (Appendix D block, controlled vocabulary D.8, or one of the §3A / §3.11A / §3A.4.6 revisions).
2. **Field → Decision Brief.** Every field is anchored to a section of Strongminds_template_try_1207.docx — the final report the extraction feeds. So an extractor can see, for any field they populate, exactly where the value ends up in the Section 6 answer boxes, the Section 2 dashboard, the Section 8 design tables, or the §10 evidence-gap register.

3. Structure

Section	What's in it
§1 Purpose	How to use the doc; companion outputs.
§2 Core principles	Units of extraction (SR/MA vs primary study); capped RQ set; verbatim-span discipline; controlled-vocabulary discipline; two evidence streams + one internal stream.
§3 Universal fields	Twelve blocks (§3.1–§3.12) applied to

	every included record: study identification, design/context, severity, intervention ingredients, dose, facilitator/delivery, outcomes/effects, durability, engagement/safety, psychometrics, quality/provenance, RQ tagging.
§3.4A (REVISION)	Sub-module decomposition for named programmes — IPT-G, PM+, HAP, THP, Friendship Bench, CBT-brief, PST, BA, MI, SSL, peer-support. Sub-module vocabulary + session-share % + contribution + evidence type.
§3.8A (REVISION)	Repeating additional-outcomes array — DEPRESSION OUTCOMES ONLY. Every {depression construct × validated depression instrument × time-point × subgroup × adjustment} the study reports, no cap. Non-depression outcomes (anxiety, functioning, wellbeing, QoL) stay out of this block.
§3.11A (REVISION)	AMSTAR-2 itemised checklist for systematic reviews — all 16 items with the 7-critical / 9-non-critical split, response coding, and rapid critical-domains derivation of the confidence band.
§3.12A (REVISION)	Study-to-RQ contribution matrix — one entry per {study × RQ} with contribution type, strength, direction, backing fields, and Decision Brief mapping. Materialised as long-format row-per-{sid × rq_id} in the exported sheet.
§3A (REVISION)	Primary-study drill-down inside the capped RQ set: workflow, full vs reduced record tiers, RCT quality items, attrition, trial provenance, arm-level Ns.
§3A.4.6 (REVISION)	Fatal-Flaw ROB checklist: 5 criteria × 9 sub-items × Yes/No coding, verbatim spans, per-criterion notes, propagation to rob_fatal_flaw.
§4 RQ-by-RQ spec	One block per RQ (RQ1–RQ18). Each block records: stream, anchor reviews, unit of extraction, priority fields, RQ-specific coding, and the Decision Brief sections the data feeds.

\$5 Controlled vocabularies	Full closed lists (D.8.1 designs → D.8.6 delivery format; AMSTAR-2 confidence band).
\$6 Master mapping table	One-row-per-RQ view of every Decision Brief section fed.
\$7 Data-quality rules	Seven rule blocks the LLM enforces at run-time (verbatim discipline, non-inference, cost, model config, linked publications).
\$8 Output format	Confirms every record is a single JSON object; points to the runnable prompt for the exact schema.
\$9 Extractor’s checklist	Nine pre-submit checks the extractor runs on every record.

4. How to read a single RQ block (§4)

Each RQ block has the same four sub-sections:

1. **Attribute table** — stream, anchor reviews, unit of extraction, workstream.
2. **Priority fields (must-attempt)** — the universal-field subset that anchors this RQ.
3. **RQ-specific coding, breakdowns, or additional fields** — bespoke fields not in §3 (e.g., dose_response_curve for RQ7, spillover_direction for RQ11).
4. **Map to Decision Brief** — the section(s) of the final report the extracted data populates.

Notes are added at the bottom of any block where a judgement call needs recording (e.g., RQ11’s non-case carve-out; RQ18’s template gap).

5. Revisions pending your review

Six revisions have been added since v1.0; each is tagged in-doc with a red **REVISION — pending your review** banner:

Section	Revision	What’s pending
\$3.4A	Sub-module decomposition (named programmes)	Confirm the initial 11-programme vocabulary; confirm “Other-submodule (specify)” as the escape hatch.
\$3.8A	Repeating additional-outcomes array	v1.6 constrains to depression outcomes only per review-team decision. Confirm no-cap on entries per study.
\$3.11A	AMSTAR-2 itemised	Partial-Yes-as-weakness


	checklist for SRs	convention; whether non-critical items are optional; inherit-vs-re-verify rule.
\$3.12A	Study-to-RQ contribution matrix	Confirm long-format one-row-per-{sid × rq_id} export; confirm strength inherits from AMSTAR-2 / FF-ROB directly.
\$3A	Primary-study drill-down (capped RQ set)	Tier-assignment rule; deduplication workflow; RCT-cluster ICC requirement; baseline-balance structuring; companion-publication model.
\$3A.4.6	Fatal-Flaw ROB checklist	C3b self-report ambiguity for PHQ-9; C5a “flagged by authors” requirement; asymmetric consequence rule (exclude from quant, retain in narrative).

Every open question is listed inline in the doc (see §3.11A last block, §3A.8, §3A.4.6 downstream-consequence block). Nothing marked REVISION is deployed until you accept it.

6. Who this is for

- **Extractors** (human and LLM-assisted): field-by-field spec they follow when coding a paper.
- **Senior reviewers**: audit trail for what should be in an extraction record.
- **Synthesis team**: they read §6 (master mapping) and §4 (RQ blocks) to see which extracted fields drive which report section.
- **StrongMinds and the review’s stakeholders**: transparent record of what the review is and isn’t extracting.

7. How this connects to the rest of the pipeline



quant fields

forest plots,

Decision Brief

↓
Synthesis (harvest plots,
triangulation matrix) →

8. Change log

Version	Date	Change
1.0	2026-07	Initial extraction spec — universal fields + one block per RQ + controlled vocabularies + master mapping table.
1.1	2026-07	Added eff_se, arm-level Ns, and per-time-point SE / CI / N to the durability block for weighted synthesis.
1.2	2026-07	REVISION — added \$3A (primary-study drill-down), \$3A.4 (RCT quality, attrition, provenance, arm Ns), \$3A.5 (dedup), \$3A.6 (linked pubs), \$3A.7 (which-fields-per-unit reference), \$3A.8 (open questions).
1.3	2026-07	REVISION — added \$3A.4.6 (Fatal-Flaw ROB): 5 criteria × 9 sub-items with Yes/No coding, per-criterion notes, propagation to rob_fatal_flaw.
1.4	2026-07	REVISION — added \$3.11A (AMSTAR-2 itemised): 16 items with the critical / non-critical split, per-item response coding, confidence-band derivation, tie-in to the eight review-only RQs.
1.5	2026-07	REVISION — added: \$3.4A sub-module decomposition (11 named programmes ×

1.6

2026-07

sub-modules × session-share % × contribution); §3.8A repeating additional-outcomes array (every construct × instrument × time-point × subgroup); §3.12A study-to-RQ contribution matrix (long-format one-row-per-{sid × rq_id} export).

Constrained §3.8A to depression outcomes only. outcome_construct restricted to five depression constructs; outcome_scale restricted to 20 validated depression instruments. Non-depression outcomes stay in their existing dedicated blocks.

Files: ULCM_M1_Extraction_Fields_by_RQ.docx · this README (README_Extraction_Fields.md and .pdf). **Companion:** ULCM_M1_Extraction_Prompt.md and its README (README_Extraction_Prompt.md). **Authors:** ULCM Rapid Review Protocol v9 July (Appendix D, F); Strongminds_template_try_1207.docx (Decision Brief).