

Page: 1

statsget

January 12, 2017

Abstract

Provides statistical information for a list of DAL columns in a particular table.

1 Use

pipeline processing	yes	
interactive analysis	yes	

2 Description

This task returns the following statistical information for each column in the list specified by the parameter column, present in the table specified by the parameter table:

- The minimum value
- The maximum value
- The mean average
- The root mean squared
- The sum
- The total number of elements considered.

The results are written to the standard output as well as the text file specified by the parameter resultfile.

3 Example

To view the statistics for the TIME column in the table EVENTS of the dataset events.ds:

statsget table=events.ds:EVENTS column='TIME'

To view the statistics for the columns DETX and DETY in the table EVENTS of the dataset events.ds:

statsget table=events.ds:EVENTS column='DETX DETY'

Page:

2

4 Parameters

This section documents the parameters recognized by this task (if any).

Parameter	Mand	Type	Default	Constraints

table yes	table	myset.ds:MYTABLE	none
-----------	-------	------------------	------

The table containing the columns of interest

column	no	list of	COLUMN1 COL-	none
		strings	UMN2 COLUMN3	

The list of columns for which statistical information is required.

resultfile	no	file-	statistics.txt	none
		name		

The list of columns for which statistical information is required.

5 Errors

This section documents warnings and errors generated by this task (if any). Note that warnings and errors can also be generated in the SAS infrastructure libraries, in which case they would not be documented here. Refer to the index of all errors and warnings available in the HTML version of the SAS documentation.

invalidColumnName (warning)

The column name does not match any in the specified table. corrective action: Move onto next column in list

6 Input Files

1. A dataset containing a table according to the parameter table, that in turn contains the columns listed in the parameter column.

7 Output Files

1. A text file listing the resultant statistics for each column.



8 Algorithm

- For each column
 - $-\ \mbox{check}$ if it exists, if not, raise an error and move to next column
 - Compute the statistics, and write it to the standard output and to the output text file $\,$
- End column loop

9 Comments

• None.

References