




AZURE LOADBALANCER

1. Azure load balancer is nothing but Network load balancer.
2. It works on layer 4 called transport layer.
3. It supports protocols like TCP&UDP.
4. It forwards Traffic based on
 1. IP address
 2. port number
5. Traffic will Route on Round Robin Method.
6. It supports both Region and Global.
7. First, I have created Resource Group, Vnet with two virtual machines. This is the first virtual machine





Second Virtual Machine created with same Vnet under same Resource Group.



1. This is the Vnet called WEST US 3. Under This Vnet I have created two virtual machines.

2. After that I created a Load Balancer called Azure Load Balancer.
3. In that I have configured Frontend IP configuration, Backend pools, Health Probes, and Load Balancing Rules.
4. The following are the related images

Azure Load Balancer

Home > Load balancing and content delivery | Load balancers

Create load balancer ...

Load balancers use a hash-based distribution algorithm. By default, it uses a 5-tuple (source IP, source port, destination IP, destination port, protocol type) hash to map traffic to available servers. Load balancers can either be internet-facing where it is accessible via public IP addresses, or internal where it is only accessible from a virtual network. Azure load balancers also support Network Address Translation (NAT) to route traffic between public and private IP addresses. [Learn more.](#) [↗](#)

Project details


Subscription *	Azure subscription 1
Resource group *	SUDHEER-RG01

[Create new](#)


Instance details

Name *	AZURE-LB
Region *	West US 3
SKU * ⓘ	☒ Standard (Distribute traffic to backend resources) ☐ Gateway (Direct traffic to network virtual appliances)
Type * ⓘ	☒ Public ☐ Internal
Tier *	☒ Regional ☐ Global

Configured Frontend IP configuration



Configured Backend pool



In Backend pool I have added the machines whatever that are created under vnet.

The screenshot shows the Azure portal interface for configuring a Load Balancing Rule. The configuration details are as follows:

- Name:** LB-RULE
- IP version:** IPv4 (selected)
- Frontend IP address:** F-IP-CONFIG (51.57.117.199)
- Backend pool:** BACKEND-POOL
- Protocol:** TCP (selected)
- Port:** 80
- Backend port:** 80
- Health probe:** HEALTH-PROBE-0 (TCP:80)
- Session persistence:** None

Buttons for 'Save' and 'Cancel' are located at the bottom of the configuration panel. The bottom of the screenshot shows the Windows taskbar with the system clock at 5:54 PM on 2/2/2026.

1. Under LB Rule I have configured frontend and backend port as 80 for exposing to the internet.
2. Here whenever we browse with Load Balancer public IP the nginx will be exposed as mentioned below

Welcome to nginx!

If you see this page, the nginx web server is successfully installed and working. Further configuration is required.

For online documentation and support please refer to nginx.org.
Commercial support is available at nginx.com.

Thank you for using nginx.

