Peer Assessments (https://class.coursera.org/interactivepython1-010/human_grading/)
/ Mini-project # 1 - Rock-paper-scissors-lizard-Spock (late)

Help Center (https://accounts.coursera.org/i/zendesk/courserahelp?return_to=https://learner.coursera.help/hc)

Submission Phase

Evaluation Phase

- 2. Evaluate peers **☑** (/interactivepython1-010/human_grading/view/courses/976300/assessments/46/peerGradingSets)
- 3. Self-evaluate **②** (/interactivepython1-010/human_grading/view/courses/976300/assessments/46/selfGradingSets)

Results Phase

Re-submit

Now that you're familiar with the evaluation process, it's time to evaluate your own work.

Self evaluation helps you develop as a lifelong learner (Boud and Falchikov 1989 (http://link.springer.com/article/10.1007%2FBF00138746)).

In order to avoid a 20% penalty on your assignment, please make sure to complete all steps in the evaluation phase.

Submission from: you

Mini-project description — Rock-paper-scissors-lizard-Spock (late version - half credit)

Rock-paper-scissors is a hand game that is played by two people. The players count to three in unison and simultaneously "throw" one of three hand signals that correspond to rock, paper or scissors. The winner is determined by the rules:

- Rock smashes scissors
- Scissors cuts paper
- Paper covers rock

Rock-paper-scissors is a surprisingly popular game that many people play seriously (see the Wikipedia article (http://en.wikipedia.org/wiki/Rock_paper_scissors) for details). Due to the fact that a tie happens around 1/3 of the time, several variants of Rock-Paper-Scissors exist that include more choices to make ties less likely.

Rock-paper-scissors-lizard-Spock (RPSLS) is a variant of Rock-paper-scissors that allows five choices. Each choice wins against two other choices, loses against two other choices and ties against itself. Much of RPSLS's popularity is that it has been featured in 3 episodes of the TV series "The Big Bang Theory". The Wikipedia entry (https://en.wikipedia.org/wiki/Rock-paper-scissors#Additional_weapons) for RPSLS gives the complete description of the details of the game.

In our first mini-project, we will build a Python function <code>rpsls(name)</code> that takes as input the string <code>name</code>, which is one of <code>"rock"</code>, <code>"paper"</code>, <code>"scissors"</code>, <code>"lizard"</code>, or <code>"Spock"</code>. The function then simulates playing a round of Rock-paper-scissors-lizard-Spock by generating its own random choice from these alternatives and then determining the winner using a simple rule that we will next describe.

While Rock-paper-scissor-lizard-Spock has a set of ten rules that logically determine who wins a round of RPSLS, coding up these rules would require a large number (5x5=25) of if / elif / else clauses in your mini-project code. A simpler method for determining the winner is to assign each of the five choices a number:

- 0 rock
- 1 − Spock
- 2 paper
- 3 lizard
- 4 scissors

In this expanded list, each choice wins against the preceding two choices and loses against the following two choices (if rock and scissors are thought of as being adjacent using modular arithmetic).

In all of the mini-projects for this class, we will provide a walk through of the steps involved in building your project to aid its development. A template for your mini-project is available here (http://www.codeskulptor.org/#examples-rpsls_template.py). Please work from this template.

Mini-project development process

- 1. Build a helper function <code>name_to_number(name)</code> that converts the string <code>name</code> into a number between 0 and 4 as described above. This function should use a sequence of <code>if / elif / else</code> clauses. You can use conditions of the form <code>name == 'paper'</code>, etc. to distinguish the cases. To make debugging your code easier, we suggest including a final <code>else</code> clause that catches cases when <code>name</code> does not match any of the five correct input strings and prints an appropriate error message. You can test your implementation of <code>name_to_number()</code> using this <code>name_to_number</code> testing template (http://www.codeskulptor.org/#examples-name_to_number_template.py). (Also available in the Code Clinic tips thread).
- 2. Next, you should build a second helper function <code>number_to_name(number)</code> that converts a number in the range 0 to 4 into its corresponding name as a string. Again, we suggest including a final <code>else</code> clause that catches cases when <code>number</code> is not in the correct range. You can test your implementation of <code>number_to_name()</code> using this number_to_name testing template (http://www.codeskulptor.org/#examples-number_to_name_template.py).
- 3. Implement the first part of the main function rpsls(player_choice). Print out a blank line (to separate consecutive games) followed by a line with an appropriate message describing the player's choice. Then compute the number player_number between 0 and 4 corresponding to the player's choice by calling the helper function name_to_number() using player_choice.
- 4. Implement the second part of rpsls() that generates the computer's guess and prints out an appropriate message for that guess. In particular, compute a random number comp_number between 0 and 4 that corresponds to the computer's guess using the function random.randrange(). We suggest experimenting with randrange in a separate CodeSkulptor window before deciding on how to call it to make sure that you do not accidently generate numbers in the wrong range. Then compute the name comp_choice corresponding to the computer's number using the function number_to_name() and print an appropriate message with the computer's choice to the console.
- 5. Implement the last part of rpsls() that determines and prints out the winner. Specifically, compute the difference between comp_number and player_number taken modulo five. Then write an if/elif/else statement whose conditions test the various possible values of this difference and then prints an appropriate message concerning the winner. If you have trouble deriving the conditions for the clauses of this if/elif/else statement, we suggest reviewing the "RPSLS" video which describes a simple test for determine the winner of RPSLS.

This will be the only mini-project in the class that is not an interactive game. Since we have not yet learned enough to allow you to play the game interactively, you will simply call your rpsls function repeatedly in the program with different player choices. You will see that we have provided five such calls at the bottom of the template. Running your program repeatedly should generate different computer guesses and different winners each time. While you are testing, feel free to modify those calls, but make sure they are restored when you hand in your mini-project, as your peer assessors will expect them to be there.

The output of running your program should have the following form:

Player chooses rock
Computer chooses scissors
Player wins!

Player chooses Spock
Computer chooses lizard
Computer wins!

Player chooses paper
Computer chooses lizard
Computer wins!

Player chooses lizard
Computer wins!

Player chooses scissors
Computer wins!

Player chooses scissors
Computer wins!

Note that, for this initial mini-project, we will focus only on testing whether your implementation of rpsls() works correctly on valid input. For more helpful tips on implementing this mini-project, please visit the Code Clinic tips (https://class.coursera.org/interactivepython1-010/wiki/rpsls_tips) page for this mini-project.

Grading rubric — 18 pts total (scaled to 100 pts)

Your peers will assess your mini-project according to the rubric given below. To guide you in determining whether your project satisfies each item in the rubric, please consult the video that demonstrates our implementation of "Rock-paper-scissors-lizard-Spock". Small deviations from the textual output of our implementation are fine. You should avoid large deviations (such as using the Python function input to input your guesses). Whether moderate deviations satisfy an item of the grading rubric is at your peers' discretion during their assessment.

Here is a break down of the scoring:

- 2 pts A valid CodeSkulptor URL was submitted. Give no credit if solution code was pasted into the submission field. Give 1 pt if an invalid CodeSkulptor URL was submitted.
- 2 pts Program implements the function rpsls() and the helper function name_to_number() with plausible code. Give partial credit of 1 pt if only the function rpsls() has plausible code.
- 1 pt Running program does not throw an error.
- 1 pt Program prints blank lines between games.
- 2 pts Program prints "Player chooses player_choice" where player_choice is a string of the form "rock", "paper", "scissors", "lizard" or "Spock". An example of a complete line of output is "Player chooses scissors". Give 1 pt if program prints out number instead of string.
- 2 pts Program prints "Computer chooses comp_choice" where comp_choice is a string of the form "rock", "paper", "scissors", "lizard" or "Spock". An example of a complete line of output is "Computer chooses scissors". Give 1 pt if program prints out number instead of string.
- 1 pt Computer's guesses vary between five calls to rpsls() in each run of the program.
- 1 pt Computer's guesses vary between runs of the program.
- 3 pts Program prints either "Player and computer tie!", "Player wins!" or "Computer wins!" to report outcome. (1 pt for each message.)
- 3 pts Program chooses correct winner according to RPSLS rules. Please manually examine 5 cases for correctness. If all five cases are correct, award 3 pts; four cases correct award 2 pts; one to three cases correct award 1 pt; no cases correct award 0 pts.

In the submission phase, cut and paste the URL for your cloud-saved mini-project into the box below. Click the Honor Code box and hit the "Submit for grading" button when you are ready to submit your mini-project. (You may submit as many times as you like before the deadline so we suggest that you use "Submit" instead of

"Save".) IMPORTANT: Please use the "Review your work" link that appears at the top of the subsequent submission page to verify that you submitted a working link for the final version of your mini-project. http://www.codeskulptor.org/#user41_3Uikc5H3WV_0.py (http://www.codeskulptor.org/#user41_3Uikc5H3WV_0.py) Evaluation/feedback on the above work **Grading Instructions** In this assessment, you will be asked to grade five of your peer's mini-projects. In return, five of your peers will grade your project. Since you've worked hard on your mini-project and would like your peers to do a good job of assessing your project, please take your time and do a good job of assessing your peer's mini-projects in return. Finally, you will be asked to self-assess your own project after assessing your peer's mini-projects. Before beginning your assessment, please review the video lecture on "Rock-paper-scissors-lizard-Spock" to see a demonstration of a correct, full-credit implementation of the mini-project. For each item below, run your peer's program (in Chrome, Firefox or Safari) and observe its behavior. If the program demonstrates the correct associated functionality, give it full credit for that item. If the program demonstrates partial, inconsistent, or incorrect functionality, assign the program partial credit based on your testing and our comments. When assigning partial or no credit, please add a short written comment that describes the issues you observed. While this takes extra effort, please remember how frustrating it would be to receive partial or no credit on part of your mini-project with no accompanying explanation. 2 pts - A valid CodeSkulptor URL was submitted. 2: A valid CodeSkulptor URL ▼ Optional comments. You've written 0 words 2 pts — Program implements the function | rpsls() | and the helper function | name_to_number() with plausible code. Give partial credit of 1 pt if only the function | rpsls() | has plausible code. 2: Program implements the f ▼ Optional comments.

	You've written 0 words
1 pt — Running progra	m does not throw an error.
1: Does not throw an	error •
Optional comments.	
	You've written 0 words
1 pt - Program prints b	lank lines between games.
1: Does print a blank	line •
Optional comments.	
	You've written 0 words
rock , paper , scissors	Player chooses player_choice where player_choice is a string of the form, lizard or Spock. An example of a complete line of output is "Player pt if program prints out number instead of string.
2: Program prints "Pl	ayer chα ▼
Optional comments.	

"Computer chooses scissors" . Give 1 pt if prog	ck . An example of a complete line of output is gram prints out number instead of string.
2: Program prints "Computer *	
Optional comments.	
	You've written 0 words
1 pt — Computer's guesses vary between fi	ive calls to rpsls() in each run of the program.
1: The computer's guesses u: ▼	
Optional comments.	
	You've written 0 words
1 pt — Computer's guesses vary between ri	uns of the program.
1: Most runs of the program ; 🔻	
Optional comments.	
	You've written 0 words
3 pts - Program prints either Player and comoutcome. (1 pt for each message.)	puter tie!, Player wins! or Computer wins! to report
3: Program prints either "Pla ▼	

	You've written 0 words
	3 pts — Program chooses correct winner according to RPSLS rules. Please manually examine 5 cases for correctness. If all five cases are correct, award 3 pts; four cases correct award 2 pts; one to three cases correct award 1 pt; no cases correct award 0 pts.
	3: All cases are correct ▼
(Optional comments.
	You've written 0 words
	ıll evaluation/feedback
,	ase provide feedback to your classmate for the mini-project you're grading. In particular, focus areas where you did not assign the mini-project full credit. Remember that a sentence or two plaining your rationale will be appreciated.

Re-submit

You've written 0 words