

A NEW PARASITIC COPEPOD OF THE GENUS *LAMPROGLENOIDES*

KUANG PU-REN

(Kunming Institute of Zoology, Academia Sinica)

Lamproglenoides floricapitis Klang, sp. nov.

Holotype: 1 ♀, Menghan, Hsishuang Panna, Yunnan; 1973, IV, 28.

Paratype: 1 ♀, From the same locality as holotype.

Host and occurrence: On the gill filaments of *Tor tor* (Hamilton).

Measurements: Total length 8.54—9.51 mm, genital segment 0.33—0.40 mm, abdomen 2.85—3.2 mm.

A detailed description is given in the Chinese text. So far as known, only one species of the genus *Lamproglenoides* has been recorded by Fryer. Our specimens differ from *L. vermiformis* Fryer in being much larger in body size, having no pads, but possessing the 5th pair of legs. For other differences, see table 1.

The type specimens are kept in the Kunming Institute of Zoology, Academia Sinica.

西藏鸟类的国内新纪录

NEW RECORDS OF CHINESE BIRDS FROM XIZANG

1975年我们参加中国科学院青藏综合考察队,在西藏地区获得的鸟类标本中,发现有以下新纪录,现简报如下。(衡度以克为单位,量度以毫米为单位。)

1. 鳞腹绿啄木鸟 *Picus squamatus squamatus* Vigors

1 ♀, 1975. VII. 22, 吉隆县吉隆区(海拔 2,800 米)。

体重 150, 体长 301, 嘴峰 39, 翅长 150, 跗蹠 26.5, 尾长 113。*

下体灰色略沾淡绿,且具鳞状黑斑纹,此斑纹较 *P. s. flavirostris* 亚种浓著而且宽。

采于针阔混交林间,成对活动,胃内见有几只蚂蚁和一些鞘翅目昆虫碎片。

2. 林柳莺 *Phylloscopus sibilatrix* (Bechstein)

1 号标本,性别不明, 1975. IX. 21, 当雄县羊八井(海拔 4,200 米)。

体重 9, 体长 110, 嘴峰 8, 翅长 71.3, 跗蹠 17, 尾长 48。

体形、腋羽与黄眉柳莺 *P. inornatus* 相仿,但眉纹和胸部的柠檬黄显著,腹部灰白。

采于灌丛间,见到 4—5 只,鸣声清晰而高, Pi-Pi 声之后紧接着是拍打翅膀的声音。

此鸟主要分布在欧洲,冬天到非洲刚果河以北赤道带越冬。这是亚洲第一个纪录。

江智华 王子玉 梁军

(中国科学院动物研究所) 1978 年 9 月 12 日