

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

Company Name: SHANTOU CHENGHAI QUANSHENG TOYS FACTORY
Address: QUANSHENG TOYS FACTORY NO.5, LANE 9, PUMEIMEILE DISTRICT,
GUANGYI STREET, CHENGHAI DISTRICT, SHANTOU CITY, GUANGDONG
PROVINCE, CHINA

The following sample information is provided by the client and responsible for its authenticity

Sample Name: Please refer to following page(s).
Model No. : Please refer to following page(s).
SKU: Please refer to following page(s).
Manufacturer Name: SHANTOU CHENGHAI QUANSHENG TOYS FACTORY
Manufacturer Address: QUANSHENG TOYS FACTORY NO.5, LANE 9, PUMEIMEILE DISTRICT,
GUANGYI STREET, CHENGHAI DISTRICT, SHANTOU CITY, GUANGDONG
PROVINCE, CHINA

Age grading labeled: 6+

Age grading applied in testing: 6+

Date of Receipt: Nov.09, 2025

Test Period: Nov.09, 2025 – Dec.19, 2025

Test Request: Select test(s) as requested by the client.

Test Result: Please refer to following page(s).

Conclusion: Please refer to following page(s).

Edited by Cheng Wanfen **Reviewed by** Wu Qing Yu **Approved by** Zheng Xinqing



扫一扫 验真伪

Issue date: Dec.19,2025

The result(s) shown in this report refer(s) only to the sample(s) tested. This report is considered invalid without approved signature, special seal for inspection and testing and the seal on the perforation. This report cannot be reproduced except in full, without prior written approval of the company. Any disagreements of the test report should be fed back to us within 15 workdays upon receiving the report. Scan the QR code on the first page of the test report, or log on to the official website <http://www.grgtmall.com>, enter the report number and check code to check the authenticity of the report. If you have any questions, please contact the email grgtest@grgtest.com. GRGT assumes no responsibility for information leakage caused by improper management of the QR code and the check code by customers.

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8, Chuangyun Road, Panyu District, Guangzhou, Guangdong, China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

Sample Name	Model No
water gun	QS811-259
water gun	QS811-260
water gun	QS811-260
water gun	QS811-261
water gun	QS811-262
water gun	QS811-262
water gun	QS811-180
water gun	QS811-181-2
water gun	QS811-28-2
water gun	QS811-38-2
water gun	G1
water gun	W1
water gun	W3
water gun	QS811-28-2
water gun	QS811-2
water gun	QS811-49-2
water gun	QS811-54-2
water gun	QS811-54-2
water gun	QS811-54-2
water gun	QS811-195
water gun	QS811-198
water gun	QS811-187
water gun	QS811-278
water gun	QS811-278
water gun	QS811-269
water gun	QS811-269
water gun	QS811-270
water gun	QS811-270
water gun	QS811-201
water gun	QS811-201-2
water gun	QS811-215
water gun	QS811-253
water gun	QS811-254
water gun	QS811-249
water gun	QS811-218

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

water gun	QS811-218
water gun	QS811-292
water gun	QS811-292
water gun	QS811-296
water gun	QS811-296
water gun	QS811-290
water gun	QS811-290
water gun	QS811-297
water gun	QS811-297
water gun	QS811-303
water gun	QS811-303
water gun	QS811-304
water gun	QS811-305
water gun	QS811-305
water gun	QS811-302
water gun	QS811-255
water gun	QS811-258
water gun	QS811-258
water gun	QS811-258
water gun	QS811-258
water gun	QS811-256
water gun	QS811-257
water gun	QS811-300
water gun	QS811-301
water gun	QS811-187-1
water gun	QS811-187-2
water gun	QS811-187-4
water gun	QS811-75
water gun	QS811-131
water gun	QS811-84-1
water gun	QS811-84-1
water gun	QS811-84-2
water gun	QS811-84-2
water gun	QS811-84-4
water gun	QS811-84-4
water gun	QS811-288
water gun	QS811-289

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

water gun	QS811-308
water gun	QS811-310
water gun	QS811-145
water gun	QS811-145
water gun	QS811-145
water gun	QS811-145
water gun	QS811-57
water gun	QS811-57
water gun	QS811-57
water gun	QS811-321
water gun	QS811-322
water gun	QS811-323
water gun	QS811-317
water gun	QS811-318
water gun	QS811-25
water gun	QS811-26
water gun	QS811-29UV
water gun	QS811-30
water gun	QS811-38
water gun	QS811-311
water gun	QS811-312
water gun	QS811-313
water gun	QS811-314
water gun	QS811-315
water gun	QS811-316
water gun	QS811-320

CONCLUSION :

According to client's request to conduct below tests in the selected parts of the submitted sample:

TEST ITEM

RESULT

The total lead content of 100ppm requirements in substrate materials -Consumer Products Safety Improvement Act (CPSIA) of 2008,Section 101(a). **PASS**

The total lead content of 90ppm requirements in surface coating -Consumer Products Safety Improvement Act (CPSIA) of 2008, Section 101(f). **PASS**

The total lead content of 90ppm requirements in surface coating-16 CFR 1303 ban of lead-containing paint and certain consumer products bearing lead-containing paint. **PASS**

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

The phthalates (BBP, DBP, DEHP, DINP, DIBP, DPENP, DHEXP & DCHP) content requirements of the Consumer Product Safety Improvement Act (CPSIA) of 2008 Sec. 108(a) and 108(c), 16 CFR 1307).	PASS
The total lead content in surface coating requirements of ASTM F963-23, "Standard consumer safety specification for toy safety", Section 4.3.5.1(1).	PASS
The total lead content in substrate requirements of ASTM F963-23, "Standard consumer safety specification for toy safety", Section 4.3.5.2(2)(a).	PASS
The soluble heavy metals content in substrate requirements of ASTM F963-23, "Standard Consumer Safety Specification for Toy Safety," Section 4.3.5.2(2)(b).	PASS
The soluble heavy metals content in surface coating requirements of ASTM F963-23, "Standard Consumer Safety Specification for Toy Safety," Section 4.3.5.1(2).	PASS
The mechanical hazards and labeling requirements of ASTM F963-23, "Standard consumer safety specification for toy safety".	PASS
The battery-operated toys test requirements of ASTM F963-23, "Standard consumer safety specification for toy safety", Section 4.25	PASS
The flammability requirement of solids under ASTM F963-23 section 4.2 according to Annex A5, "Flammability testing procedure for solids and soft toys".	PASS
The flammability requirement of fabrics before washing under ASTM F963-23 section 4.2 according to Annex A6, "Flammability testing procedure for fabrics".	NA
Test methods for simulating use and abuse of toys and other articles intended for use by children- CPSC 16 CFR 1500.50	-
Small parts-CPSC 16 CFR 1501	NA
Sharp points- CPSC 16 CFR 1500.48	PASS
Sharp edges- CPSC 16 CFR 1500.49	PASS
Section 14(a)(5) of the 15U.S.C. § 2063(a)(5) (CPSC) & CPSIA Section 103 Tracking Label Requirement for Children's Products	PASS

TEST PART(S):

Part No.	Part(s) Description
P1	Orange plastic
P2	Orange-red silicone gasket
P3	Green plastic
P4	Apricot-colored plastic
P5	Light blue plastic
P6	Blue plastic
P7	Light apricot plastic
P8	Purple/white/black multi-color coating
P9	Orange-red plastic
P10	Silver metal screw
P11	Bright blue plastic
P12	Deep teal transparent plastic

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

P13	Dark blue plastic
P14	White plastic
P15	Blue-green plastic
P16	Pink plastic
P17	Rose-red plastic
P18	Orange silicone gasket
P19	Grass green plastic
P20	White silicone gasket
P21	Orange/Black Stickers
P22	Gray plastic
P23	Deep blue-green plastic
P24	Red plastic
P25	Grey green plastic
P26	Black plastic
P27	Lemon yellow plastic
P28	Malachite green transparent plastic
P29	Light sky blue plastic
P30	Black/Orange Coating
P31	Transparent plastic hose
P32	Black silicone sealing ring
P33	Dark blue plastic inner wall
P34	Black plastic battery casing
P35	Black soft plastic wire leather
P36	Red soft plastic wire leather
P37	Red transparent plastic USB
P38	Silver metal USB
P39	Black plastic pin location
P40	Silver metal needle
P41	Black transparent plastic USB
P42	Blue plastic film with black printing
P43	Brown paper
P44	Deep bean green plastic
P45	Deep blue coating
P46	Blue plastic
P47	Earthy yellow plastic
P48	Blue soft plastic hose
P49	White transparent silicone plug

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

P50	Dark Treasure Blue Transparent Plastic
P51	Off white plastic
P52	Grey blue plastic
P53	Silver metal ring
P54	Black transparent plastic gun body
P55	Brown transparent plastic
P56	White soft plastic cable skin USB
P57	Light brown transparent plastic
P58	White coating
P59	Orange transparent plastic
P60	yellow plastic
P61	Dark blue transparent plastic
P62	Green transparent plastic
P63	Deep pink transparent plastic
P64	Light yellow plastic
P65	Blue/green/brown multi-color coating
P66	Dark yellow green transparent plastic
P67	Blue/bean green/purple/brownish red/yellow multi-color coating
P68	Yellow silicone plug
P69	Dark green plastic
P70	Dark wine red transparent plastic
P71	Light watermelon red plastic
P72	Blue plastic lake water
P73	Pink purple plastic
P74	Yellow green plastic
P75	Black coating
P76	Grey transparent plastic
P77	Bright gemstone blue transparent plastic
P78	Grass green/black sticker
P79	Dark brown/orange coating
P80	Grass green/black/orange red stickers
P81	Deep rose red plastic
P82	Transparent sticker with orange lettering
P83	Blue/earthy/dark blue stickers
P84	Brown red plastic
P85	Deep green plastic
P86	Finished product(QS811-195、QS811-198)

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

P87	Finished product(QS811-201、QS811-201-2、QS811-215、QS811-253、QS811-254、QS811-249、QS811-145、QS811-312、QS811-313、QS811-314、QS811-315、QS811-316、QS811-317、QS811-318)
P88	Finished product (G1、W3、QS811-54-2、QS811-181-2、QS811-262、QS811-180、QS811-38-2、QS811-28-2、QS811-2、QS811-49-2、QS811-261、QS811-259、QS811-131、QS811-256、QS811-75、QS811-258)
P89	Finished product (QS811-269、QS811-270、QS811-278、QS811-269、QS811-187、QS811-262、QS811-26、QS811-25、QS811-84-2、QS811-187-4、QS811-310、QS811-300、QS811-290、QS811-304、QS811-305、QS811-255、QS811-218、QS811-296、QS811-292、QS811-297、QS811-302、QS811-257、QS811-303、QS811-308、QS811-288、QS811-29W、QS811-301、QS811-187-2、QS811-289、QS811-84-1、QS811-84-2、QS811-187-1)
P90	Finished product(QS811-195、QS811-198、QS811-201、QS811-201-2、QS811-215、QS811-253、QS811-254、QS811-249、QS811-145、QS811-312、QS811-313、QS811-314、QS811-315、QS811-316、QS811-317、QS811-318)

TEST RESULT(S):**Total lead content in substrate materials-Consumer Product Safety Improvement Act (CPSIA) of 2008 Sec. 101(a)(2)**

Method used: CPSC testing method CPSC-CH-E1002-08.3 for non metallic materials&
CPSC-CH-E1001-08.3 for metallic materials, analyzed by Inductively Coupled Argon Plasma Atomic Emission Spectrophotometer

Test Parameter(s)	Unit	MDL	Limit	Result(s)		
				P1+P3+P4	P5+P6+P7	P9+P11+P12
Lead(Pb)	mg/kg	10	100	ND	ND	ND
Conclusion				Pass	Pass	Pass

Test Parameter(s)	Unit	MDL	Limit	Result(s)		
				P13+P14+P15	P16+P17+P19	P22+P23+P24
Lead(Pb)	mg/kg	10	100	ND	ND	ND
Conclusion				Pass	Pass	Pass

Test Parameter(s)	Unit	MDL	Limit	Result(s)		
				P25+P26+P27	P28+P29+P33	P34+P39+P37
Lead(Pb)	mg/kg	10	100	ND	ND	ND
Conclusion				Pass	Pass	Pass

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

Test Parameter(s)	Unit	MDL	Limit	Result(s)		
				P41+P42+P44	P46+P47+P50	P51+P52+P54
Lead(Pb)	mg/kg	10	100	ND	ND	ND
Conclusion				Pass	Pass	Pass

Test Parameter(s)	Unit	MDL	Limit	Result(s)		
				P55+P57+P59	P60+P61+P62	P63+P64+P66
Lead(Pb)	mg/kg	10	100	ND	ND	ND
Conclusion				Pass	Pass	Pass

Test Parameter(s)	Unit	MDL	Limit	Result(s)		
				P69+P70+P71	P72+P73+P74	P76+P77+P81
Lead(Pb)	mg/kg	10	100	ND	ND	ND
Conclusion				Pass	Pass	Pass

Test Parameter(s)	Unit	MDL	Limit	Result(s)		
				P2+P18+P20	P32+P49+P68	P31+P48
Lead(Pb)	mg/kg	10	100	ND	ND	ND
Conclusion				Pass	Pass	Pass

Test Parameter(s)	Unit	MDL	Limit	Result(s)		
				P35+P36+P56	P21+P78	P80+P82+P83
Lead(Pb)	mg/kg	10	100	ND	ND	ND
Conclusion				Pass	Pass	Pass

Test Parameter(s)	Unit	MDL	Limit	Result(s)		
				P10+P38+P40	P53	P43
Lead(Pb)	mg/kg	10	100	23	27	ND
Conclusion				Pass	Pass	Pass

Test Parameter(s)	Unit	MDL	Limit	Result(s)		
				P84+P85		
Lead(Pb)	mg/kg	10	100	ND		
Conclusion				Pass		

Note:

1. mg/kg = milligram per kilogram
2. ND= Not Detected (< MDL)
3. MDL = Method Detection Limit
4. "+"=mixed test, data users should consider the risk of "pass" results of mixed samples

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

Total lead content in surface coating-Consumer Product Safety Improvement Act (CPSIA) of 2008 Sec. 101(f)

Method used: CPSC testing method CPSC-CH-E1003-09.1, analyzed by Inductively Coupled Argon Plasma Atomic Emission Spectrophotometer

Test Parameter(s)	Unit	MDL	Limit	Result(s)		
				P30+P45+P58	P65+P67+P75	P8+P79
Lead(Pb)	mg/kg	10	90	ND	ND	ND
Conclusion				Pass	Pass	Pass

Note:

1. mg/kg = milligram per kilogram
2. ND= Not Detected (< MDL)
3. MDL = Method Detection Limit
4. "+"=mixed test, data users should consider the risk of "pass" results of mixed samples

The total lead content of 90ppm requirements in surface coating-16 CFR 1303 ban of lead-containing paint and certain consumer products bearing lead-containing paint.

Method used: CPSC testing method CPSC-CH-E1003-09.1, analyzed by Inductively Coupled Argon Plasma Atomic Emission Spectrophotometer

Test Parameter(s)	Unit	MDL	Limit	Result(s)		
				P30+P45+P58	P65+P67+P75	P8+P79
Lead(Pb)	mg/kg	10	90	ND	ND	ND
Conclusion				Pass	Pass	Pass

Note:

1. mg/kg = milligram per kilogram
2. ND= Not Detected (< MDL)
3. MDL = Method Detection Limit
4. "+"=mixed test, data users should consider the risk of "pass" results of mixed samples

Phthalates content-Consumer Product Safety Improvement Act (CPSIA) of 2008, Section 108(a) and 108(c), 16 CFR 1307

Method Used: CPSC testing method CPSC-CH-C1001-09.4, analyzed by Gas Chromatography with Mass Selective Detector

Test Parameter(s)	CAS No.	Unit	MDL	Limit	Result(s)
					P1+P3+P4
Butyl benzyl phthalate(BBP)	85-68-7	w/w, %	0.005	0.1	ND
Dibutyl phthalate(DBP)	84-74-2	w/w, %	0.005	0.1	0.006
Di (2-ethylhexyl) phthalate(DEHP)	117-81-7	w/w, %	0.005	0.1	0.007
Di-n-hexyl phthalate(DNHP)	84-75-3	w/w, %	0.005	0.1	ND

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8, Chuangyun Road, Panyu District, Guangzhou, Guangdong, China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

Di-iso-nonyl phthalate(DINP)	28553-12-0/ 68515-48-0	w/w, %	0.005	0.1	ND
Di-iso-butyl ortho-phthalate(DIBP)	84-69-5	w/w, %	0.005	0.1	ND
Dicyclohexyl phthalate(DCHP)	84-61-7	w/w, %	0.005	0.1	ND
Di-n-pentyl phthalate(DPP/DPENP)	131-18-0	w/w, %	0.005	0.1	ND
Conclusion					Pass

Test Parameter(s)	CAS No.	Unit	MDL	Limit	Result(s)
					P5+P6+P7
Butyl benzyl phthalate(BBP)	85-68-7	w/w, %	0.005	0.1	ND
Dibutyl phthalate(DBP)	84-74-2	w/w, %	0.005	0.1	0.006
Di (2-ethylhexyl) phthalate(DEHP)	117-81-7	w/w, %	0.005	0.1	ND
Di-n-hexyl phthalate(DNHP)	84-75-3	w/w, %	0.005	0.1	ND
Di-iso-nonyl phthalate(DINP)	28553-12-0/ 68515-48-0	w/w, %	0.005	0.1	ND
Di-iso-butyl ortho-phthalate(DIBP)	84-69-5	w/w, %	0.005	0.1	ND
Dicyclohexyl phthalate(DCHP)	84-61-7	w/w, %	0.005	0.1	ND
Di-n-pentyl phthalate(DPP/DPENP)	131-18-0	w/w, %	0.005	0.1	ND
Conclusion					Pass

Test Parameter(s)	CAS No.	Unit	MDL	Limit	Result(s)
					P9+P11+P12
Butyl benzyl phthalate(BBP)	85-68-7	w/w, %	0.005	0.1	ND
Dibutyl phthalate(DBP)	84-74-2	w/w, %	0.005	0.1	0.005
Di (2-ethylhexyl) phthalate(DEHP)	117-81-7	w/w, %	0.005	0.1	0.006
Di-n-hexyl phthalate(DNHP)	84-75-3	w/w, %	0.005	0.1	ND
Di-iso-nonyl phthalate(DINP)	28553-12-0/ 68515-48-0	w/w, %	0.005	0.1	ND
Di-iso-butyl ortho-phthalate(DIBP)	84-69-5	w/w, %	0.005	0.1	ND
Dicyclohexyl phthalate(DCHP)	84-61-7	w/w, %	0.005	0.1	ND

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8, Chuangyun Road, Panyu District, Guangzhou, Guangdong, China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

Di-n-pentyl phthalate(DPP/DPENP)	131-18-0	w/w, %	0.005	0.1	ND
Conclusion					Pass

Test Parameter(s)	CAS No.	Unit	MDL	Limit	Result(s)
					P13+P14+P15
Butyl benzyl phthalate(BBP)	85-68-7	w/w, %	0.005	0.1	ND
Dibutyl phthalate(DBP)	84-74-2	w/w, %	0.005	0.1	0.007
Di (2-ethylhexyl) phthalate(DEHP)	117-81-7	w/w, %	0.005	0.1	ND
Di-n-hexyl phthalate(DNHP)	84-75-3	w/w, %	0.005	0.1	ND
Di-iso-nonyl phthalate(DINP)	28553-12-0/ 68515-48-0	w/w, %	0.005	0.1	ND
Di-iso-butyl ortho-phthalate(DIBP)	84-69-5	w/w, %	0.005	0.1	ND
Dicyclohexyl phthalate(DCHP)	84-61-7	w/w, %	0.005	0.1	ND
Di-n-pentyl phthalate(DPP/DPENP)	131-18-0	w/w, %	0.005	0.1	ND
Conclusion					Pass

Test Parameter(s)	CAS No.	Unit	MDL	Limit	Result(s)
					P16+P17+P19
Butyl benzyl phthalate(BBP)	85-68-7	w/w, %	0.005	0.1	ND
Dibutyl phthalate(DBP)	84-74-2	w/w, %	0.005	0.1	0.006
Di (2-ethylhexyl) phthalate(DEHP)	117-81-7	w/w, %	0.005	0.1	ND
Di-n-hexyl phthalate(DNHP)	84-75-3	w/w, %	0.005	0.1	ND
Di-iso-nonyl phthalate(DINP)	28553-12-0/ 68515-48-0	w/w, %	0.005	0.1	ND
Di-iso-butyl ortho-phthalate(DIBP)	84-69-5	w/w, %	0.005	0.1	ND
Dicyclohexyl phthalate(DCHP)	84-61-7	w/w, %	0.005	0.1	ND
Di-n-pentyl phthalate(DPP/DPENP)	131-18-0	w/w, %	0.005	0.1	ND
Conclusion					Pass

Test Parameter(s)	CAS No.	Unit	MDL	Limit	Result(s)
					P22+P23+P24

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8, Chuangyun Road, Panyu District, Guangzhou, Guangdong, China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

Butyl benzyl phthalate(BBP)	85-68-7	w/w, %	0.005	0.1	ND
Dibutyl phthalate(DBP)	84-74-2	w/w, %	0.005	0.1	ND
Di (2-ethylhexyl) phthalate(DEHP)	117-81-7	w/w, %	0.005	0.1	ND
Di-n-hexyl phthalate(DNHP)	84-75-3	w/w, %	0.005	0.1	ND
Di-iso-nonyl phthalate(DINP)	28553-12-0/ 68515-48-0	w/w, %	0.005	0.1	ND
Di-iso-butyl ortho-phthalate(DIBP)	84-69-5	w/w, %	0.005	0.1	ND
Dicyclohexyl phthalate(DCHP)	84-61-7	w/w, %	0.005	0.1	ND
Di-n-pentyl phthalate(DPP/DPENP)	131-18-0	w/w, %	0.005	0.1	ND
Conclusion					Pass

Test Parameter(s)	CAS No.	Unit	MDL	Limit	Result(s)
					P25+P26+P27
Butyl benzyl phthalate(BBP)	85-68-7	w/w, %	0.005	0.1	ND
Dibutyl phthalate(DBP)	84-74-2	w/w, %	0.005	0.1	0.006
Di (2-ethylhexyl) phthalate(DEHP)	117-81-7	w/w, %	0.005	0.1	ND
Di-n-hexyl phthalate(DNHP)	84-75-3	w/w, %	0.005	0.1	ND
Di-iso-nonyl phthalate(DINP)	28553-12-0/ 68515-48-0	w/w, %	0.005	0.1	ND
Di-iso-butyl ortho-phthalate(DIBP)	84-69-5	w/w, %	0.005	0.1	ND
Dicyclohexyl phthalate(DCHP)	84-61-7	w/w, %	0.005	0.1	ND
Di-n-pentyl phthalate(DPP/DPENP)	131-18-0	w/w, %	0.005	0.1	ND
Conclusion					Pass

Test Parameter(s)	CAS No.	Unit	MDL	Limit	Result(s)
					P28+P29+P33
Butyl benzyl phthalate(BBP)	85-68-7	w/w, %	0.005	0.1	ND
Dibutyl phthalate(DBP)	84-74-2	w/w, %	0.005	0.1	ND
Di (2-ethylhexyl) phthalate(DEHP)	117-81-7	w/w, %	0.005	0.1	ND
Di-n-hexyl phthalate(DNHP)	84-75-3	w/w, %	0.005	0.1	ND

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8, Chuangyun Road, Panyu District, Guangzhou, Guangdong, China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

Di-iso-nonyl phthalate(DINP)	28553-12-0/ 68515-48-0	w/w, %	0.005	0.1	ND
Di-iso-butyl ortho-phthalate(DIBP)	84-69-5	w/w, %	0.005	0.1	ND
Dicyclohexyl phthalate(DCHP)	84-61-7	w/w, %	0.005	0.1	ND
Di-n-pentyl phthalate(DPP/DPENP)	131-18-0	w/w, %	0.005	0.1	ND
Conclusion					Pass

Test Parameter(s)	CAS No.	Unit	MDL	Limit	Result(s)
					P34+P37+P39
Butyl benzyl phthalate(BBP)	85-68-7	w/w, %	0.005	0.1	ND
Dibutyl phthalate(DBP)	84-74-2	w/w, %	0.005	0.1	0.036
Di (2-ethylhexyl) phthalate(DEHP)	117-81-7	w/w, %	0.005	0.1	0.008
Di-n-hexyl phthalate(DNHP)	84-75-3	w/w, %	0.005	0.1	ND
Di-iso-nonyl phthalate(DINP)	28553-12-0/ 68515-48-0	w/w, %	0.005	0.1	ND
Di-iso-butyl ortho-phthalate(DIBP)	84-69-5	w/w, %	0.005	0.1	ND
Dicyclohexyl phthalate(DCHP)	84-61-7	w/w, %	0.005	0.1	ND
Di-n-pentyl phthalate(DPP/DPENP)	131-18-0	w/w, %	0.005	0.1	ND
Conclusion					Pass

Test Parameter(s)	CAS No.	Unit	MDL	Limit	Result(s)
					P41+P42+P44
Butyl benzyl phthalate(BBP)	85-68-7	w/w, %	0.005	0.1	ND
Dibutyl phthalate(DBP)	84-74-2	w/w, %	0.005	0.1	0.007
Di (2-ethylhexyl) phthalate(DEHP)	117-81-7	w/w, %	0.005	0.1	ND
Di-n-hexyl phthalate(DNHP)	84-75-3	w/w, %	0.005	0.1	ND
Di-iso-nonyl phthalate(DINP)	28553-12-0/ 68515-48-0	w/w, %	0.005	0.1	ND
Di-iso-butyl ortho-phthalate(DIBP)	84-69-5	w/w, %	0.005	0.1	ND
Dicyclohexyl phthalate(DCHP)	84-61-7	w/w, %	0.005	0.1	ND

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8, Chuangyun Road, Panyu District, Guangzhou, Guangdong, China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

Di-n-pentyl phthalate(DPP/DPENP)	131-18-0	w/w, %	0.005	0.1	ND
Conclusion					Pass

Test Parameter(s)	CAS No.	Unit	MDL	Limit	Result(s)
					P46+P47+P50
Butyl benzyl phthalate(BBP)	85-68-7	w/w, %	0.005	0.1	ND
Dibutyl phthalate(DBP)	84-74-2	w/w, %	0.005	0.1	0.009
Di (2-ethylhexyl) phthalate(DEHP)	117-81-7	w/w, %	0.005	0.1	ND
Di-n-hexyl phthalate(DNHP)	84-75-3	w/w, %	0.005	0.1	ND
Di-iso-nonyl phthalate(DINP)	28553-12-0/ 68515-48-0	w/w, %	0.005	0.1	ND
Di-iso-butyl ortho-phthalate(DIBP)	84-69-5	w/w, %	0.005	0.1	ND
Dicyclohexyl phthalate(DCHP)	84-61-7	w/w, %	0.005	0.1	ND
Di-n-pentyl phthalate(DPP/DPENP)	131-18-0	w/w, %	0.005	0.1	ND
Conclusion					Pass

Test Parameter(s)	CAS No.	Unit	MDL	Limit	Result(s)
					P51+P52+P54
Butyl benzyl phthalate(BBP)	85-68-7	w/w, %	0.005	0.1	ND
Dibutyl phthalate(DBP)	84-74-2	w/w, %	0.005	0.1	0.014
Di (2-ethylhexyl) phthalate(DEHP)	117-81-7	w/w, %	0.005	0.1	ND
Di-n-hexyl phthalate(DNHP)	84-75-3	w/w, %	0.005	0.1	ND
Di-iso-nonyl phthalate(DINP)	28553-12-0/ 68515-48-0	w/w, %	0.005	0.1	ND
Di-iso-butyl ortho-phthalate(DIBP)	84-69-5	w/w, %	0.005	0.1	ND
Dicyclohexyl phthalate(DCHP)	84-61-7	w/w, %	0.005	0.1	ND
Di-n-pentyl phthalate(DPP/DPENP)	131-18-0	w/w, %	0.005	0.1	ND
Conclusion					Pass

Test Parameter(s)	CAS No.	Unit	MDL	Limit	Result(s)
					P55

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8, Chuangyun Road, Panyu District, Guangzhou, Guangdong, China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

Butyl benzyl phthalate(BBP)	85-68-7	w/w, %	0.005	0.1	ND
Dibutyl phthalate(DBP)	84-74-2	w/w, %	0.005	0.1	0.052
Di (2-ethylhexyl) phthalate(DEHP)	117-81-7	w/w, %	0.005	0.1	0.009
Di-n-hexyl phthalate(DNHP)	84-75-3	w/w, %	0.005	0.1	ND
Di-iso-nonyl phthalate(DINP)	28553-12-0/ 68515-48-0	w/w, %	0.005	0.1	ND
Di-iso-butyl ortho-phthalate(DIBP)	84-69-5	w/w, %	0.005	0.1	ND
Dicyclohexyl phthalate(DCHP)	84-61-7	w/w, %	0.005	0.1	ND
Di-n-pentyl phthalate(DPP/DPENP)	131-18-0	w/w, %	0.005	0.1	ND
Conclusion					Pass

Test Parameter(s)	CAS No.	Unit	MDL	Limit	Result(s)
					P57
Butyl benzyl phthalate(BBP)	85-68-7	w/w, %	0.005	0.1	ND
Dibutyl phthalate(DBP)	84-74-2	w/w, %	0.005	0.1	0.006
Di (2-ethylhexyl) phthalate(DEHP)	117-81-7	w/w, %	0.005	0.1	ND
Di-n-hexyl phthalate(DNHP)	84-75-3	w/w, %	0.005	0.1	ND
Di-iso-nonyl phthalate(DINP)	28553-12-0/ 68515-48-0	w/w, %	0.005	0.1	ND
Di-iso-butyl ortho-phthalate(DIBP)	84-69-5	w/w, %	0.005	0.1	ND
Dicyclohexyl phthalate(DCHP)	84-61-7	w/w, %	0.005	0.1	ND
Di-n-pentyl phthalate(DPP/DPENP)	131-18-0	w/w, %	0.005	0.1	ND
Conclusion					Pass

Test Parameter(s)	CAS No.	Unit	MDL	Limit	Result(s)
					P59
Butyl benzyl phthalate(BBP)	85-68-7	w/w, %	0.005	0.1	ND
Dibutyl phthalate(DBP)	84-74-2	w/w, %	0.005	0.1	0.006
Di (2-ethylhexyl) phthalate(DEHP)	117-81-7	w/w, %	0.005	0.1	ND
Di-n-hexyl phthalate(DNHP)	84-75-3	w/w, %	0.005	0.1	ND

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8, Chuangyun Road, Panyu District, Guangzhou, Guangdong, China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

Di-iso-nonyl phthalate(DINP)	28553-12-0/ 68515-48-0	w/w, %	0.005	0.1	ND
Di-iso-butyl ortho-phthalate(DIBP)	84-69-5	w/w, %	0.005	0.1	ND
Dicyclohexyl phthalate(DCHP)	84-61-7	w/w, %	0.005	0.1	ND
Di-n-pentyl phthalate(DPP/DPENP)	131-18-0	w/w, %	0.005	0.1	ND
Conclusion					Pass

Test Parameter(s)	CAS No.	Unit	MDL	Limit	Result(s)
					P60+P61+P62
Butyl benzyl phthalate(BBP)	85-68-7	w/w, %	0.005	0.1	ND
Dibutyl phthalate(DBP)	84-74-2	w/w, %	0.005	0.1	0.005
Di (2-ethylhexyl) phthalate(DEHP)	117-81-7	w/w, %	0.005	0.1	ND
Di-n-hexyl phthalate(DNHP)	84-75-3	w/w, %	0.005	0.1	ND
Di-iso-nonyl phthalate(DINP)	28553-12-0/ 68515-48-0	w/w, %	0.005	0.1	ND
Di-iso-butyl ortho-phthalate(DIBP)	84-69-5	w/w, %	0.005	0.1	ND
Dicyclohexyl phthalate(DCHP)	84-61-7	w/w, %	0.005	0.1	ND
Di-n-pentyl phthalate(DPP/DPENP)	131-18-0	w/w, %	0.005	0.1	ND
Conclusion					Pass

Test Parameter(s)	CAS No.	Unit	MDL	Limit	Result(s)
					P63+P64+P66
Butyl benzyl phthalate(BBP)	85-68-7	w/w, %	0.005	0.1	ND
Dibutyl phthalate(DBP)	84-74-2	w/w, %	0.005	0.1	0.006
Di (2-ethylhexyl) phthalate(DEHP)	117-81-7	w/w, %	0.005	0.1	0.007
Di-n-hexyl phthalate(DNHP)	84-75-3	w/w, %	0.005	0.1	ND
Di-iso-nonyl phthalate(DINP)	28553-12-0/ 68515-48-0	w/w, %	0.005	0.1	ND
Di-iso-butyl ortho-phthalate(DIBP)	84-69-5	w/w, %	0.005	0.1	ND
Dicyclohexyl phthalate(DCHP)	84-61-7	w/w, %	0.005	0.1	ND

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

Di-n-pentyl phthalate(DPP/DPENP)	131-18-0	w/w, %	0.005	0.1	ND
Conclusion					Pass

Test Parameter(s)	CAS No.	Unit	MDL	Limit	Result(s)
					P69+P70+P71
Butyl benzyl phthalate(BBP)	85-68-7	w/w, %	0.005	0.1	ND
Dibutyl phthalate(DBP)	84-74-2	w/w, %	0.005	0.1	0.005
Di (2-ethylhexyl) phthalate(DEHP)	117-81-7	w/w, %	0.005	0.1	ND
Di-n-hexyl phthalate(DNHP)	84-75-3	w/w, %	0.005	0.1	ND
Di-iso-nonyl phthalate(DINP)	28553-12-0/ 68515-48-0	w/w, %	0.005	0.1	ND
Di-iso-butyl ortho-phthalate(DIBP)	84-69-5	w/w, %	0.005	0.1	ND
Dicyclohexyl phthalate(DCHP)	84-61-7	w/w, %	0.005	0.1	ND
Di-n-pentyl phthalate(DPP/DPENP)	131-18-0	w/w, %	0.005	0.1	ND
Conclusion					Pass

Test Parameter(s)	CAS No.	Unit	MDL	Limit	Result(s)
					P72+P73+P74
Butyl benzyl phthalate(BBP)	85-68-7	w/w, %	0.005	0.1	ND
Dibutyl phthalate(DBP)	84-74-2	w/w, %	0.005	0.1	ND
Di (2-ethylhexyl) phthalate(DEHP)	117-81-7	w/w, %	0.005	0.1	ND
Di-n-hexyl phthalate(DNHP)	84-75-3	w/w, %	0.005	0.1	ND
Di-iso-nonyl phthalate(DINP)	28553-12-0/ 68515-48-0	w/w, %	0.005	0.1	ND
Di-iso-butyl ortho-phthalate(DIBP)	84-69-5	w/w, %	0.005	0.1	ND
Dicyclohexyl phthalate(DCHP)	84-61-7	w/w, %	0.005	0.1	ND
Di-n-pentyl phthalate(DPP/DPENP)	131-18-0	w/w, %	0.005	0.1	ND
Conclusion					Pass

Test Parameter(s)	CAS No.	Unit	MDL	Limit	Result(s)
					P76+P77+P81

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8, Chuangyun Road, Panyu District, Guangzhou, Guangdong, China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

Butyl benzyl phthalate(BBP)	85-68-7	w/w, %	0.005	0.1	ND
Dibutyl phthalate(DBP)	84-74-2	w/w, %	0.005	0.1	ND
Di (2-ethylhexyl) phthalate(DEHP)	117-81-7	w/w, %	0.005	0.1	ND
Di-n-hexyl phthalate(DNHP)	84-75-3	w/w, %	0.005	0.1	ND
Di-iso-nonyl phthalate(DINP)	28553-12-0/ 68515-48-0	w/w, %	0.005	0.1	ND
Di-iso-butyl ortho-phthalate(DIBP)	84-69-5	w/w, %	0.005	0.1	ND
Dicyclohexyl phthalate(DCHP)	84-61-7	w/w, %	0.005	0.1	ND
Di-n-pentyl phthalate(DPP/DPENP)	131-18-0	w/w, %	0.005	0.1	ND
Conclusion					Pass

Test Parameter(s)	CAS No.	Unit	MDL	Limit	Result(s)
					P2+P18+P20
Butyl benzyl phthalate(BBP)	85-68-7	w/w, %	0.005	0.1	ND
Dibutyl phthalate(DBP)	84-74-2	w/w, %	0.005	0.1	0.006
Di (2-ethylhexyl) phthalate(DEHP)	117-81-7	w/w, %	0.005	0.1	0.006
Di-n-hexyl phthalate(DNHP)	84-75-3	w/w, %	0.005	0.1	ND
Di-iso-nonyl phthalate(DINP)	28553-12-0/ 68515-48-0	w/w, %	0.005	0.1	ND
Di-iso-butyl ortho-phthalate(DIBP)	84-69-5	w/w, %	0.005	0.1	ND
Dicyclohexyl phthalate(DCHP)	84-61-7	w/w, %	0.005	0.1	ND
Di-n-pentyl phthalate(DPP/DPENP)	131-18-0	w/w, %	0.005	0.1	ND
Conclusion					Pass

Test Parameter(s)	CAS No.	Unit	MDL	Limit	Result(s)
					P32+P49+P68
Butyl benzyl phthalate(BBP)	85-68-7	w/w, %	0.005	0.1	ND
Dibutyl phthalate(DBP)	84-74-2	w/w, %	0.005	0.1	0.006
Di (2-ethylhexyl) phthalate(DEHP)	117-81-7	w/w, %	0.005	0.1	0.015
Di-n-hexyl phthalate(DNHP)	84-75-3	w/w, %	0.005	0.1	ND

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8, Chuangyun Road, Panyu District, Guangzhou, Guangdong, China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

Di-iso-nonyl phthalate(DINP)	28553-12-0/ 68515-48-0	w/w, %	0.005	0.1	ND
Di-iso-butyl ortho-phthalate(DIBP)	84-69-5	w/w, %	0.005	0.1	ND
Dicyclohexyl phthalate(DCHP)	84-61-7	w/w, %	0.005	0.1	ND
Di-n-pentyl phthalate(DPP/DPENP)	131-18-0	w/w, %	0.005	0.1	ND
Conclusion					Pass

Test Parameter(s)	CAS No.	Unit	MDL	Limit	Result(s)
					P31+P48
Butyl benzyl phthalate(BBP)	85-68-7	w/w, %	0.005	0.1	ND
Dibutyl phthalate(DBP)	84-74-2	w/w, %	0.005	0.1	0.016
Di (2-ethylhexyl) phthalate(DEHP)	117-81-7	w/w, %	0.005	0.1	ND
Di-n-hexyl phthalate(DNHP)	84-75-3	w/w, %	0.005	0.1	ND
Di-iso-nonyl phthalate(DINP)	28553-12-0/ 68515-48-0	w/w, %	0.005	0.1	ND
Di-iso-butyl ortho-phthalate(DIBP)	84-69-5	w/w, %	0.005	0.1	ND
Dicyclohexyl phthalate(DCHP)	84-61-7	w/w, %	0.005	0.1	ND
Di-n-pentyl phthalate(DPP/DPENP)	131-18-0	w/w, %	0.005	0.1	ND
Conclusion					Pass

Test Parameter(s)	CAS No.	Unit	MDL	Limit	Result(s)
					P35+P36+P56
Butyl benzyl phthalate(BBP)	85-68-7	w/w, %	0.005	0.1	ND
Dibutyl phthalate(DBP)	84-74-2	w/w, %	0.005	0.1	0.007
Di (2-ethylhexyl) phthalate(DEHP)	117-81-7	w/w, %	0.005	0.1	ND
Di-n-hexyl phthalate(DNHP)	84-75-3	w/w, %	0.005	0.1	ND
Di-iso-nonyl phthalate(DINP)	28553-12-0/ 68515-48-0	w/w, %	0.005	0.1	ND
Di-iso-butyl ortho-phthalate(DIBP)	84-69-5	w/w, %	0.005	0.1	ND
Dicyclohexyl phthalate(DCHP)	84-61-7	w/w, %	0.005	0.1	ND

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8, Chuangyun Road, Panyu District, Guangzhou, Guangdong, China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

Di-n-pentyl phthalate(DPP/DPENP)	131-18-0	w/w, %	0.005	0.1	ND
Conclusion					Pass

Test Parameter(s)	CAS No.	Unit	MDL	Limit	Result(s)
					P21+P78
Butyl benzyl phthalate(BBP)	85-68-7	w/w, %	0.005	0.1	ND
Dibutyl phthalate(DBP)	84-74-2	w/w, %	0.005	0.1	0.010
Di (2-ethylhexyl) phthalate(DEHP)	117-81-7	w/w, %	0.005	0.1	ND
Di-n-hexyl phthalate(DNHP)	84-75-3	w/w, %	0.005	0.1	ND
Di-iso-nonyl phthalate(DINP)	28553-12-0/ 68515-48-0	w/w, %	0.005	0.1	ND
Di-iso-butyl ortho-phthalate(DIBP)	84-69-5	w/w, %	0.005	0.1	ND
Dicyclohexyl phthalate(DCHP)	84-61-7	w/w, %	0.005	0.1	ND
Di-n-pentyl phthalate(DPP/DPENP)	131-18-0	w/w, %	0.005	0.1	ND
Conclusion					Pass

Test Parameter(s)	CAS No.	Unit	MDL	Limit	Result(s)
					P80+P82+P83
Butyl benzyl phthalate(BBP)	85-68-7	w/w, %	0.005	0.1	ND
Dibutyl phthalate(DBP)	84-74-2	w/w, %	0.005	0.1	0.010
Di (2-ethylhexyl) phthalate(DEHP)	117-81-7	w/w, %	0.005	0.1	ND
Di-n-hexyl phthalate(DNHP)	84-75-3	w/w, %	0.005	0.1	ND
Di-iso-nonyl phthalate(DINP)	28553-12-0/ 68515-48-0	w/w, %	0.005	0.1	ND
Di-iso-butyl ortho-phthalate(DIBP)	84-69-5	w/w, %	0.005	0.1	ND
Dicyclohexyl phthalate(DCHP)	84-61-7	w/w, %	0.005	0.1	ND
Di-n-pentyl phthalate(DPP/DPENP)	131-18-0	w/w, %	0.005	0.1	ND
Conclusion					Pass

Test Parameter(s)	CAS No.	Unit	MDL	Limit	Result(s)
					P65+P67

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8, Chuangyun Road, Panyu District, Guangzhou, Guangdong, China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

Butyl benzyl phthalate(BBP)	85-68-7	w/w, %	0.005	0.1	ND
Dibutyl phthalate(DBP)	84-74-2	w/w, %	0.005	0.1	0.008
Di (2-ethylhexyl) phthalate(DEHP)	117-81-7	w/w, %	0.005	0.1	ND
Di-n-hexyl phthalate(DNHP)	84-75-3	w/w, %	0.005	0.1	ND
Di-iso-nonyl phthalate(DINP)	28553-12-0/ 68515-48-0	w/w, %	0.005	0.1	ND
Di-iso-butyl ortho-phthalate(DIBP)	84-69-5	w/w, %	0.005	0.1	ND
Dicyclohexyl phthalate(DCHP)	84-61-7	w/w, %	0.005	0.1	ND
Di-n-pentyl phthalate(DPP/DPENP)	131-18-0	w/w, %	0.005	0.1	ND
Conclusion					Pass

Test Parameter(s)	CAS No.	Unit	MDL	Limit	Result(s)
					P8+P79
Butyl benzyl phthalate(BBP)	85-68-7	w/w, %	0.005	0.1	ND
Dibutyl phthalate(DBP)	84-74-2	w/w, %	0.005	0.1	0.015
Di (2-ethylhexyl) phthalate(DEHP)	117-81-7	w/w, %	0.005	0.1	0.017
Di-n-hexyl phthalate(DNHP)	84-75-3	w/w, %	0.005	0.1	ND
Di-iso-nonyl phthalate(DINP)	28553-12-0/ 68515-48-0	w/w, %	0.005	0.1	ND
Di-iso-butyl ortho-phthalate(DIBP)	84-69-5	w/w, %	0.005	0.1	ND
Dicyclohexyl phthalate(DCHP)	84-61-7	w/w, %	0.005	0.1	ND
Di-n-pentyl phthalate(DPP/DPENP)	131-18-0	w/w, %	0.005	0.1	ND
Conclusion					Pass

Test Parameter(s)	CAS No.	Unit	MDL	Limit	Result(s)
					P84+P85
Butyl benzyl phthalate(BBP)	85-68-7	w/w, %	0.005	0.1	ND
Dibutyl phthalate(DBP)	84-74-2	w/w, %	0.005	0.1	0.010
Di (2-ethylhexyl) phthalate(DEHP)	117-81-7	w/w, %	0.005	0.1	ND
Di-n-hexyl phthalate(DNHP)	84-75-3	w/w, %	0.005	0.1	ND

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8, Chuangyun Road, Panyu District, Guangzhou, Guangdong, China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

Di-iso-nonyl phthalate(DINP)	28553-12-0/ 68515-48-0	w/w, %	0.005	0.1	ND
Di-iso-butyl ortho-phthalate(DIBP)	84-69-5	w/w, %	0.005	0.1	ND
Dicyclohexyl phthalate(DCHP)	84-61-7	w/w, %	0.005	0.1	ND
Di-n-pentyl phthalate(DPP/DPENP)	131-18-0	w/w, %	0.005	0.1	ND
Conclusion					Pass

Note:

1. w/w = Mass Percentage
2. ND= Not Detected (< MDL)
3. MDL = Method Detection Limit
4. "+"=mixed test, data users should consider the risk of "pass" results of mixed samples

Total lead content in surface coating-ASTM International Standard ASTM F963-23, Section 4.3.5.1(1)

Method Used: ASTM International Standard ASTM F963-23, Section 8.3.1 and Annex A7, and analyzed by Inductively Coupled Plasma Atomic Emission Spectrometer (ICP-OES)

Test Parameter(s)	Unit	MDL	Limit	Result(s)		
				P30+P45+P5 8	P65+P67+P75	P8+P79
Lead(Pb)	mg/kg	10	90	ND	ND	ND
Conclusion				Pass	Pass	Pass

Note:

1. mg/kg = milligram per kilogram
2. ND= Not Detected (< MDL)
3. MDL = Method Detection Limit
4. "+"=mixed test, data users should consider the risk of "pass" results of mixed samples

The total lead content in substrate materials-ASTM International Standard ASTM F963-23,Section 4.3.5.2(2)(a).

Method Used: ASTM International Standard ASTM F963-23, Section 8.3.1 and Annex A7, and analyzed by Inductively Coupled Plasma Atomic Emission Spectrometer (ICP-OES)

Test Parameter(s)	Unit	MDL	Limit	Result(s)		
				P1+P3+P4	P5+P6+P7	P9+P11+P12
Lead(Pb)	mg/kg	10	100	ND	ND	ND
Conclusion				Pass	Pass	Pass

Test Parameter(s)	Unit	MDL	Limit	Result(s)		
				P13+P14+P1 5	P16+P17+P19	P22+P23+P24
Lead(Pb)	mg/kg	10	100	ND	ND	ND

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

Conclusion	Pass	Pass	Pass
------------	------	------	------

Test Parameter(s)	Unit	MDL	Limit	Result(s)		
				P25+P26+P27	P28+P29+P33	P34+P39+P37
Lead(Pb)	mg/kg	10	100	ND	ND	ND
Conclusion				Pass	Pass	Pass

Test Parameter(s)	Unit	MDL	Limit	Result(s)		
				P41+P42+P44	P46+P47+P50	P51+P52+P54
Lead(Pb)	mg/kg	10	100	ND	ND	ND
Conclusion				Pass	Pass	Pass

Test Parameter(s)	Unit	MDL	Limit	Result(s)		
				P55+P57+P59	P60+P61+P62	P63+P64+P66
Lead(Pb)	mg/kg	10	100	ND	ND	ND
Conclusion				Pass	Pass	Pass

Test Parameter(s)	Unit	MDL	Limit	Result(s)		
				P69+P70+P71	P72+P73+P74	P76+P77+P81
Lead(Pb)	mg/kg	10	100	ND	ND	ND
Conclusion				Pass	Pass	Pass

Test Parameter(s)	Unit	MDL	Limit	Result(s)		
				P2+P18+P20	P32+P49+P68	P31+P48
Lead(Pb)	mg/kg	10	100	ND	ND	ND
Conclusion				Pass	Pass	Pass

Test Parameter(s)	Unit	MDL	Limit	Result(s)		
				P35+P36+P56	P21+P78	P80+P82+P83
Lead(Pb)	mg/kg	10	100	ND	ND	ND
Conclusion				Pass	Pass	Pass

Test Parameter(s)	Unit	MDL	Limit	Result(s)		
				P10+P38+P40	P53	P43
Lead(Pb)	mg/kg	10	100	23	27	ND
Conclusion				Pass	Pass	Pass

Test Parameter(s)	Unit	MDL	Limit	Result(s)		
				P84+P85		
Lead(Pb)	mg/kg	10	100	ND		
Conclusion				Pass		

Note:

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

1. mg/kg = milligram per kilogram
2. ND= Not Detected (< MDL)
3. MDL = Method Detection Limit
4. "+"=mixed test, data users should consider the risk of "pass" results of mixed samples

Soluble Heavy Metals Content in Substrate materials-ASTM International Standard ASTM F963-23, Section 4.3.5.2(2)(b)

Method Used: ASTM International Standard ASTM F963-23, Section 8.3.5 (Excluding 8.3.5.5(3)), and analyzed by Inductively Coupled Plasma Atomic Emission Spectrometer (ICP-OES)

Analyte	Arsenic (As)	Barium (Ba)	Cadmium (Cd)	Chromium (Cr)	Mercury (Hg)	Lead (Pb)	Antimony (Sb)	Selenium (Se)
Max. Limit(mg/kg)	25	1000	75	60	60	90	60	500
Analytical Correction (%)	60	30	30	30	50	30	60	60
MDL(mg/kg)	2	2	2	2	2	2	2	2

Analyte	As	Ba	Cd	Cr	Hg	Pb	Sb	Se	Mass of Trace Amount	Conclusion
Test Item(s)	Result (mg/kg)								(g)	
P1	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P2	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P3	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P4	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P5	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P6	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P7	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P9	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P10	NA	NA	NA	NA	NA	NA	NA	NA	-	NA
P11	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P12	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P13	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P14	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P15	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P16	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P17	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P18	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P19	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8, Chuangyun Road, Panyu District, Guangzhou, Guangdong, China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

P20	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P21	ND	4	ND	ND	ND	ND	ND	ND	0.0327	Pass
P22	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P23	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P24	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P25	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P26	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P27	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P28	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P29	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P31	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P32	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P33	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P34	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P35	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P36	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P37	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P38	NA	NA	NA	NA	NA	NA	NA	NA	-	NA
P39	ND	3	ND	ND	ND	ND	ND	ND	-	Pass
P40	NA	NA	NA	NA	NA	NA	NA	NA	-	NA
P41	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P42	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P43	ND	2	ND	ND	ND	ND	ND	ND	0.0497	Pass
P44	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P46	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P47	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P48	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P49	ND	ND	ND	ND	ND	ND	ND	ND	0.0989	Pass
P50	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P51	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P52	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P53	NA	NA	NA	NA	NA	NA	NA	NA	-	NA
P54	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P55	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P56	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P57	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P59	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

P60	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P61	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P62	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P63	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P64	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P66	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P68	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P69	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P70	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P71	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P72	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P73	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P74	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P76	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P77	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P78	ND	ND	ND	ND	ND	ND	ND	ND	0.0343	Pass
P80	ND	2	ND	ND	ND	ND	ND	ND	0.0264	Pass
P81	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P82	ND	ND	ND	ND	ND	ND	ND	ND	0.0143	Pass
P83	ND	ND	ND	ND	ND	ND	ND	ND	0.0233	Pass
P84	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass
P85	ND	ND	ND	ND	ND	ND	ND	ND	-	Pass

Note(s):

1. ND=Not Detected (< MDL)
2. mg/kg = milligram(s) per kilogram = ppm = part(s) per million
3. MDL=Method Detection Limit
4. mass of sample is less than 10mg, soluble heavy metals test were exempted according to ASTM F 963-23
5. not a small part metal,soluble heavy metals test were exempted according to ASTM F 963-23
6. not a small part ceramic/glass,soluble heavy metals test were exempted according to ASTM F 963-23

Soluble heavy metals content in surface coating-ASTM International Standard ASTM F963-23, Section 4.3.5.1(2)

Method Used: ASTM International Standard ASTM F963-23, Section 8.3.2 to 8.3.4, , and analyzed by Inductively Coupled Plasma Atomic Emission Spectrometer (ICP-OES)

Analyte	Arsenic (As)	Barium (Ba)	Cadmium (Cd)	Chromium (Cr)	Mercury (Hg)	Lead (Pb)	Antimony (Sb)	Selenium (Se)
---------	-----------------	----------------	-----------------	------------------	-----------------	--------------	------------------	------------------

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

Max. Limit(mg/kg)	25	1000	75	60	60	90	60	500
Analytical Correction (%)	60	30	30	30	50	30	60	60
MDL(mg/kg)	2	2	2	2	2	2	2	2

Analyte	As	Ba	Cd	Cr	Hg	Pb	Sb	Se	Mass of Trace Amount (g)	Conclusion
Test Item(s)	Result (mg/kg)								(g)	
P8	NA	NA	NA	NA	NA	NA	NA	NA	0.0015	NA
P30	NA	NA	NA	NA	NA	NA	NA	NA	0.0023	NA
P45	NA	NA	NA	NA	NA	NA	NA	NA	0.0021	NA
P58	NA	NA	NA	NA	NA	NA	NA	NA	0.0035	NA
P65	ND	ND	ND	ND	ND	ND	ND	ND	0.0471	Pass
P67	ND	3	ND	6	ND	ND	ND	ND	0.0297	Pass
P75	NA	NA	NA	NA	NA	NA	NA	NA	0.0014	NA
P79	NA	NA	NA	NA	NA	NA	NA	NA	0.0039	NA

Note(s):

1. ND=Not Detected (< MDL)
2. mg/kg = milligram(s) per kilogram = ppm = part(s) per million
3. MDL=Method Detection Limit
4. mass of sample is less than 10mg, soluble heavy metals test were exempted according to ASTM F 963-23

Physical and mechanical hazards & labeling and instructional requirement-ASTM F963-23
American Standard Consumer Safety Specification for Toy Safety

Applicable Clause	Test parameter(s)	Result(s)
		P86
4.1	Material quality	PASS
4.2	Flammability	PASS
4.3	Toxicology	PASS
4.3.1	Hazardous Substances	NA
4.3.2	Manufacturing and Packaging of Food	NA
4.3.3	Indirect Food Additives	NA
4.3.4	Cosmetics	NA
4.3.5	Heavy Elements	PASS
4.3.6	Cosmetics, Liquids, Pastes, Putties, Gels, Powders, and Items of Avian Feather Origin	NA

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

4.3.7	Stuffing materials	NA
4.3.8	DEHP (DOP)	PASS
4.4	Electrical/Thermal Energy	NA
4.5	Sound-producing Toys	NA
4.5.1.1	Close-to-the-ear Toys	NA
4.5.1.2	Hand-held Toys	NA
4.5.1.3	Rattles	NA
4.5.1.4	Stationary or Self-propelled Tabletop, Floor, or Crib Toys	NA
4.5.1.5	User-propelled Tabletop, Floor, or Crib Toys	NA
4.5.1.6	Push or Pull Toys	NA
4.5.1.7	Toys Using Explosive Action	NA
4.6	Small objects	NA
4.6.1	Small objects(for children under 36 months of age)	NA
4.6.2	Mouth-actuated Toys	NA
4.6.3	For toys and games intended for children at least 3 years old but less than 6 years of age, and which contain as-received small part(s)	NA
4.7	Accessible Edges	PASS
4.7.1	Potentially hazardous sharp metal and glass edges	NA
4.7.2	Function sharp edge	NA
4.7.3	Metal Toys	NA
4.7.4	Molded Toys	PASS
4.7.5	Exposed Bolts or Threaded Rods	NA
4.8	Projections	NA
4.8.1	Bath Toy Projections	NA
4.9	Accessible Points	PASS
4.9.1	Potentially hazardous sharp points	PASS
4.9.2	Function sharp point	NA
4.9.3	Wood	NA
4.10	Wires or Rods	NA
4.11	Nails and Fasteners	PASS
4.12	Plastic Film	PASS
4.13	Folding Mechanisms and Hinges	NA
4.13.1	Folding Mechanisms	NA
4.13.2	Hinge-line Clearance	NA
4.14	Cords, Straps,and Elastics	NA

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

4.14.1	Cords, Straps, and Elastics in Toys	NA
4.14.1.1	Cords, Straps, and Elastics Containing a Breakaway Feature	NA
4.14.2	Self-retracting Pull Cords	NA
4.14.3	Pull Toys	NA
4.14.4	Strings and Lines for Flying Devices	NA
4.14.5	Cords on Toy Bags Intended for Children Up to 18 Months	NA
4.14.6	Ride-on Toys	NA
4.15	Stability and Over-Load Requirement	NA
4.15.1	Stability of Ride-on Toys and Toy Seats	NA
4.15.2	Sideways Stability Requirements	NA
4.15.3	Fore and Aft Stability	NA
4.15.4	Stability of Stationary Floor Toys	NA
4.15.5	Overload Requirements for Ride-On Toys and Toy Seats	NA
4.15.6	Wheeled Ride-on Toys	NA
4.16	Confined Spaces	NA
4.16.1	Ventilation	NA
4.16.2	Closures	NA
4.16.3	Toys that Enclose the Head	NA
4.17	Wheels, Tires and Axles	NA
4.18	Holes, Clearance, and Accessibility of Mechanisms	NA
4.18.1	Accessible Clearances for Moveable Segments	NA
4.18.2	Circular Holes in Rigid Materials	NA
4.18.3	Chains and Belts	NA
4.18.3.1	Supporting Chains	NA
4.18.3.2	Chains or Belts for Ride-On Toys	NA
4.18.4	Inaccessibility of Mechanisms	NA
4.18.5	Winding Keys	NA
4.18.6	Coil Springs	NA
4.19	Simulated Protective Devices	NA
4.19.1	Eye Protection	NA
4.20	Pacifiers	NA
4.21	Projectile Toys	NA
4.21.1	All Projectiles	NA
4.21.2	Projectile Toys with Stored Energy	NA

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8, Chuangyun Road, Panyu District, Guangzhou, Guangdong, China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

4.21.3	Projectile Toys without Stored Energy	NA
4.21.4	Rotors	NA
4.22	Teethers and Teething Toys	NA
4.23	Rattles	NA
4.24	Squeeze Toys	NA
4.25	Battery-operated toys	PASS
4.26	Toys Intended to be Attached to a Crib or Playpen	NA
4.26.1	Protrusions	NA
4.26.2	Crib Mobiles	NA
4.26.3	Crib Gyms	NA
4.27	Stuffed and Beanbag-Type Toys	NA
4.28	Stroller and Carriage Toys	NA
4.29	Art Materials	NA
4.30	Toy Gun Marking	NA
4.31	Balloons	NA
4.32	Certain Toys with Nearly Spherical Ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-Shaped Objects	NA
4.37	Yo Yo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding Materials	NA
4.41	Toy Chests	NA
4.41.1	Lid Support	NA
4.41.2	Hinge Line Clearance	NA
4.41.3	Closures	NA
4.41.4	Ventilation	NA
5	Labeling Requirements	PASS
5.1	Federal Government Requirements	PASS
5.2	Age Grading Labeling	PASS
5.4 & 5.3	Aquatic Toys	NA
5.5 & 5.3	Crib and Playpen Toys	NA
5.6 & 5.3	Mobiles	NA
5.7 & 5.3	Stroller and Carriage Toys	NA
5.8 & 5.3	Toys Intended to be Assembled By an Adult	NA
5.9 & 5.3	Simulated Protective Devices	NA
5.10 & 5.3	Toys with Functional Sharp Edges or Points	NA
5.11	Small Objects, Small Balls, Marbles, and Balloons	NA
5.12	Art Materials	NA
5.13	Electric Toys	NA
5.14	Battery-Operated Toys(exclude 5.14.1 and 5.14.2)	NA
5.14.1 & 5.3	Battery-Powered Ride-On Toys	NA

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

5.14.2 & 5.3	Button or Coin Cell Batteries	NA
5.15	Promotional Materials	PASS
5.16	Magnets	NA
6	Instructional Literature	PASS
6.1	Definition and description	PASS
6.2	Crib and playpen toys	NA
6.3	Mobiles	NA
6.4 & 5.3	Toys intended to be assembled by an adult	NA
6.5	Battery-operated toys	NA
6.6	Battery Powered Ride-on Toys	NA
6.7	Toys in contact with food	NA
6.8	Toy Chests	NA
6.9	Instructional material	NA
7	Producer's Markings	PASS
7.1	Name of the producer or the distributor	PASS
	Address of the producer or the distributor	PASS
7.2	Battery powered ride on toys	NA
7.3	Toy Chests	NA
8.5	Normal Use Testing	PASS
8.7	Impact Tests	PASS
8.8	Torque Test	PASS
8.9	Tension Test	PASS
8.10	Compression Test	PASS
8.11	Tests for Tire Removal and Snap-in Wheel and Axle Assembly Removal	NA
8.12	Flexure Test	NA
8.13	Test for Mouth-actuated Toys and Mouth-actuated Projectile Toys	NA
8.14	Projectiles	NA
8.15	Test for Stability of Ride-on Toys or Toy Seats	NA
8.16	Pompoms	NA
8.17	Stalled Motor Test for Battery-operated Toys	NA
8.18	Tests for Battery-Powered Ride-on Toys	NA
8.19	Test for Toys that Contain Secondary Cells or Batteries	PASS
8.20	Tests for Toys which Produce Sound	NA
8.21	Dynamic Strength Test for Wheeled Ride-on Toys	NA
8.22	Plastic Film Thickness	PASS
8.23	Test for Loops and Cords	NA
8.24	Yo Yo Elastic Tether Toy Test Methods	NA
8.25	Magnet Test Methods	NA
8.26	Test Methods for Locking Mechanisms or Other Means	NA
8.27	Tests for Toy Chest Lids and Closures	NA
8.28	Test for Overload of Ride-on Toys and Toy Seats	NA
8.29	Stuffing Materials Evaluation	NA
8.30	Expanding Materials-Test Method	NA

Applicable	Test parameter(s)	Result(s)
------------	-------------------	-----------

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

Clause		P87
4.1	Material quality	PASS
4.2	Flammability	PASS
4.3	Toxicology	PASS
4.3.1	Hazardous Substances	NA
4.3.2	Manufacturing and Packaging of Food	NA
4.3.3	Indirect Food Additives	NA
4.3.4	Cosmetics	NA
4.3.5	Heavy Elements	PASS
4.3.6	Cosmetics, Liquids, Pastes, Putties, Gels, Powders, and Items of Avian Feather Origin	NA
4.3.7	Stuffing materials	NA
4.3.8	Phthalates	PASS
4.4	Electrical/Thermal Energy	NA
4.5	Sound-producing Toys	NA
4.5.1.1	Close-to-the-ear Toys	NA
4.5.1.2	Hand-held Toys	NA
4.5.1.3	Rattles	NA
4.5.1.4	Stationary or Self-propelled Tabletop, Floor, or Crib Toys	NA
4.5.1.5	User-propelled Tabletop, Floor, or Crib Toys	NA
4.5.1.6	Push or Pull Toys	NA
4.5.1.7	Toys Using Explosive Action	NA
4.6	Small objects	NA
4.6.1	Small objects(for children under 36 months of age)	NA
4.6.2	Mouth-actuated Toys	NA
4.6.3	For toys and games intended for children at least 3 years old but less than 6 years of age, and which contain as-received small part(s)	NA
4.7	Accessible Edges	PASS
4.7.1	Potentially hazardous sharp metal and glass edges	NA
4.7.2	Function sharp edge	NA
4.7.3	Metal Toys	NA
4.7.4	Molded Toys	PASS
4.7.5	Exposed Bolts or Threaded Rods	NA
4.8	Projections	NA
4.8.1	Bath Toy Projections	NA

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8, Chuangyun Road, Panyu District, Guangzhou, Guangdong, China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

4.9	Accessible Points	PASS
4.9.1	Potentially hazardous sharp points	PASS
4.9.2	Function sharp point	NA
4.9.3	Wood	NA
4.10	Wires or Rods	NA
4.11	Nails and Fasteners	PASS
4.12	Plastic Film	NA
4.13	Folding Mechanisms and Hinges	NA
4.13.1	Folding Mechanisms	NA
4.13.2	Hinge-line Clearance	NA
4.14	Cords, Straps, and Elastics	NA
4.14.1	Cords, Straps, and Elastics in Toys	NA
4.14.1.1	Cords, Straps, and Elastics Containing a Breakaway Feature	NA
4.14.2	Self-retracting Pull Cords	NA
4.14.3	Pull Toys	NA
4.14.4	Strings and Lines for Flying Devices	NA
4.14.5	Cords on Toy Bags Intended for Children Up to 18 Months	NA
4.14.6	Ride-on Toys	NA
4.15	Stability and Over-Load Requirement	NA
4.15.1	Stability of Ride-on Toys and Toy Seats	NA
4.15.2	Sideways Stability Requirements	NA
4.15.3	Fore and Aft Stability	NA
4.15.4	Stability of Stationary Floor Toys	NA
4.15.5	Overload Requirements for Ride-On Toys and Toy Seats	NA
4.15.6	Wheeled Ride-on Toys	NA
4.16	Confined Spaces	NA
4.16.1	Ventilation	NA
4.16.2	Closures	NA
4.16.3	Toys that Enclose the Head	NA
4.17	Wheels, Tires and Axles	NA
4.18	Holes, Clearance, and Accessibility of Mechanisms	NA
4.18.1	Accessible Clearances for Moveable Segments	NA
4.18.2	Circular Holes in Rigid Materials	NA
4.18.3	Chains and Belts	NA

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8, Chuangyun Road, Panyu District, Guangzhou, Guangdong, China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

4.18.3.1	Supporting Chains	NA
4.18.3.2	Chains or Belts for Ride-On Toys	NA
4.18.4	Inaccessibility of Mechanisms	NA
4.18.5	Winding Keys	NA
4.18.6	Coil Springs	NA
4.19	Simulated Protective Devices	NA
4.19.1	Eye Protection	NA
4.20	Pacifiers	NA
4.21	Projectile Toys	NA
4.21.1	All Projectiles	NA
4.21.2	Projectile Toys with Stored Energy	NA
4.21.3	Projectile Toys without Stored Energy	NA
4.21.4	Rotors	NA
4.22	Teethers and Teething Toys	NA
4.23	Rattles	NA
4.24	Squeeze Toys	NA
4.25	Battery-operated toys	PASS
4.26	Toys Intended to be Attached to a Crib or Playpen	NA
4.26.1	Protrusions	NA
4.26.2	Crib Mobiles	NA
4.26.3	Crib Gyms	NA
4.27	Stuffed and Beanbag-Type Toys	NA
4.28	Stroller and Carriage Toys	NA
4.29	Art Materials	NA
4.30	Toy Gun Marking	NA
4.31	Balloons	NA
4.32	Certain Toys with Nearly Spherical Ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-Shaped Objects	NA
4.37	Yo Yo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding Materials	NA
4.41	Toy Chests	NA
4.41.1	Lid Support	NA
4.41.2	Hinge Line Clearance	NA
4.41.3	Closures	NA
4.41.4	Ventilation	NA
5	Labeling Requirements	PASS
5.1	Federal Government Requirements	PASS

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

5.2	Age Grading Labeling	PASS
5.4 & 5.3	Aquatic Toys	NA
5.5 & 5.3	Crib and Playpen Toys	NA
5.6 & 5.3	Mobiles	NA
5.7 & 5.3	Stroller and Carriage Toys	NA
5.8 & 5.3	Toys Intended to be Assembled By an Adult	NA
5.9 & 5.3	Simulated Protective Devices	NA
5.10 & 5.3	Toys with Functional Sharp Edges or Points	NA
5.11	Small Objects, Small Balls, Marbles, and Balloons	NA
5.12	Art Materials	NA
5.13	Electric Toys	NA
5.14	Battery-Operated Toys(exclude 5.14.1 and 5.14.2)	NA
5.14.1 & 5.3	Battery-Powered Ride-On Toys	NA
5.14.2 & 5.3	Button or Coin Cell Batteries	NA
5.15	Promotional Materials	PASS
5.16	Magnets	NA
6	Instructional Literature	PASS
6.1	Definition and description	PASS
6.2	Crib and playpen toys	NA
6.3	Mobiles	NA
6.4 & 5.3	Toys intended to be assembled by an adult	NA
6.5	Battery-operated toys	NA
6.6	Battery Powered Ride-on Toys	NA
6.7	Toys in contact with food	NA
6.8	Toy Chests	NA
6.9	Instructional material	NA
7	Producer's Markings	PASS
7.1	Name of the producer or the distributor	PASS
	Address of the producer or the distributor	PASS
7.2	Battery powered ride on toys	NA
7.3	Toy Chests	NA
8.5	Normal Use Testing	PASS
8.7	Impact Tests	PASS
8.8	Torque Test	PASS
8.9	Tension Test	PASS
8.10	Compression Test	PASS
8.11	Tests for Tire Removal and Snap-in Wheel and Axle Assembly Removal	NA
8.12	Flexure Test	NA
8.13	Test for Mouth-actuated Toys and Mouth-actuated Projectile Toys	NA
8.14	Projectiles	NA
8.15	Test for Stability of Ride-on Toys or Toy Seats	NA
8.16	Pompoms	NA
8.17	Stalled Motor Test for Battery-operated Toys	NA
8.18	Tests for Battery-Powered Ride-on Toys	NA
8.19	Test for Toys that Contain Secondary Cells or Batteries	PASS

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

8.20	Tests for Toys which Produce Sound	NA
8.21	Dynamic Strength Test for Wheeled Ride-on Toys	NA
8.22	Plastic Film Thickness	NA
8.23	Test for Loops and Cords	NA
8.24	Yo Yo Elastic Tether Toy Test Methods	NA
8.25	Magnet Test Methods	NA
8.26	Test Methods for Locking Mechanisms or Other Means	NA
8.27	Tests for Toy Chest Lids and Closures	NA
8.28	Test for Overload of Ride-on Toys and Toy Seats	NA
8.29	Stuffing Materials Evaluation	NA
8.30	Expanding Materials-Test Method	NA

Applicable Clause	Test parameter(s)	Result(s)
		P88
4.1	Material quality	PASS
4.2	Flammability	PASS
4.3	Toxicology	PASS
4.3.1	Hazardous Substances	NA
4.3.2	Manufacturing and Packaging of Food	NA
4.3.3	Indirect Food Additives	NA
4.3.4	Cosmetics	NA
4.3.5	Heavy Elements	PASS
4.3.6	Cosmetics,Liquids, Pastes, Putties, Gels, Powders,and Items of Avian Feather Origin	NA
4.3.7	Stuffing materials	NA
4.3.8	Phthalates	PASS
4.4	Electrical/Thermal Energy	NA
4.5	Sound-producing Toys	NA
4.5.1.1	Close-to-the-ear Toys	NA
4.5.1.2	Hand-held Toys	NA
4.5.1.3	Rattles	NA
4.5.1.4	Stationary or Self-propelled Tabletop, Floor, or Crib Toys	NA
4.5.1.5	User-propelled Tabletop, Floor, or Crib Toys	NA
4.5.1.6	Push or Pull Toys	NA
4.5.1.7	Toys Using Explosive Action	NA
4.6	Small objects	NA
4.6.1	Small objects(for children under 36 months of age)	NA
4.6.2	Mouth-actuated Toys	NA

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

4.6.3	For toys and games intended for children at least 3 years old but less than 6 years of age, and which contain as-received small part(s)	NA
4.7	Accessible Edges	PASS
4.7.1	Potentially hazardous sharp metal and glass edges	NA
4.7.2	Function sharp edge	NA
4.7.3	Metal Toys	NA
4.7.4	Molded Toys	PASS
4.7.5	Exposed Bolts or Threaded Rods	NA
4.8	Projections	NA
4.8.1	Bath Toy Projections	NA
4.9	Accessible Points	PASS
4.9.1	Potentially hazardous sharp points	PASS
4.9.2	Function sharp point	NA
4.9.3	Wood	NA
4.10	Wires or Rods	NA
4.11	Nails and Fasteners	PASS
4.12	Plastic Film	PASS
4.13	Folding Mechanisms and Hinges	NA
4.13.1	Folding Mechanisms	NA
4.13.2	Hinge-line Clearance	NA
4.14	Cords, Straps, and Elastics	NA
4.14.1	Cords, Straps, and Elastics in Toys	NA
4.14.1.1	Cords, Straps, and Elastics Containing a Breakaway Feature	NA
4.14.2	Self-retracting Pull Cords	NA
4.14.3	Pull Toys	NA
4.14.4	Strings and Lines for Flying Devices	NA
4.14.5	Cords on Toy Bags Intended for Children Up to 18 Months	NA
4.14.6	Ride-on Toys	NA
4.15	Stability and Over-Load Requirement	NA
4.15.1	Stability of Ride-on Toys and Toy Seats	NA
4.15.2	Sideways Stability Requirements	NA
4.15.3	Fore and Aft Stability	NA
4.15.4	Stability of Stationary Floor Toys	NA
4.15.5	Overload Requirements for Ride-On Toys and Toy	NA

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

	Seats	
4.15.6	Wheeled Ride-on Toys	NA
4.16	Confined Spaces	NA
4.16.1	Ventilation	NA
4.16.2	Closures	NA
4.16.3	Toys that Enclose the Head	NA
4.17	Wheels, Tires and Axles	NA
4.18	Holes, Clearance, and Accessibility of Mechanisms	NA
4.18.1	Accessible Clearances for Moveable Segments	NA
4.18.2	Circular Holes in Rigid Materials	NA
4.18.3	Chains and Belts	NA
4.18.3.1	Supporting Chains	NA
4.18.3.2	Chains or Belts for Ride-On Toys	NA
4.18.4	Inaccessibility of Mechanisms	NA
4.18.5	Winding Keys	NA
4.18.6	Coil Springs	NA
4.19	Simulated Protective Devices	NA
4.19.1	Eye Protection	NA
4.20	Pacifiers	NA
4.21	Projectile Toys	NA
4.21.1	All Projectiles	NA
4.21.2	Projectile Toys with Stored Energy	NA
4.21.3	Projectile Toys without Stored Energy	NA
4.21.4	Rotors	NA
4.22	Teethers and Teething Toys	NA
4.23	Rattles	NA
4.24	Squeeze Toys	NA
4.25	Battery-operated toys	NA
4.26	Toys Intended to be Attached to a Crib or Playpen	NA
4.26.1	Protrusions	NA
4.26.2	Crib Mobiles	NA
4.26.3	Crib Gyms	NA
4.27	Stuffed and Beanbag-Type Toys	NA
4.28	Stroller and Carriage Toys	NA
4.29	Art Materials	NA
4.30	Toy Gun Marking	NA
4.31	Balloons	NA
4.32	Certain Toys with Nearly Spherical Ends	NA
4.33	Marbles	NA

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-Shaped Objects	NA
4.37	Yo Yo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding Materials	NA
4.41	Toy Chests	NA
4.41.1	Lid Support	NA
4.41.2	Hinge Line Clearance	NA
4.41.3	Closures	NA
4.41.4	Ventilation	NA
5	Labeling Requirements	PASS
5.1	Federal Government Requirements	PASS
5.2	Age Grading Labeling	PASS
5.4 & 5.3	Aquatic Toys	NA
5.5 & 5.3	Crib and Playpen Toys	NA
5.6 & 5.3	Mobiles	NA
5.7 & 5.3	Stroller and Carriage Toys	NA
5.8 & 5.3	Toys Intended to be Assembled By an Adult	NA
5.9 & 5.3	Simulated Protective Devices	NA
5.10 & 5.3	Toys with Functional Sharp Edges or Points	NA
5.11	Small Objects, Small Balls, Marbles, and Balloons	NA
5.12	Art Materials	NA
5.13	Electric Toys	NA
5.14	Battery-Operated Toys(exclude 5.14.1 and 5.14.2)	NA
5.14.1 & 5.3	Battery-Powered Ride-On Toys	NA
5.14.2 & 5.3	Button or Coin Cell Batteries	NA
5.15	Promotional Materials	PASS
5.16	Magnets	NA
6	Instructional Literature	PASS
6.1	Definition and description	PASS
6.2	Crib and playpen toys	NA
6.3	Mobiles	NA
6.4 & 5.3	Toys intended to be assembled by an adult	NA
6.5	Battery-operated toys	NA
6.6	Battery Powered Ride-on Toys	NA
6.7	Toys in contact with food	NA
6.8	Toy Chests	NA
6.9	Instructional material	NA
7	Producer's Markings	PASS
7.1	Name of the producer or the distributor	PASS
	Address of the producer or the distributor	PASS
7.2	Battery powered ride on toys	NA
7.3	Toy Chests	NA
8.5	Normal Use Testing	PASS

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

8.7	Impact Tests	PASS
8.8	Torque Test	PASS
8.9	Tension Test	PASS
8.10	Compression Test	PASS
8.11	Tests for Tire Removal and Snap-in Wheel and Axle Assembly Removal	NA
8.12	Flexure Test	NA
8.13	Test for Mouth-actuated Toys and Mouth-actuated Projectile Toys	NA
8.14	Projectiles	NA
8.15	Test for Stability of Ride-on Toys or Toy Seats	NA
8.16	Pompoms	NA
8.17	Stalled Motor Test for Battery-operated Toys	NA
8.18	Tests for Battery-Powered Ride-on Toys	NA
8.19	Test for Toys that Contain Secondary Cells or Batteries	NA
8.20	Tests for Toys which Produce Sound	NA
8.21	Dynamic Strength Test for Wheeled Ride-on Toys	NA
8.22	Plastic Film Thickness	PASS
8.23	Test for Loops and Cords	NA
8.24	Yo Yo Elastic Tether Toy Test Methods	NA
8.25	Magnet Test Methods	NA
8.26	Test Methods for Locking Mechanisms or Other Means	NA
8.27	Tests for Toy Chest Lids and Closures	NA
8.28	Test for Overload of Ride-on Toys and Toy Seats	NA
8.29	Stuffing Materials Evaluation	NA
8.30	Expanding Materials-Test Method	NA

Applicable Clause	Test parameter(s)	Result(s)
		P89
4.1	Material quality	PASS
4.2	Flammability	PASS
4.3	Toxicology	PASS
4.3.1	Hazardous Substances	NA
4.3.2	Manufacturing and Packaging of Food	NA
4.3.3	Indirect Food Additives	NA
4.3.4	Cosmetics	NA
4.3.5	Heavy Elements	PASS
4.3.6	Cosmetics,Liquids, Pastes, Putties, Gels, Powders,and Items of Avian Feather Origin	NA
4.3.7	Stuffing materials	NA
4.3.8	Phthalates	PASS
4.4	Electrical/Thermal Energy	NA
4.5	Sound-producing Toys	NA

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

4.5.1.1	Close-to-the-ear Toys	NA
4.5.1.2	Hand-held Toys	NA
4.5.1.3	Rattles	NA
4.5.1.4	Stationary or Self-propelled Tabletop, Floor, or Crib Toys	NA
4.5.1.5	User-propelled Tabletop, Floor, or Crib Toys	NA
4.5.1.6	Push or Pull Toys	NA
4.5.1.7	Toys Using Explosive Action	NA
4.6	Small objects	NA
4.6.1	Small objects(for children under 36 months of age)	NA
4.6.2	Mouth-actuated Toys	NA
4.6.3	For toys and games intended for children at least 3 years old but less than 6 years of age, and which contain as-received small part(s)	NA
4.7	Accessible Edges	PASS
4.7.1	Potentially hazardous sharp metal and glass edges	NA
4.7.2	Function sharp edge	NA
4.7.3	Metal Toys	NA
4.7.4	Molded Toys	PASS
4.7.5	Exposed Bolts or Threaded Rods	NA
4.8	Projections	NA
4.8.1	Bath Toy Projections	NA
4.9	Accessible Points	PASS
4.9.1	Potentially hazardous sharp points	PASS
4.9.2	Function sharp point	NA
4.9.3	Wood	NA
4.10	Wires or Rods	NA
4.11	Nails and Fasteners	PASS
4.12	Plastic Film	NA
4.13	Folding Mechanisms and Hinges	NA
4.13.1	Folding Mechanisms	NA
4.13.2	Hinge-line Clearance	NA
4.14	Cords, Straps,and Elastics	NA
4.14.1	Cords, Straps, and Elastics in Toys	NA
4.14.1.1	Cords, Straps,and Elastics Containing a Breakaway Feature	NA
4.14.2	Self-retracting Pull Cords	NA

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

4.14.3	Pull Toys	NA
4.14.4	Strings and Lines for Flying Devices	NA
4.14.5	Cords on Toy Bags Intended for Children Up to 18 Months	NA
4.14.6	Ride-on Toys	NA
4.15	Stability and Over-Load Requirement	NA
4.15.1	Stability of Ride-on Toys and Toy Seats	NA
4.15.2	Sideways Stability Requirements	NA
4.15.3	Fore and Aft Stability	NA
4.15.4	Stability of Stationary Floor Toys	NA
4.15.5	Overload Requirements for Ride-On Toys and Toy Seats	NA
4.15.6	Wheeled Ride-on Toys	NA
4.16	Confined Spaces	NA
4.16.1	Ventilation	NA
4.16.2	Closures	NA
4.16.3	Toys that Enclose the Head	NA
4.17	Wheels, Tires and Axles	NA
4.18	Holes, Clearance, and Accessibility of Mechanisms	NA
4.18.1	Accessible Clearances for Moveable Segments	NA
4.18.2	Circular Holes in Rigid Materials	NA
4.18.3	Chains and Belts	NA
4.18.3.1	Supporting Chains	NA
4.18.3.2	Chains or Belts for Ride-On Toys	NA
4.18.4	Inaccessibility of Mechanisms	NA
4.18.5	Winding Keys	NA
4.18.6	Coil Springs	NA
4.19	Simulated Protective Devices	NA
4.19.1	Eye Protection	NA
4.20	Pacifiers	NA
4.21	Projectile Toys	NA
4.21.1	All Projectiles	NA
4.21.2	Projectile Toys with Stored Energy	NA
4.21.3	Projectile Toys without Stored Energy	NA
4.21.4	Rotors	NA
4.22	Teethers and Teething Toys	NA
4.23	Rattles	NA

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

4.24	Squeeze Toys	NA
4.25	Battery-operated toys	NA
4.26	Toys Intended to be Attached to a Crib or Playpen	NA
4.26.1	Protrusions	NA
4.26.2	Crib Mobiles	NA
4.26.3	Crib Gyms	NA
4.27	Stuffed and Beanbag-Type Toys	NA
4.28	Stroller and Carriage Toys	NA
4.29	Art Materials	NA
4.30	Toy Gun Marking	NA
4.31	Balloons	NA
4.32	Certain Toys with Nearly Spherical Ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-Shaped Objects	NA
4.37	Yo Yo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding Materials	NA
4.41	Toy Chests	NA
4.41.1	Lid Support	NA
4.41.2	Hinge Line Clearance	NA
4.41.3	Closures	NA
4.41.4	Ventilation	NA
5	Labeling Requirements	PASS
5.1	Federal Government Requirements	PASS
5.2	Age Grading Labeling	PASS
5.4 & 5.3	Aquatic Toys	NA
5.5 & 5.3	Crib and Playpen Toys	NA
5.6 & 5.3	Mobiles	NA
5.7 & 5.3	Stroller and Carriage Toys	NA
5.8 & 5.3	Toys Intended to be Assembled By an Adult	NA
5.9 & 5.3	Simulated Protective Devices	NA
5.10 & 5.3	Toys with Functional Sharp Edges or Points	NA
5.11	Small Objects, Small Balls, Marbles, and Balloons	NA
5.12	Art Materials	NA
5.13	Electric Toys	NA
5.14	Battery-Operated Toys(exclude 5.14.1 and 5.14.2)	NA
5.14.1 & 5.3	Battery-Powered Ride-On Toys	NA
5.14.2 & 5.3	Button or Coin Cell Batteries	NA
5.15	Promotional Materials	PASS
5.16	Magnets	NA
6	Instructional Literature	PASS
6.1	Definition and description	PASS
6.2	Crib and playpen toys	NA

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

6.3	Mobiles	NA
6.4 & 5.3	Toys intended to be assembled by an adult	NA
6.5	Battery-operated toys	NA
6.6	Battery Powered Ride-on Toys	NA
6.7	Toys in contact with food	NA
6.8	Toy Chests	NA
6.9	Instructional material	NA
7	Producer's Markings	PASS
7.1	Name of the producer or the distributor	PASS
	Address of the producer or the distributor	PASS
7.2	Battery powered ride on toys	NA
7.3	Toy Chests	NA
8.5	Normal Use Testing	PASS
8.7	Impact Tests	PASS
8.8	Torque Test	PASS
8.9	Tension Test	PASS
8.10	Compression Test	PASS
8.11	Tests for Tire Removal and Snap-in Wheel and Axle Assembly Removal	NA
8.12	Flexure Test	NA
8.13	Test for Mouth-actuated Toys and Mouth-actuated Projectile Toys	NA
8.14	Projectiles	NA
8.15	Test for Stability of Ride-on Toys or Toy Seats	NA
8.16	Pompoms	NA
8.17	Stalled Motor Test for Battery-operated Toys	NA
8.18	Tests for Battery-Powered Ride-on Toys	NA
8.19	Test for Toys that Contain Secondary Cells or Batteries	NA
8.20	Tests for Toys which Produce Sound	NA
8.21	Dynamic Strength Test for Wheeled Ride-on Toys	NA
8.22	Plastic Film Thickness	NA
8.23	Test for Loops and Cords	NA
8.24	Yo Yo Elastic Tether Toy Test Methods	NA
8.25	Magnet Test Methods	NA
8.26	Test Methods for Locking Mechanisms or Other Means	NA
8.27	Tests for Toy Chest Lids and Closures	NA
8.28	Test for Overload of Ride-on Toys and Toy Seats	NA
8.29	Stuffing Materials Evaluation	NA
8.30	Expanding Materials-Test Method	NA

Note(s):

- 1.NA=Not Applicable
- 2.NR=Not Requested

The battery-operated toys test requirements of ASTM F963-23, "Standard consumer safety specification for toy safety", Section 4.25

Applicable	Test parameter(s)	Result(s)
------------	-------------------	-----------

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

Clause		P90
4.25	Battery-operated toys	PASS
4.25.1	The toy shall be marked permanently on the battery compartment or on the area immediately adjacent to the battery compartment to show the correct battery polarity using the polarity symbols "+" and "-". Additional markings located on the toy or in the instructions shall indicate the correct battery size and voltage.	NA
4.25.2	The maximum allowable direct current potential between any two accessible electrical points is 24V nominal.	NA
4.25.3	Battery-operated toys shall be designed so that it is not possible to charge any non-rechargeable battery.	NA
4.25.4.1	For toys intended for children less than 3 years old, all batteries shall not be accessible before or after testing in accordance with 8.5-8.10, without the use of a coin, screwdriver, or other common household tool.	NA
4.25.4.2	For all toys, batteries that fit completely within the small parts test cylinder shall not be accessible, before or after testing in accordance with 8.5-8.10, without the use of a coin, screwdriver, or other common household tool.	NA
4.25.4.3	If a fastener is used to secure the battery compartment, it shall remain attached to the toy or battery compartment cover, before and after testing in accordance with 8.5-8.10.	PASS
4.25.4.4	As an alternative to a common household tool, manufacturers are permitted to elect to use a specialty fastener (for example, Torx, Hex) to secure the battery compartment, in accordance with the requirements of 4.25.4, if the appropriate tool is included with the toy, and instructional material con-forming to 6.9 is included.	NA
4.25.5	Batteries of different types or capacities shall not be mixed within any single electrical circuit.	PASS
4.25.6	The surfaces of the batteries shall not achieve temperatures exceeding 71°C.	PASS
4.25.7	No condition shall occur that would cause the toy to fail the temperature requirements of 4.25.6 or present a combustion hazard as described in 4.25	PASS
4.25.8	Battery-operated toys shall meet the requirements of 6.5 for instructions on safe battery usage.	NA
4.25.9	Battery-Powered Ride-On Toys	NA
4.25.10	Toys that contain secondary cells or secondary batteries	PASS
5	Labeling Requirements	--
5.14	Battery-Operated toys	NA

Note(s):

- 1.NA=Not Applicable
- 2.NR=Not Requested

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

Flammability of solids and soft Toys-ASTM F963-23 section 4.2

Method Used: ASTM F963-23 A5 & 16 CFR 1500.44

Section	Text item	Assessment
4.2	Flammability	Pass (see Table1)

Table 1

Sample No.	Burn Rate(in/sec)	Limit (in/sec)
P86&P87&P88&P89(solid)	<0.1	0.1

Note(s):

1. DNI=Do not ignite
2. SE = Self-Extinguished before burn-rate could be determined.

Flammability test on textile materials as received-ASTM F963-23 section 4.2

Method Used: ASTM F963-23 A6 & 16 CFR 1610

Fabric type: Plain Surface Textile Fabrics / Raised Surface Textile Fabrics

Sample No.	Burning Time(second)							After washing						
	As received													
	Warp(↑)	1	2	3	4	5	Ave.	1	2	3	4	5	Ave.	
-		-	-	-	-	-	-	-	-	-	-	-	-	
	Weft(→)	1	2	3	4	5	Ave.	1	2	3	4	5	Ave.	
-		-	-	-	-	-	-	-	-	-	-	-	-	

Note(s):

1. DNI=Do not ignite
2. SE = Self-Extinguished before burn-rate could be determined.
3. IBE=Ignite but extinguished
4. Ave.=Average
- 5.NA=Not applicable

Requirement:

Classification:

Plain Surface Textile Fabrics

Raised Surface Textile Fabrics

Acceptable Criteria

DNI/IBE;

Ave.time≥3.5 sec;

1 of 5 ignites and burn time≥3.5 sec;

Only 1 of 10 burn time <3.5 sec;

DNI/IBE;

Ave.time≥4 sec;

Ave.time<4 sec, But no base ignite /char/melt;

1 of 5 ignites and burn time <4 sec, But no base ignite/fuse;

1 of 5 ignites and burn time >4 sec, regardless of base ignites/fuse;

Only 1 of 10 ignites and burn time <4 sec, with base ignite/fuse;

Test methods for simulating use and abuse of toys and other articles intended for use by children- CPSC 16 CFR 1500.50**GRG METROLOGY & TEST GROUP CO., LTD.**

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

USE AND ABUSE TESTS

The samples were undergo the tests in accordance with section 8.6 through 8.16, whichever is applicable		
Test age grade: all ages		
Test	Test Parameters	Standard Reference
Impact Test	10 x 4.5 ft	1500.51(b)
Torque Test	4 in-lbs	1500.53(e)
Tension Test	15 lbs	1500.53(f)
Compression Test	30 lbs	1500.53(g)
Test age grade: 0-18 months		
Test	Test Parameters	Standard Reference
Impact Test	10 x 4.5 ft	1500.51(b)
Torque Test	2 in-lbs	1500.51(e)
Tension Test	10 lbs	1500.51(f)
Compression Test	20 lbs	1500.51(g)
Test age grade: 18 months+,24months+		
Test	Test Parameters	Standard Reference
Impact Test	4 x 3 ft	1500.52(b)
Torque Test	4 in-lbs	1500.53(e)
Tension Test	15 lbs	1500.53(f)
Compression Test	30 lbs	1500.53(g)
Test age grade: 0-24 months,0-36months		
Test	Test Parameters	Standard Reference
Impact Test	10 x 4.5 ft	1500.51(b)
Torque Test	3 in-lbs	1500.52(e)
Tension Test	15 lbs	1500.52(f)
Compression Test	25 lbs	1500.52(g)
Test age grade: 19-36months		
Test	Test Parameters	Standard Reference
Impact Test	4 x 3 ft	1500.52(b)
Torque Test	3 in-lbs	1500.52(e)
Tension Test	15 lbs	1500.52(f)
Compression Test	25 lbs	1500.52(g)
Test age grade: over 3 years		
Test	Test Parameters	Standard Reference
Impact Test	4 x 3 ft	1500.53(b)
Torque Test	4 in-lbs	1500.53(e)
Tension Test	15 lbs	1500.53(f)
Compression Test	30 lbs	1500.53(g)

Small parts- 16 CFR 1501

Test parameter(s)	Standard	Result(s)
		P86&P87&P88&P89
Small parts	16 CFR 1501	NA

Note:

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

1.NA=Not applicable

Sharp points-16 CFR 1500.48

Test parameter(s)	Standard	Result(s)
		P86&P87&P88&P89
Sharp Points	16 CFR 1500.48	Pass

Note:

1.NA=Not applicable

Sharp edges- 16 CFR 1500.49

Test parameter(s)	Standard	Result(s)
		P86&P87&P88&P89
Sharp Edges	16 CFR 1500.49	Pass

Note:

1.NA=Not applicable

15 U.S.C. §2063(a)(5) (CPSA)&CPSIA Section 103 Tracking Label Requirement for Children's Products

Description	Result
	P86&P87&P88&P89
1. Is the product intended for children under 12 years?If no, the section is not applicable.	Yes
2. Is the product under the exemption of marking on children's product?	Yes
2.1 Product is too small to be marked.	No
2.2. Products stay with or be contained in their original packaging.	No
2.3. Product is sold through a bulk vending machine.	No
2.4. Physical mark would weaken or damage the product or impair its utility.	No
2.5. Product surface would be impossible to mark permanently.	No
2.6. Aesthetics of the product would be ruined by a mark.	Yes
3. Is the product and packaging or only packaging (for product exempted from the marking) marked below information?	Yes
3.1. Name of the manufacturer or the name of the private labeler.	Yes
3.2. Manufacturer or private labeler location, including the name of the country, and the name or other means of coding of city and state.	Yes

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E

Description	Result
	P86&P87&P88&P89
3.3. Date of production of the product, in a form of MM/YY or any other coding system.	Yes
3.4. Cohort information (including the batch, run number, or another identifying characteristic).	Yes
4. Is the label permanent after below permanency testing?	Yes

Photo of Sample




GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E




GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E




GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E




GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E




GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E




GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E




GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E




GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E




GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E




GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E




GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E




GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E




GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E




GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8, Chuangyun Road, Panyu District, Guangzhou, Guangdong, China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

Page 96 of 129

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E




GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E




GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E




GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E




GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E




GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E




GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8, Chuangyun Road, Panyu District, Guangzhou, Guangdong, China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

TEST REPORT

CheckCode:121420
Report No.:C202511060614-4E



-----End of Report-----

GRG METROLOGY & TEST GROUP CO., LTD.

Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>