



NETWORK AUDIT REPORT

LS Solutions Software -- LSS Network Tools



CLIENT:	Client 5db93c
LOCATION:	Site b1cbd8
NOTE:	note-0111c5
DATE:	11-06-2026 12:20
PREPARED BY:	Test Engineer

This document is confidential and intended solely for the use of the named client.

CONFIDENTIAL -- Prepared for Client 5db93c

Not for distribution beyond the named recipient
Page 1 of 5 -- Generated by LSS Network Tools (LS Solutions Software)

About This Report

This report was produced by LSS Network Tools (LS Solutions Software). Each section below corresponds to a specific test run on the client's network. The table explains what each task checks and why it matters.

#	Task	What it checks and why it matters
1	Interface & Network Info	Identifies the network interface, IP address, subnet, gateway, and MAC address of the audited device. Also detects whether the scan is being run inside a virtual machine, which may affect what is visible on the network.
2	Internet Speed Test	Measures the actual download speed, upload speed, and round-trip latency of the internet connection at the time of the audit using a public speed test server.
3	Gateway Scan	Scans all TCP ports on the network's gateway (router or firewall) to identify which services are reachable from the local network. Open management interfaces or monitoring agents that are not restricted to authorised hosts are flagged.
4	DHCP Scan	Discovers which devices on the network are handing out IP addresses. Detects potential rogue DHCP servers -- unauthorised devices that could redirect network traffic to attacker-controlled destinations by providing false gateway or DNS information.
5	DHCP Response Time	Measures how quickly the DHCP server responds to new connection requests. Slow responses cause delays and failures when devices boot, reconnect, or renew their IP address lease.
6	DNS Network Scan	Identifies devices on the network that are responding to DNS queries. Unexpected DNS responders can silently redirect web and application traffic to malicious destinations.
7	LDAP / Active Directory Scan	Detects Active Directory domain controllers and the directory services they expose, including LDAP, LDAPS, Kerberos, and Global Catalog ports. Confirms whether a Windows domain infrastructure is present and characterises its service profile.
8	SMB / NFS Network Scan	Discovers file-sharing services on the network. Checks whether Windows SMB shares enforce message signing -- without it, traffic is vulnerable to relay attacks. Also detects Linux NFS exports that are accessible without authentication.
9	Printer / Print Server Scan	Locates printers on the network and checks whether the raw printing port (JetDirect, port 9100) is open without authentication. Unauthenticated printing ports allow unauthorised print jobs and, on some models, retrieval of previously printed documents.
11	VLAN / Trunk Detection	Passively listens for 802.1Q VLAN-tagged frames and Cisco/LLDP neighbour discovery messages. Determines whether the audited port is connected to a network trunk or can observe traffic from multiple network segments -- a potential isolation weakness.

Additional tasks (13-16) may also appear in this report: custom port scans and stress tests against specific target devices, identity resolution, and DNS resolver assessment. These are run selectively based on the scope agreed with the client.

Executive Summary - Key Findings

HIGH	DHCP server did not respond to all probes Packet loss observed during DHCP response time test: 100.0% of Discover packets received no Offer.
INFO	Gateway Details completed with warnings The gateway responded, but no open TCP ports were detected during the scan.
INFO	DHCP Network Scan completed with warnings No open TCP ports were detected on DHCP responder 10.1.40.1.
INFO	DHCP Response Time completed with warnings No DHCP Offer was received for any of the 10 Discover probes. Verify DHCP service is active and reachable on this interface.
INFO	DNS Network Scan completed with warnings The scan completed, but no matching hosts were found on the selected network range.
INFO	LDAP/AD Network Scan completed with warnings The scan completed, but no matching hosts were found on the selected network range.
INFO	SMB/NFS Network Scan completed with warnings The scan completed, but no matching hosts were found on the selected network range.
INFO	Printer/Print Server Network Scan completed with warnings The scan completed, but no matching hosts were found on the selected network range.
INFO	VLAN/Trunk Detection completed with warnings No 802.1Q tagged frames were observed during the passive capture window. The port may be configured as an untagged access port. No CDP or LLDP neighbour frames were received in the 65s capture window. The upstream switch may have neighbour discovery disabled on this port, or it may be a non-Cisco/non-standard device.

Remediation Hints

Review DNS roles Confirm whether the detected DNS-capable hosts are expected to serve DNS, and inspect their forwarding or recursion configuration if they appear unusual.
--

Audit Results - Per Task

1. Interface Network Info

Interface	en0
IP Address	10.1.41.14
Subnet Mask	255.255.252.0
Network Range	10.1.40.0/22
Gateway	10.1.40.1
MAC Address	e2:85:5f:1c:e7:b1

2. Internet Speed Test

Public IP	203.0.113.5
Test Server	host-12c9e2
Ping	12.703 ms
Download	72.07 Mbps
Upload	44.46 Mbps

Single point-in-time measurement using speedtest-cli. Results may vary with network congestion and time of day. Run multiple tests for a representative baseline.

3. Gateway Details

Gateway IP	10.1.40.1
Open Port Count	0
Open TCP Ports	none

Scan scope: All TCP ports (1-65535)

4. DHCP Network Scan

Discovery Attempts	5
Responders Observed	1
Unique Offers	1
Raw Offers Captured	5
Rogue DHCP Suspected	No
Relay / Proxy Sources	10.1.40.1

DHCP Responders (1):

10.1.40.1 | Class: gateway | Offers: 1 | Rogue: False | Ports: none

5. DHCP Response Time

Interface	en0 (Wi-Fi)
DHCP Server	unknown
Probes / Replies	10 / 0
Packet Loss	100.0%
Min Latency	N/A
Avg Latency	N/A
Max Latency	N/A
Slow Response	No
Packet Loss	Yes

Measured over Wi-Fi -- wireless adds inherent latency. Re-test on a wired connection for a reliable baseline.

DHCP Discover-to-Offer latency measured using UDP broadcast probes. Each probe sends a DHCP Discover and waits for the matching Offer. Offers are received via SOCK_DGRAM on port 68 (macOS) or SOCK_RAW (Linux). Results reflect point-in-time conditions; latency may differ under peak load or when many devices are renewing leases simultaneously.

6. DNS Network Scan**Network Range** 10.1.40.0/22**Scanned Ports** 53**Servers Found** 0*No hosts detected.***7. LDAP/AD Network Scan****Network Range** 10.1.40.0/22**Scanned Ports** 88,389,636,3268,3269**Servers Found** 0*No hosts detected.***8. SMB/NFS Network Scan****Network Range** 10.1.40.0/22**Scanned Ports** 111,139,445,2049**Servers Found** 0*No hosts detected.***9. Printer/Print Server Network Scan****Network Range** 10.1.40.0/22**Scanned Ports** 515,631,9100**Servers Found** 0*No hosts detected.***11. VLAN / Trunk Detection****Interface** en0**Tagged Frames Observed** **No****Observed VLAN IDs** none**Trunk Port Suspected** **No****CDP/LLDP Exposure** **No****Multiple VLANs Visible** **No***CDP Neighbours: none detected**LLDP Neighbours: none detected***Double-Tag Probe** Not attempted