

Slew, Track and Image taking with ComCam

This notebook is used for the level 3 integration tests from test plan LVV-P81 (<https://jira.lsstcorp.org/secure/Tests.jspx#/testPlan/LVV-P81>) as part of test cycle LVV-C176 (<https://jira.lsstcorp.org/secure/Tests.jspx#/testCycle/LVV-C176>). The following tests are currently run as part of this notebook:

- LVV-T2290 (<https://jira.lsstcorp.org/secure/Tests.jspx#/testCase/LVV-T2290>)

Execution steps are separated by horizontal lines. Upon completion, save the notebook and its output as a pdf file to be attached to the test execution in JIRA.

```
In [1]: from lsst.ts import utils

# Extract your name from the Jupyter Hub
__executed_by__ = os.environ["JUPYTERHUB_USER"]

# Extract execution date
__executed_on__ = utils.astropy_time_from_tai_unix(utils.current_tai())
__executed_on__.format = "isot"

# This is used later to define where Butler stores the images
summit = os.environ["LSST_DDS_PARTITION_PREFIX"] == "summit"

print(f"\nExecuted by {__executed_by__} on {__executed_on__}."
      f"\n  At the summit? {summit}")
```

```
| lsst.ts.utils.tai INFO: Update leap second table
| lsst.ts.utils.tai INFO: current_tai uses the system TAI clock
Executed by slimleashma on 2022-05-18T16:40:04.559.
  At the summit? True
```

Run the setup.ipynb notebook to bring all components up and in their enabled position. Check Chronograph.

Bring ComCom online and transition it to EnabledState. Check Chronograph.

```
In [2]: %load_ext autoreload
        %autoreload 2
```

```
In [3]: import rubin_jupyter_utils.lab.notebook as nb
        nb.utils.get_node()
```

```
/tmp/ipykernel_3129/1665379685.py:2: DeprecationWarning: Call to deprecated fu
nction (or staticmethod) get_node. (Please use lsst.rsp.get_node())
    nb.utils.get_node()
```

```
Out[3]: 'yagan03'
```

```
In [4]: import os
import sys
import asyncio
import logging

import pandas as pd
import numpy as np

from matplotlib import pyplot as plt

from lsst.ts import salobj
from lsst.ts.observatory.control.maintel import MTCS, ComCam
from lsst.ts.observatory.control import RotType
```

```
In [5]: logging.basicConfig(format="%(name)s: %(message)s", level=logging.DEBUG)
```

```
In [6]: log = logging.getLogger("setup")
log.level = logging.DEBUG
```

```
In [7]: domain = salobj.Domain()
```

```
In [8]: mtcs = MTCS(domain=domain, log=log)
mtcs.set_rem_loglevel(40)
```

```
| setup.MTCS DEBUG: mtmount: Adding all resources.
| setup.MTCS DEBUG: mtptg: Adding all resources.
| setup.MTCS DEBUG: mtaos: Adding all resources.
| setup.MTCS DEBUG: mtm1m3: Adding all resources.
| setup.MTCS DEBUG: mtm2: Adding all resources.
| setup.MTCS DEBUG: mthexapod_1: Adding all resources.
| setup.MTCS DEBUG: mthexapod_2: Adding all resources.
| setup.MTCS DEBUG: mtrotator: Adding all resources.
| setup.MTCS DEBUG: mtdome: Adding all resources.
| setup.MTCS DEBUG: mtdometrajectory: Adding all resources.
| MTHexapod INFO: Read historical data in 0.01 sec
| MTHexapod INFO: Read historical data in 0.05 sec
| MTHexapod.application WARNING: tel_application DDS read queue is filling: 1
| 4 of 100 elements
| MTHexapod.actuators WARNING: tel_actuators DDS read queue is filling: 14 of
| 100 elements
```

```
In [9]: await mtcs.start_task
```

```
Out[9]: [None, None, None, None, None, None, None, None, None, None]
```

```
In [10]: comcam = ComCam(domain=domain, log=log)
```

```
| setup.ComCam DEBUG: cccamera: Adding all resources.
| setup.ComCam DEBUG: ccheaderservice: Adding all resources.
| setup.ComCam DEBUG: ccoods: Adding all resources.
| CCHheaderService INFO: Read historical data in 0.24 sec
| CC00DS INFO: Read historical data in 0.24 sec
| CCCamera INFO: Read historical data in 0.25 sec
```

```
In [11]: comcam.set_rem_loglevel(40)
```

```
In [12]: await comcam.start_task
```

```
Out[12]: [None, None, None]
```

```
In [13]: await comcam.enable()
```

```
setup.ComCam INFO: Enabling all components
setup.ComCam DEBUG: Expand overrides None
setup.ComCam DEBUG: Complete overrides: {'cccamera': '', 'cheaderservice':
'', 'ccoods': ''}
setup.ComCam DEBUG: [cccamera]::[<State.ENABLED: 2>]
setup.ComCam DEBUG: [cheaderservice]::[<State.ENABLED: 2>]
setup.ComCam DEBUG: [ccoods]::[<State.ENABLED: 2>]
setup.ComCam INFO: All components in <State.ENABLED: 2>.
```

Find four targets separated by 5° in azimuth and elevation in a square pattern around az = 120° and el = 60° and rotator angle at PhysicalSky and 1.8°.

At this position, the rotator stays within a couple of degrees of its initial position. This is because the CCW is not running (MTmount in simulation mode).

target_1 -> az = 117.5°, el = 57.5°

target_2 -> az = 122.5°, el = 57.5°

target_3 -> az = 122.5°, el = 62.5°

target_4 -> az = 117.5°, el = 62.5°

```
In [14]: target_1 = mtcs.radec_from_azel(az=117.5, el=57.5)
target_2 = mtcs.radec_from_azel(az=122.5, el=57.5)
target_3 = mtcs.radec_from_azel(az=122.5, el=62.5)
target_4 = mtcs.radec_from_azel(az=117.5, el=62.5)

print(f"Target 1: {target_1}\n"
      f"Target 2: {target_2}\n"
      f"Target 3: {target_3}\n"
      f"Target 4: {target_4}\n")
```

WARNING: AstropyDeprecationWarning: Transforming a frame instance to a frame class (as opposed to another frame instance) will not be supported in the future. Either explicitly instantiate the target frame, or first convert the source frame instance to a `astropy.coordinates.SkyCoord` and use its `transform_to()` method. [astropy.coordinates.baseframe]

astroquery WARNING: AstropyDeprecationWarning: Transforming a frame instance to a frame class (as opposed to another frame instance) will not be supported in the future. Either explicitly instantiate the target frame, or first convert the source frame instance to a `astropy.coordinates.SkyCoord` and use its `transform_to()` method.

Target 1: <ICRS Coordinate: (ra, dec) in deg
(93.87989996, -39.71753623)>
Target 2: <ICRS Coordinate: (ra, dec) in deg
(93.44944516, -42.38337218)>
Target 3: <ICRS Coordinate: (ra, dec) in deg
(86.86543967, -41.38983118)>
Target 4: <ICRS Coordinate: (ra, dec) in deg
(87.45481605, -39.12593761)>

MTHexapod.electrical WARNING: tel_electrical DDS read queue is filling: 17 of 100 elements

MTHexapod.application WARNING: tel_application DDS read queue is filling: 17 of 100 elements

MTHexapod.actuators WARNING: tel_actuators DDS read queue is filling: 16 of 100 elements

Slew to target 1:

In [15]: `await mtcs.slew_icrs(ra=target_1.ra, dec=target_1.dec, rot_type=RotType.Physical)`

setup.MTCS DEBUG: Setting rotator physical position to 1.9 deg. Rotator will track sky.

setup.MTCS DEBUG: Wait 5.0s for rotator to settle down.

setup.MTCS DEBUG: Workaround for rotator trajectory problem. Moving rotator to its current position: 0.10

setup.MTCS DEBUG: Wait for MTRotator in position event.

setup.MTCS DEBUG: MTRotator in position: True.

setup.MTCS DEBUG: MTRotator already in position. Handling potential race condition.

setup.MTCS INFO: MTRotator in position: False.

setup.MTCS INFO: MTRotator in position: True.

setup.MTCS DEBUG: MTRotator in position True. Waiting settle time 5.0s

setup.MTCS DEBUG: Sending slew command.

setup.MTCS DEBUG: Scheduling check coroutines

setup.MTCS DEBUG: process as completed...

setup.MTCS DEBUG: Monitor position started.

setup.MTCS DEBUG: Waiting for Target event from mtmount.

setup.MTCS DEBUG: mtmount: <State.ENABLED: 2>

setup.MTCS DEBUG: mtptg: <State.ENABLED: 2>

setup.MTCS DEBUG: mtaos: <State.ENABLED: 2>

setup.MTCS DEBUG: mtm1m3: <State.ENABLED: 2>

setup.MTCS DEBUG: mtm2: <State.ENABLED: 2>

setup.MTCS DEBUG: mthexapod_1: <State.ENABLED: 2>

setup.MTCS DEBUG: mthexapod_2: <State.ENABLED: 2>

setup.MTCS DEBUG: mtrotator: <State.ENABLED: 2>

setup.MTCS DEBUG: mtdome: <State.ENABLED: 2>

setup.MTCS DEBUG: mtdometrajectory: <State.ENABLED: 2>

setup.MTCS DEBUG: Wait for mtmount in position events.

setup.MTCS DEBUG: Wait for dome in position event.

setup.MTCS DEBUG: Wait for MTRotator in position event.

setup.MTCS DEBUG: MTRotator in position: True.

```

| setup.MTCS DEBUG: MTRotator already in position. Handling potential race co
| ndition.
| setup.MTCS DEBUG: Wait for MTMount elevation in position event.
| setup.MTCS DEBUG: MTMount elevation in position: True.
| setup.MTCS DEBUG: MTMount elevation already in position. Handling potential
| race condition.
| setup.MTCS DEBUG: Wait for MTMount azimuth in position event.
| setup.MTCS DEBUG: MTMount azimuth in position: True.
| setup.MTCS DEBUG: MTMount azimuth already in position. Handling potential r
| ace condition.
| setup.MTCS DEBUG: Mount target: private_revCode: bdc00ba, private_sndStam
| p: 1652892127.0805662, private_rcvStamp: 1652892127.0807095, private_seqNu
| m: 49070, private_identity: MTMount, private_origin: 35669, elevation: 57.6
| 6805455945666, elevationVelocity: 0.003199834518793603, azimuth: 117.526029
| 48065615, azimuthVelocity: 0.00053014071010853, taiTime: 1652892127.139701,
| trackId: 1, tracksys: SIDERREAL, radesys: ICRS, priority: 0
| setup.MTCS INFO: MTMount elevation in position: False.
| setup.MTCS INFO: MTMount azimuth in position: False.
| setup.MTCS INFO: MTRotator in position: False.
| setup.MTCS DEBUG: [Tel]: Az = +000.003[+117.5]; El = +089.998[ -32.3] [Ro
| t]: +000.100[ -0.0] [Dome] Az = +000.000; El = +000.000
| setup.MTCS DEBUG: Dome azimuth in position.
| setup.MTCS DEBUG: Dome elevation in position.
| setup.MTCS INFO: MTRotator in position: True.
| setup.MTCS DEBUG: MTRotator in position True. Waiting settle time 3.0s
| setup.MTCS DEBUG: [Tel]: Az = +035.598[ +81.9]; El = +072.202[ -14.5] [Ro
| t]: +002.055[ +0.0] [Dome] Az = +000.000; El = +000.000
| setup.MTCS INFO: MTMount elevation in position: True.
| setup.MTCS DEBUG: MTMount elevation in position True. Waiting settle time
| 3.0s
| setup.MTCS DEBUG: [Tel]: Az = +076.765[ +40.8]; El = +057.706[ +0.0] [Ro
| t]: +002.036[ -0.0] [Dome] Az = +000.000; El = +000.000
| setup.MTCS INFO: MTMount azimuth in position: True.
| setup.MTCS DEBUG: MTMount azimuth in position True. Waiting settle time 3.0
| s
| setup.MTCS DEBUG: [Tel]: Az = +116.828[ +0.7]; El = +057.725[ +0.0] [Ro
| t]: +002.017[ +0.0] [Dome] Az = +000.000; El = +000.000

```

```

Out[15]: (<ICRS Coordinate: (ra, dec) in deg
          (93.87989996, -39.71753623)>,
          <Angle 1.9 deg>)

```

Once on target_1 and tracking, take an image with ComCam

```

In [17]: expl = await comcam.take_object(15)
          print(f"Target 1 exposure: {expl}")

```

```

| setup.ComCam DEBUG: Generating group_id
| setup.ComCam DEBUG: imagetype: OBJECT, TCS synchronization not configured.
| Target 1 exposure: [2022051800002]

```

Slew to target_2:

```
In [18]: await mtcs.slew_icrs(ra=target_2.ra, dec=target_2.dec, rot_type=RotType.Physical)

setup.MTCS DEBUG: Setting rotator physical position to 1.9 deg. Rotator will track sky.
setup.MTCS DEBUG: Wait 5.0s for rotator to settle down.
setup.MTCS DEBUG: Workaround for rotator trajectory problem. Moving rotator to its current position: -0.80
setup.MTCS DEBUG: Wait for MTRotator in position event.
setup.MTCS DEBUG: MTRotator in position: False.
setup.MTCS INFO: MTRotator in position: True.
setup.MTCS DEBUG: MTRotator in position True. Waiting settle time 5.0s
setup.MTCS DEBUG: Sending slew command.
setup.MTCS DEBUG: Scheduling check coroutines
setup.MTCS DEBUG: process as completed...
setup.MTCS DEBUG: Monitor position started.
setup.MTCS DEBUG: Waiting for Target event from mtmount.
setup.MTCS DEBUG: mtmount: <State.ENABLED: 2>
setup.MTCS DEBUG: mtptg: <State.ENABLED: 2>
setup.MTCS DEBUG: mtaos: <State.ENABLED: 2>
setup.MTCS DEBUG: mtm1m3: <State.ENABLED: 2>
setup.MTCS DEBUG: mtm2: <State.ENABLED: 2>
setup.MTCS DEBUG: mthexapod_1: <State.ENABLED: 2>
setup.MTCS DEBUG: mthexapod_2: <State.ENABLED: 2>
setup.MTCS DEBUG: mtrotator: <State.ENABLED: 2>
setup.MTCS DEBUG: mtdome: <State.ENABLED: 2>
setup.MTCS DEBUG: mtdometrajectory: <State.ENABLED: 2>
setup.MTCS DEBUG: Wait for mtmount in position events.
setup.MTCS DEBUG: Wait for dome in position event.
setup.MTCS DEBUG: Wait for MTRotator in position event.
setup.MTCS DEBUG: MTRotator in position: True.
setup.MTCS DEBUG: MTRotator already in position. Handling potential race condition.
setup.MTCS DEBUG: Wait for MTMount elevation in position event.
setup.MTCS DEBUG: MTMount elevation in position: True.
setup.MTCS DEBUG: MTMount elevation already in position. Handling potential race condition.
setup.MTCS DEBUG: Wait for MTMount azimuth in position event.
setup.MTCS DEBUG: MTMount azimuth in position: True.
setup.MTCS DEBUG: MTMount azimuth already in position. Handling potential race condition.
setup.MTCS DEBUG: Mount target: private_revCode: bdc00ba, private_sndStamp: 1652893041.4758294, private_rcvStamp: 1652893041.4764123, private_seqNum: 67334, private_identity: MTMount, private_origin: 35669, elevation: 60.423266089011555, elevationVelocity: 0.0030045827919522234, azimuth: 123.62543534014297, azimuthVelocity: 0.001416287637682748, taiTime: 1652893041.5350058, trackId: 2, tracksys: SIDERIAL, radesys: ICRS, priority: 0
setup.MTCS INFO: MTMount elevation in position: False.
setup.MTCS INFO: MTMount azimuth in position: False.
```

```

| setup.MTCS INFO: MTMount elevation in position: True.
| setup.MTCS DEBUG: MTMount elevation in position True. Waiting settle time
| 3.0s
| setup.MTCS DEBUG: [Tel]: Az = +118.181[ +5.4]; El = +060.586[ -0.2] [Ro
| t]: -000.796[ -0.0] [Dome] Az = +000.000; El = +000.000
| setup.MTCS DEBUG: Dome azimuth in position.
| setup.MTCS DEBUG: Dome elevation in position.
| setup.MTCS INFO: MTMount azimuth in position: True.
| setup.MTCS DEBUG: MTMount azimuth in position True. Waiting settle time 3.0
| s
| setup.MTCS DEBUG: No new in position event in the last 3.0s. Assuming MTRot
| ator in position.
| setup.MTCS DEBUG: MTRotator in position True. Waiting settle time 3.0s

```

```

Out[18]: (<ICRS Coordinate: (ra, dec) in deg
          (93.44944516, -42.38337218)>,
          <Angle 1.9 deg>)

```

Once on target_2 and tracking, take an image with ComCam

```

In [19]: exp2 = await comcam.take_object(15)
          print(f"Target 1 exposure: {exp2}")

```

```

| setup.ComCam DEBUG: Generating group_id
| setup.ComCam DEBUG: imagetype: OBJECT, TCS synchronization not configured.
| Target 1 exposure: [2022051800003]

```

Slew to target_3

```

In [20]: await mtcs.slew_icrs(ra=target_3.ra, dec=target_3.dec, rot_type=RotType.Physical)

```

```

| setup.MTCS DEBUG: Setting rotator physical position to 1.9 deg. Rotator wil
| l track sky.
| setup.MTCS DEBUG: Wait 5.0s for rotator to settle down.
| setup.MTCS DEBUG: Workaround for rotator trajectory problem. Moving rotator
| to its current position: -0.70
| setup.MTCS DEBUG: Wait for MTRotator in position event.
| setup.MTCS DEBUG: MTRotator in position: True.
| setup.MTCS DEBUG: MTRotator already in position. Handling potential race co
| ndition.
| setup.MTCS INFO: MTRotator in position: False.
| setup.MTCS INFO: MTRotator in position: True.
| setup.MTCS DEBUG: MTRotator in position True. Waiting settle time 5.0s
| setup.MTCS DEBUG: Sending slew command.
| setup.MTCS DEBUG: Scheduling check coroutines
| setup.MTCS DEBUG: process as completed...
| setup.MTCS DEBUG: Monitor position started.
| setup.MTCS DEBUG: Waiting for Target event from mtmount.
| setup.MTCS DEBUG: mtmount: <State.ENABLED: 2>
| setup.MTCS DEBUG: mtptg: <State.ENABLED: 2>

```



```

| setup.MTCS DEBUG: mtaos: <State.ENABLED: 2>
| setup.MTCS DEBUG: mtm1m3: <State.ENABLED: 2>
| setup.MTCS DEBUG: mtm2: <State.ENABLED: 2>
| setup.MTCS DEBUG: mthexapod_1: <State.ENABLED: 2>
| setup.MTCS DEBUG: mthexapod_2: <State.ENABLED: 2>
| setup.MTCS DEBUG: mtrotator: <State.ENABLED: 2>
| setup.MTCS DEBUG: mtdome: <State.ENABLED: 2>
| setup.MTCS DEBUG: mtdometrajectory: <State.ENABLED: 2>
| setup.MTCS DEBUG: Wait for mtmount in position events.
| setup.MTCS DEBUG: Wait for dome in position event.
| setup.MTCS DEBUG: Wait for MTRotator in position event.
| setup.MTCS DEBUG: MTRotator in position: True.
| setup.MTCS DEBUG: MTRotator already in position. Handling potential race co
ndition.
| setup.MTCS DEBUG: Wait for MTMount elevation in position event.
| setup.MTCS DEBUG: MTMount elevation in position: True.
| setup.MTCS DEBUG: MTMount elevation already in position. Handling potential
race condition.
| setup.MTCS DEBUG: Wait for MTMount azimuth in position event.
| setup.MTCS DEBUG: MTMount azimuth in position: True.
| setup.MTCS DEBUG: MTMount azimuth already in position. Handling potential r
ace condition.
| setup.MTCS DEBUG: Mount target: private_revCode: bdc00ba, private_sndStam
p: 1652893106.260414, private_rcvStamp: 1652893106.260697, private_seqNum:
68628, private_identity: MTMount, private_origin: 35669, elevation: 65.602
4219282849, elevationVelocity: 0.0029720374537741995, azimuth: 124.54955752
524297, azimuthVelocity: 0.0024073652888201777, taiTime: 1652893106.319398
6, trackId: 3, tracksys: SIDERREAL, radesys: ICRS, priority: 0
| setup.MTCS INFO: MTMount elevation in position: False.
| setup.MTCS INFO: MTMount azimuth in position: False.
| setup.MTCS DEBUG: [Tel]: Az = +123.721[ +0.8]; El = +060.619[ +5.0] [Ro
t]: -000.696[ +0.0] [Dome] Az = +000.000; El = +000.000
| setup.MTCS DEBUG: Dome azimuth in position.
| setup.MTCS DEBUG: Dome elevation in position.
| setup.MTCS INFO: MTMount azimuth in position: True.
| setup.MTCS DEBUG: MTMount azimuth in position True. Waiting settle time 3.0
s
| setup.MTCS INFO: MTMount elevation in position: True.
| setup.MTCS DEBUG: MTMount elevation in position True. Waiting settle time
3.0s
| setup.MTCS DEBUG: No new in position event in the last 3.0s. Assuming MTRot
ator in position.
| setup.MTCS DEBUG: MTRotator in position True. Waiting settle time 3.0s
Out[20]: (<ICRS Coordinate: (ra, dec) in deg
(86.86543967, -41.38983118)>,
<Angle 1.9 deg>)

```

Once on target_3 and tracking, take an image with ComCam

```
In [21]: exp3 = await comcam.take_object(15)
```



```
print(f"Target 1 exposure: {exp3}")
```

```
|setup.ComCam DEBUG: Generating group_id
```

```
|setup.ComCam DEBUG: imagetype: OBJECT, TCS synchronization not configured.  
Target 1 exposure: [2022051800004]
```

Slew to target 4

In [22]: `await mtcs.slew_icrs(ra=target_4.ra, dec=target_4.dec, rot_type=RotType.Physical)`

```
|setup.MTCS DEBUG: Setting rotator physical position to 1.9 deg. Rotator will track sky.
```

```
|setup.MTCS DEBUG: Wait 5.0s for rotator to settle down.
```

```
|setup.MTCS DEBUG: Workaround for rotator trajectory problem. Moving rotator to its current position: -0.60
```

```
|setup.MTCS DEBUG: Wait for MTRotator in position event.
```

```
|setup.MTCS DEBUG: MTRotator in position: True.
```

```
|setup.MTCS DEBUG: MTRotator already in position. Handling potential race condition.
```

```
|setup.MTCS INFO: MTRotator in position: False.
```

```
|setup.MTCS INFO: MTRotator in position: True.
```

```
|setup.MTCS DEBUG: MTRotator in position True. Waiting settle time 5.0s
```

```
|setup.MTCS DEBUG: Sending slew command.
```

```
|setup.MTCS DEBUG: Scheduling check coroutines
```

```
|setup.MTCS DEBUG: process as completed...
```

```
|setup.MTCS DEBUG: Monitor position started.
```

```
|setup.MTCS DEBUG: Waiting for Target event from mtmount.
```

```
|setup.MTCS DEBUG: mtmount: <State.ENABLED: 2>
```

```
|setup.MTCS DEBUG: mtptg: <State.ENABLED: 2>
```

```
|setup.MTCS DEBUG: mtaos: <State.ENABLED: 2>
```

```
|setup.MTCS DEBUG: mtm1m3: <State.ENABLED: 2>
```

```
|setup.MTCS DEBUG: mtm2: <State.ENABLED: 2>
```

```
|setup.MTCS DEBUG: mthexapod_1: <State.ENABLED: 2>
```

```
|setup.MTCS DEBUG: mthexapod_2: <State.ENABLED: 2>
```

```
|setup.MTCS DEBUG: mtrotator: <State.ENABLED: 2>
```

```
|setup.MTCS DEBUG: mtdome: <State.ENABLED: 2>
```

```
|setup.MTCS DEBUG: mtdometrajectory: <State.ENABLED: 2>
```

```
|setup.MTCS DEBUG: Wait for mtmount in position events.
```

```
|setup.MTCS DEBUG: Wait for dome in position event.
```

```
|setup.MTCS DEBUG: Wait for MTRotator in position event.
```

```
|setup.MTCS DEBUG: MTRotator in position: True.
```

```
|setup.MTCS DEBUG: MTRotator already in position. Handling potential race condition.
```

```
|setup.MTCS DEBUG: Wait for MTMount elevation in position event.
```

```
|setup.MTCS DEBUG: MTMount elevation in position: True.
```

```
|setup.MTCS DEBUG: MTMount elevation already in position. Handling potential race condition.
```

```
|setup.MTCS DEBUG: Wait for MTMount azimuth in position event.
```

```
|setup.MTCS DEBUG: MTMount azimuth in position: True.
```

```

| setup.MTCS DEBUG: MTMount azimuth already in position. Handling potential race condition.
| setup.MTCS INFO: MTMount elevation in position: False.
| setup.MTCS INFO: MTMount azimuth in position: False.
| setup.MTCS DEBUG: Mount target: private_revCode: bdc00ba, private_sndStamp: 1652893144.060048, private_rcvStamp: 1652893144.0603068, private_seqNum: 69383, private_identity: MTMount, private_origin: 35669, elevation: 65.89713703604843, elevationVelocity: 0.003155217488796019, azimuth: 119.02607755502893, azimuthVelocity: 0.001809098456993817, taiTime: 1652893144.1190898, trackId: 4, tracksys: SIDEREAL, radesys: ICRS, priority: 0
| setup.MTCS INFO: MTMount elevation in position: True.
| setup.MTCS DEBUG: MTMount elevation in position True. Waiting settle time 3.0s
| setup.MTCS DEBUG: [Tel]: Az = +124.636[ -5.6]; El = +065.717[ +0.2] [Rot]: -000.596[ +0.0] [Dome] Az = +000.000; El = +000.000
| setup.MTCS DEBUG: Dome azimuth in position.
| setup.MTCS DEBUG: Dome elevation in position.
| setup.MTCS INFO: MTMount azimuth in position: True.
| setup.MTCS DEBUG: MTMount azimuth in position True. Waiting settle time 3.0s
| setup.MTCS DEBUG: No new in position event in the last 3.0s. Assuming MTRotator in position.
| setup.MTCS DEBUG: MTRotator in position True. Waiting settle time 3.0s
Out[22]: (<ICRS Coordinate: (ra, dec) in deg
          (87.45481605, -39.12593761)>,
          <Angle 1.9 deg>)

```

Once on target_4 and tracking, take an image with ComCam

```

In [23]: exp4 = await comcam.take_object(15)
          print(f"Target 4 exposure: {exp4}")

| setup.ComCam DEBUG: Generating group_id
| setup.ComCam DEBUG: imagetype: OBJECT, TCS synchronization not configured.
Target 4 exposure: [2022051800005]

```

Stop tracking to prevent hitting the Rotator soft limit.

```

In [24]: await mtcs.stop_tracking()

| setup.MTCS DEBUG: Stop tracking.

```

Use ComCam recent images CCS to ensure that the images were taken (<http://ccs.lsst.org/RecentImages/comcam.html>).

Query the butler to verify that the images are there and check the metadata. This step must be verified using a separate notebook.

Wrap Up and Shut Down

This cell is not currently included as part of the test execution, but included here as needed to shutdown the systems

```
In [ ]: await mtcs.set_state(salobj.State.STANDBY, components=["mtaos"])
```

```
In [ ]: await mtcs.lower_mlm3()
```

```
In [ ]: await mtcs.set_state(salobj.State.STANDBY, components=["mtmlm3"])
```

```
In [ ]: await mtcs.set_state(salobj.State.STANDBY, components=["mtm2"])
```

```
In [ ]: await mtcs.set_state(salobj.State.STANDBY, components=["mthexapod_1"])
```

```
In [ ]: await mtcs.set_state(salobj.State.STANDBY, components=["mthexapod_2"])
```

```
In [ ]: await mtcs.standby()
```

```
In [ ]: await comcam.standby()
```