LVV-T2190 Plots

This notebook is designed to query the EFD and make diagnostics plots for the execution of Test Case LVV-T2190.
This test case consists of applying `1 um` to the 7th component of the Annular Zernike Coefficient.
Then it resets the corrections and applies `2 um` to the same component.

This means that we can expect to have three values for each metric (at +1um, at 0um, and at +2um).
We can expect that that each telemetry on the third row will be twice the values of the first row.
If they are not, it can mean that the corrections are not properly calculated or that their relationship with the Zernike Coefficients are not linear.

When executing the tests, duplicate the notebook and rename it using the test execution name.

In [1]:
```
from lsst.ts import utils

# Extract your name from the Jupyter Hub
__executed_by__ = os.environ["JUPYTERHUB_USER"]

# Extract execution date
__executed_on__ = utils.astropy_time_from_tai_unix(utils.current_tai())
__executed_on__.format = "isot"

# This is used later to define where Butler stores the images
summit = os.environ["LSST_DDS_PARTITION_PREFIX"] == "summit"

print(f"\nExecuted by {__executed_by__} on {__executed_on__}."
      f"\n  At the summit? {summit}")
```

```
lsst.ts.utils.tai INFO: Update leap second table
lsst.ts.utils.tai INFO: current_tai uses the system TAI clock
Executed by b1quint on 2022-06-03T18:37:37.959.
  At the summit? True
```

Set Up

In [2]:
```
import os
import sys
import logging

import numpy as np
import pandas as pd

from astropy.time import Time
from astropy import units as u
```

```
from datetime import timedelta, datetime

import lsst_efd_client

import matplotlib.pyplot as plt
from matplotlib.colors import LogNorm

from pandas.plotting import register_matplotlib_converters
```

In [3]:
```
%config Application.log_level="ERROR"
```

In [4]:
```
%matplotlib inline
```

Time window for the test execution.

Update the cells below to reflect the time when the test was executed.
This is the time window used to query the EFD.

In [16]:
```
test_execution = "LVV-E1886"
time_start_utc = "2022-06-03T18:29:08"
time_end_utc = "2022-06-03T18:36:04"

# test_execution = "LVV-E1868"
# time_start_utc = "2022-05-13T17:06:00.000"
# time_end_utc = "2022-05-13T17:11:06.330"

# test_execution = "LVV-E1788"
# time_start_utc = "2022-04-08T14:20:42"
# time_end_utc = "2022-04-08T15:21:31"
```

In [17]:
```
start = Time(time_start_utc, format="isot", scale="utc")
end = Time(time_end_utc, format="isot", scale="utc")
```

Initialization

We start by setting up a logger for the notebook and configuring the EFD Client.

In [18]:
```
log = logging.getLogger("LVV-T2190")
log.setLevel(logging.DEBUG)
```

In [19]:
```
lsst_efd_client.EfdClient.list_efd_names()
```

Out[19]:
```
['tucson_teststand_efd',
 'test_efd',
 'summit_efd',
 'ncsa_teststand_efd',
 'ldf_stable_efd',
 'ldf_int_efd',
 'base_efd']
```

In [20]:
```
efd_name = "summit_efd"
```

In [21]:
```
client = lsst_efd_client.EfdClient(efd_name)
```

In [22]:
```
start.strftime("%m/%d/%Y, %H:%M:%S"), end.strftime("%m/%d/%Y, %H:%M:%S")
```

Out[22]:
```
('06/03/2022, 18:00:08', '06/03/2022, 18:36:04')
```

In [23]:
```
log.debug(f"{start.utc}, {end}")
```

```
LVV-T2190 DEBUG: 2022-06-03T18:00:08.000, 2022-06-03T18:36:04.000
```

In [24]:
```
os.makedirs("plots", exist_ok=True)
```

Displaying results

Display degrees of freedom

The degrees of freedom are the first step performed by the OFC in converting the wavefront errors into corrections.

It is composed of two parts, the "aggregated" and the "visit" degrees of freedom. The "aggregated" is the combination of all corrections computed so far whereas the "visit" contains only the degrees of freedom from the last correction.

These values are published as vectors of 50 elements each in the "degreeOfFreedom" event. As with the `annularZernikeCoeff` case above we need to query them individually and then build the vectors afterwards.

In [25]:
```
degrees_of_freedom = await client.select_time_series(
    'lsst.sal.MTAOS.logevent_degreeOfFreedom',
    [f"aggregatedDoF{i}" for i in range(50)] + [f"visitDoF{i}" for i in range(5
    start.utc,
    end.utc
)
```

In [26]:
```
degrees_of_freedom
```

Out[26]:

	aggregatedDoF0	aggregatedDoF1	aggregatedDoF2	aggregatedDoF3
2022-06-03 18:28:35.040000+00:00	0.169121	0.054919	-71.852360	-11.856128
2022-06-03 18:28:41.405000+00:00	0.000000	0.000000	0.000000	0.000000
2022-06-03 18:30:54.302000+00:00	0.338241	0.109839	-143.704721	-23.712257
2022-06-03 18:35:02.825000+00:00	0.000000	0.000000	0.000000	0.000000

4 rows × 100 columns

During the [LVV-T2190] test, we first issue an `1 um` aberration, reset the the corrections, and then issue a `2 um` aberration.

Common sense says that row 2 and row 0 must have a factor of 2 of difference.

In [27]:
```
degrees_of_freedom.iloc[2] / degrees_of_freedom.iloc[0]
```

Out[27]:
```
aggregatedDoF0     2.0
aggregatedDoF1     2.0
aggregatedDoF2     2.0
aggregatedDoF3     2.0
aggregatedDoF4     2.0
                  ...
visitDoF45         2.0
visitDoF46         2.0
visitDoF47         2.0
visitDoF48         2.0
visitDoF49         2.0
Length: 100, dtype: float64
```

We need to unpack the data from the EFD query into vectors that are easier to plot.

In [28]:
```
aggregated_dof = np.array([degrees_of_freedom[f"aggregatedDoF{i}"] for i in rar
visit_dof = np.array([degrees_of_freedom[f"visitDoF{i}"] for i in range(50)]).T
```

In [29]:
```
comp_dof_idx = dict(
            m2HexPos=dict(
                startIdx=0,
                idxLength=5,
                state0name="M2Hexapod",
            ),
            camHexPos=dict(
                startIdx=5,
                idxLength=5,
                state0name="cameraHexapod",
            ),
            M1M3Bend=dict(
                startIdx=10, idxLength=20, state0name="M1M3Bending", rot_mat=1.
            ),
            M2Bend=dict(startIdx=30, idxLength=20, state0name="M2Bending", rot_
        )
```

And we finally plot them.

In [30]:
```
fig, axes = plt.subplots(2,2, figsize=(10,6), dpi=90)

for i in range(len(aggregated_dof)):

    axes[0][0].plot(
        aggregated_dof[i][
            comp_dof_idx["m2HexPos"]["startIdx"]:
            comp_dof_idx["m2HexPos"]["startIdx"]+comp_dof_idx["m2HexPos"]["idxL
        ]
    )

    axes[0][1].plot(
        aggregated_dof[i][
            comp_dof_idx["camHexPos"]["startIdx"]:
            comp_dof_idx["camHexPos"]["startIdx"]+comp_dof_idx["camHexPos"]["id
        ]
    )
```

```
    axes[1][0].plot(
        aggregated_dof[i][
            comp_dof_idx["M2Bend"]["startIdx"]:
            comp_dof_idx["M2Bend"]["startIdx"]+comp_dof_idx["M2Bend"]["idxLengt
        ]
    )

    axes[1][1].plot(
        aggregated_dof[i][
            comp_dof_idx["M1M3Bend"]["startIdx"]:
            comp_dof_idx["M1M3Bend"]["startIdx"]+comp_dof_idx["M1M3Bend"]["idxI
        ]
    )

ax_titles = ["M2 Hexapod DoF",  "Camera Hexapod DoF", "M2 DoF", "M1M3 DoF"]
for i in range(4):

    r = i // 2
    c = i % 2

    axes[r][c].set_title(ax_titles[i])
    axes[r][c].set_xlabel("axis")
    axes[r][c].set_ylabel("dof")
    axes[r][c].grid("-", alpha=0.2)

fig.suptitle(f"{test_execution} - Degrees of Freedom")
fig.patch.set_facecolor('white')
plt.subplots_adjust(hspace=0.4, wspace=0.3)

fig.savefig(f"plots/{test_execution}_dof.png")
```



Step 8

Display Camera Hexapod Correction

In [31]:
```
cam_hexapod_correction_computed_xyz = await client.select_time_series(
    'lsst.sal.MTAOS.logevent_cameraHexapodCorrection',
    ["x", "y", "z"],
    start.utc,
    end.utc
)

cam_hexapod_correction_computed_uv = await client.select_time_series(
    'lsst.sal.MTAOS.logevent_cameraHexapodCorrection',
    ["u", "v"],
    start.utc,
    end.utc
)
```

In [32]:
```
cam_hexapod_correction_applied_xyz = await client.select_time_series(
    'lsst.sal.MTHexapod.logevent_uncompensatedPosition',
    ["x", "y", "z", "MTHexapodID"],
    start.utc,
    end.utc,
    index=1
)

cam_hexapod_correction_applied_uv = await client.select_time_series(
    'lsst.sal.MTHexapod.logevent_uncompensatedPosition',
    ["u", "v", "MTHexapodID"],
    start.utc,
    end.utc,
    index=1
)
```

In [33]:
```
cam_hexapod_correction_command_xyz = await client.select_time_series(
    'lsst.sal.MTHexapod.command_move',
    ["x", "y", "z", "MTHexapodID"],
    start.utc,
    end.utc,
    index=1
)

cam_hexapod_correction_command_uv = await client.select_time_series(
    'lsst.sal.MTHexapod.command_move',
    ["u", "v", "MTHexapodID"],
    start.utc,
    end.utc,
    index=1
)
```

In [34]:
```
cam_hexapod_correction_computed_xyz
```

Out[34]:

	x	y	z
2022-06-03 18:28:35.042000+00:00	0.02515	37.968733	-0.008265
2022-06-03 18:28:41.406000+00:00	0.00000	0.000000	0.000000
2022-06-03 18:30:54.329000+00:00	0.05030	75.937465	-0.016529
2022-06-03 18:35:02.826000+00:00	0.00000	0.000000	0.000000

In [35]:
```
cam_hexapod_correction_computed_uv
```

Out[35]:

	u	v
2022-06-03 18:28:35.042000+00:00	0.000117	6.679176e-07
2022-06-03 18:28:41.406000+00:00	0.000000	0.000000e+00
2022-06-03 18:30:54.329000+00:00	0.000233	1.335835e-06
2022-06-03 18:35:02.826000+00:00	0.000000	0.000000e+00

In [36]:
```
cam_hexapod_correction_applied_xyz
```

Out[36]:

	x	y	z	MTHexapodID
2022-06-03 18:09:10.075000+00:00	0.00000	0.000000	0.000000	1
2022-06-03 18:28:37.954000+00:00	0.02515	37.968733	-0.008265	1
2022-06-03 18:28:44.856000+00:00	0.00000	0.000000	0.000000	1
2022-06-03 18:30:54.693000+00:00	0.05030	75.937465	-0.016529	1
2022-06-03 18:35:02.914000+00:00	0.00000	0.000000	0.000000	1

In [37]:
```
cam_hexapod_correction_applied_uv
```

Out[37]:

	u	v	MTHexapodID
2022-06-03 18:09:10.075000+00:00	0.000000	0.000000e+00	1
2022-06-03 18:28:37.954000+00:00	0.000117	6.679176e-07	1
2022-06-03 18:28:44.856000+00:00	0.000000	0.000000e+00	1
2022-06-03 18:30:54.693000+00:00	0.000233	1.335835e-06	1
2022-06-03 18:35:02.914000+00:00	0.000000	0.000000e+00	1

In [38]:
```
cam_hexapod_correction_command_xyz
```

Out[38]:

	x	y	z	MTHexapodID
2022-06-03 18:09:09.959000+00:00	0.00000	0.000000	0.000000	1
2022-06-03 18:09:36.525000+00:00	0.00000	0.000000	0.000000	1
2022-06-03 18:28:37.868000+00:00	0.02515	37.968733	-0.008265	1
2022-06-03 18:30:54.586000+00:00	0.05030	75.937465	-0.016529	1
2022-06-03 18:35:02.832000+00:00	0.00000	0.000000	0.000000	1

In [39]:
```
cam_hexapod_correction_command_uv
```

Out[39]:

	u	v	MTHexapodID
2022-06-03 18:09:09.959000+00:00	0.000000	0.000000e+00	1
2022-06-03 18:09:36.525000+00:00	0.000000	0.000000e+00	1
2022-06-03 18:28:37.868000+00:00	0.000117	6.679176e-07	1
2022-06-03 18:30:54.586000+00:00	0.000233	1.335835e-06	1
2022-06-03 18:35:02.832000+00:00	0.000000	0.000000e+00	1

In [40]:
```
fig, axs = plt.subplots(figsize=(14, 6), ncols=5)

for panel, label in enumerate("xyz"):

    ax = plt.subplot(1,5,panel+1)

    ax.bar(
        [-0.5],
        cam_hexapod_correction_computed_xyz[label],
        width=0.5
    )
    ax.bar(
        [0.],
        cam_hexapod_correction_applied_xyz[label],
        width=0.5
    )

    ax.bar(
        [0.5],
        cam_hexapod_correction_command_xyz[label],
        width=0.5
    )

    ax.set_xticks([0])
    ax.set_xticklabels([label])
    ax.set_ylabel("Position (micron)")

for panel, label in enumerate("uv"):

    ax = plt.subplot(1,5,panel+4)

    x = [0.]

    b0 = ax.bar(
        [-0.5],
```

```
        cam_hexapod_correction_computed_uv[label],
        width=0.5,
    )

    b1 = ax.bar(
        [0.],
        cam_hexapod_correction_applied_uv[label],
        width=0.5,
    )

    b2 = ax.bar(
        [0.5],
        cam_hexapod_correction_command_uv[label],
        width=0.5,
    )

    ax.set_xticks([0])
    ax.set_xticklabels([label])
    ax.set_ylabel("Position (degrees)")

fig.suptitle(f"{test_execution} - Camera Hexapod\nComputed/Applied/Commanded Co
fig.tight_layout(h_pad=0.3)
fig.patch.set_facecolor('white')

fig.savefig(f"plots/{test_execution}_camera_hexapod.png")
```



Display M2 Hexapod Correction

In [41]:
```
m2_hexapod_correction_computed_xyz = await client.select_time_series(
    'lsst.sal.MTAOS.logevent_m2HexapodCorrection',
    ["x", "y", "z"],
    start.utc,
    end.utc
)

m2_hexapod_correction_computed_uv = await client.select_time_series(
    'lsst.sal.MTAOS.logevent_m2HexapodCorrection',
    ["u", "v"],
    start.utc,
    end.utc
)
```

In [42]:
```
m2_hexapod_correction_applied_xyz = await client.select_time_series(
    'lsst.sal.MTHexapod.logevent_uncompensatedPosition',
    ["x", "y", "z", "MTHexapodID"],
    start.utc,
    end.utc,
    index=2
)

m2_hexapod_correction_applied_uv = await client.select_time_series(
    'lsst.sal.MTHexapod.logevent_uncompensatedPosition',
    ["u", "v", "MTHexapodID"],
    start.utc,
    end.utc,
    index=2
)
```

In [43]:
```
m2_hexapod_correction_command_xyz = await client.select_time_series(
    'lsst.sal.MTHexapod.command_move',
    ["x", "y", "z", "MTHexapodID"],
    start.utc,
    end.utc,
    index=2
)

m2_hexapod_correction_command_uv = await client.select_time_series(
    'lsst.sal.MTHexapod.command_move',
    ["u", "v", "MTHexapodID"],
    start.utc,
    end.utc,
    index=2
)
```

In [44]:
```
m2_hexapod_correction_command_xyz
```

Out[44]:

	x	y	z	MTHexapodID
2022-06-03 18:28:37.867000+00:00	-0.054919	-71.852360	-0.169121	2
2022-06-03 18:28:44.781000+00:00	0.000000	0.000000	0.000000	2
2022-06-03 18:30:54.585000+00:00	-0.109839	-143.704721	-0.338241	2
2022-06-03 18:35:02.831000+00:00	0.000000	0.000000	0.000000	2

In [45]:
```
m2_hexapod_correction_computed_xyz
```

Out[45]:

	x	y	z
2022-06-03 18:28:35.041000+00:00	-0.054919	-71.852360	-0.169121
2022-06-03 18:28:41.406000+00:00	0.000000	0.000000	0.000000
2022-06-03 18:30:54.324000+00:00	-0.109839	-143.704721	-0.338241
2022-06-03 18:35:02.825000+00:00	0.000000	0.000000	0.000000

In [46]:
```
m2_hexapod_correction_applied_xyz
```

Out[46]:

	x	y	z	MTHexapodID
2022-06-03 18:28:37.869000+00:00	-0.054919	-71.852360	-0.169121	2
2022-06-03 18:28:44.783000+00:00	0.000000	0.000000	0.000000	2
2022-06-03 18:30:54.587000+00:00	-0.109839	-143.704721	-0.338241	2
2022-06-03 18:35:02.833000+00:00	0.000000	0.000000	0.000000	2

In [47]:
```
m2_hexapod_correction_command_uv
```

Out[47]:

	u	v	MTHexapodID
2022-06-03 18:28:37.867000+00:00	0.003293	0.000002	2
2022-06-03 18:28:44.781000+00:00	0.000000	0.000000	2
2022-06-03 18:30:54.585000+00:00	0.006587	0.000005	2
2022-06-03 18:35:02.831000+00:00	0.000000	0.000000	2

In [48]:
```
m2_hexapod_correction_computed_uv
```

Out[48]:

	u	v
2022-06-03 18:28:35.041000+00:00	0.003293	0.000002
2022-06-03 18:28:41.406000+00:00	0.000000	0.000000
2022-06-03 18:30:54.324000+00:00	0.006587	0.000005
2022-06-03 18:35:02.825000+00:00	0.000000	0.000000

In [49]:
```
m2_hexapod_correction_applied_uv
```

Out[49]:

	u	v	MTHexapodID
2022-06-03 18:28:37.869000+00:00	0.003293	0.000002	2
2022-06-03 18:28:44.783000+00:00	0.000000	0.000000	2
2022-06-03 18:30:54.587000+00:00	0.006587	0.000005	2
2022-06-03 18:35:02.833000+00:00	0.000000	0.000000	2

In [50]:
```
fig, axs = plt.subplots(figsize=(16, 6), ncols=5)

for panel, label in enumerate("xyz"):

    ax = axs[panel]

    ax.bar(
        [-0.5],
        m2_hexapod_correction_computed_xyz[label],
        width=0.5
    )

    ax.bar(
        [0.],
```

```
        m2_hexapod_correction_applied_xyz[label],
        width=0.5
    )

    ax.bar(
        [0.5],
        m2_hexapod_correction_command_xyz[label],
        width=0.5
    )

    ax.set_xticks([0])
    ax.set_xticklabels([label])
    ax.set_ylabel("Position (micron)")


for panel, label in enumerate("uv"):

    ax = axs[panel + 3]

    ax.bar(
        [-0.5],
        m2_hexapod_correction_computed_uv[label],
        width=0.5
    )

    ax.bar(
        [0.],
        m2_hexapod_correction_applied_uv[label],
        width=0.5
    )

    ax.bar(
        [0.5],
        m2_hexapod_correction_command_uv[label],
        width=0.5
    )

    ax.set_xticks([0])
    ax.set_xticklabels([label])
    ax.set_ylabel("Position (degrees)")


fig.suptitle(f"{test_execution} - M2 Hexapod\nComputed/Applied/Commanded Correc
fig.tight_layout(h_pad=0.3)
fig.patch.set_facecolor('white')

fig.savefig(f"plots/{test_execution}_m2_hexapod.png")
```



Display M2 Correction

In [51]:
```
m2_correction = await client.select_time_series(
    'lsst.sal.MTAOS.logevent_m2Correction',
    [f"zForces{i}" for i in range(72)],
    start.utc,
    end.utc
)
```

In [52]:
```
m2_correction
```

Out[52]:

	zForces0	zForces1	zForces2	zForces3	zForces4	zForces5	zF
2022-06-03 18:28:35.043000+00:00	-0.759188	-0.741219	-0.704368	-0.630182	-0.518267	-0.390221	-0
2022-06-03 18:28:41.407000+00:00	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.
2022-06-03 18:30:54.330000+00:00	-1.518376	-1.482438	-1.408735	-1.260364	-1.036534	-0.780443	-0.
2022-06-03 18:35:02.827000+00:00	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.

4 rows × 72 columns

In [53]:
```
m2_correction_applied = await client.select_time_series(
    'lsst.sal.MTM2.command_applyForces',
    [f"axial{i}" for i in range(72)],
    start.utc,
    end.utc
)
```

In [54]:
```
m2_correction_applied
```

Out[54]:

	axial0	axial1	axial2	axial3	axial4	axial5	
2022-06-03 18:28:37.867000+00:00	-0.759188	-0.741219	-0.704368	-0.630182	-0.518267	-0.390221	-0
2022-06-03 18:28:44.781000+00:00	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.
2022-06-03 18:30:54.585000+00:00	-1.518376	-1.482438	-1.408735	-1.260364	-1.036534	-0.780443	-0.
2022-06-03 18:35:02.831000+00:00	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.

4 rows × 72 columns

In [55]:
```
plt.plot(m2_correction.T)
plt.plot(m2_correction_applied.T)
```

Out[55]:
```
[<matplotlib.lines.Line2D at 0x7ff873f069d0>,
 <matplotlib.lines.Line2D at 0x7ff873f06a00>,
 <matplotlib.lines.Line2D at 0x7ff873f06af0>,
 <matplotlib.lines.Line2D at 0x7ff873f06c10>]
```



In [57]:
```
aa = np.loadtxt('%s/notebooks/lsst-sitcom/M2_FEA/data/M2_1um_72_force.txt'%(os.
# to have +x going to right, and +y going up, we need to transpose and reverse
m2_xact = -aa[:,2]
m2_yact = -aa[:,1]
```

In [58]:
```
m2_yact
```

Out[58]:
```
array([-1.333500e-16, -3.328670e-01, -6.511849e-01, -9.410446e-01,
       -1.189774e+00, -1.386507e+00, -1.522641e+00, -1.592229e+00,
       -1.592229e+00, -1.522641e+00, -1.386507e+00, -1.189774e+00,
       -9.410446e-01, -6.511849e-01, -3.328670e-01,  0.000000e+00,
        3.328670e-01,  6.511849e-01,  9.410446e-01,  1.189774e+00,
        1.386507e+00,  1.522641e+00,  1.592229e+00,  1.592229e+00,
        1.522641e+00,  1.386507e+00,  1.189774e+00,  9.410446e-01,
        6.511849e-01,  3.328670e-01, -1.675856e-01, -4.913528e-01,
       -7.816342e-01, -1.018647e+00, -1.186244e+00, -1.272997e+00,
       -1.273000e+00, -1.186249e+00, -1.018657e+00, -7.816469e-01,
       -4.913655e-01, -1.676011e-01,  1.675856e-01,  4.913528e-01,
        7.816342e-01,  1.018647e+00,  1.186244e+00,  1.272997e+00,
        1.273000e+00,  1.186249e+00,  1.018657e+00,  7.816469e-01,
        4.913655e-01,  1.676011e-01,  3.893820e-16, -3.427044e-01,
       -6.440729e-01, -8.677580e-01, -9.867773e-01, -9.867773e-01,
       -8.677580e-01, -6.440729e-01, -3.427044e-01,  0.000000e+00,
        3.427044e-01,  6.440729e-01,  8.677580e-01,  9.867773e-01,
        9.867773e-01,  8.677580e-01,  6.440729e-01,  3.427044e-01])
```

In [59]:
```
aa = np.array(m2_correction.T)
```

In [60]:
```
aa.shape
```

Out[60]:
```
(72, 4)
```

In [61]:
```
m2_correction.T
```

Out[61]:

	2022-06-03 18:28:35.043000+00:00	2022-06-03 18:28:41.407000+00:00	2022-06-03 18:30:54.330000+00:00	18:35:0
zForces0	-0.759188	0.0	-1.518376	
zForces1	-0.741219	0.0	-1.482438	
zForces2	-0.704368	0.0	-1.408735	
zForces3	-0.630182	0.0	-1.260364	
zForces4	-0.518267	0.0	-1.036534	
...	...	...	...	...
zForces67	-0.138743	0.0	-0.277485	
zForces68	0.136610	0.0	0.273219	
zForces69	0.387046	0.0	0.774092	
zForces70	0.604225	0.0	1.208450	
zForces71	0.773663	0.0	1.547327	

72 rows × 4 columns

In [62]:
```
m2_correction_applied.T
```

Out[62]:

	2022-06-03 18:28:37.867000+00:00	2022-06-03 18:28:44.781000+00:00	2022-06-03 18:30:54.585000+00:00	18:35:02.8
axial0	-0.759188	0.0	-1.518376	
axial1	-0.741219	0.0	-1.482438	
axial2	-0.704368	0.0	-1.408735	
axial3	-0.630182	0.0	-1.260364	
axial4	-0.518267	0.0	-1.036534	
...	...	...	...	
axial67	-0.138743	0.0	-0.277485	
axial68	0.136610	0.0	0.273219	
axial69	0.387046	0.0	0.774092	
axial70	0.604225	0.0	1.208450	
axial71	0.773663	0.0	1.547327	

72 rows × 4 columns

In [63]:

```
fig, axes = plt.subplots(1, 3, figsize=(14,6))


for panel, timestamp in enumerate(m2_correction_applied.index):

    img = axes[panel].scatter(
        m2_xact,
        m2_yact,
        c=m2_correction_applied.T[timestamp],
        s=200,
        vmin=-1.5,
        vmax=1.5
    )

    axes[panel].axis('equal')

axes[0].set_title("+1um")
axes[1].set_title("zero")
axes[2].set_title("+2um")

fig.patch.set_facecolor('white')
fig.suptitle(f"{test_execution} - Step 8\nM2 Corrections", x=0.435)
fig.tight_layout()
fig.colorbar(img, ax=axes, label="Correction [um]", pad=0.01)

fig.savefig(f"plots/{test_execution}_m2.png")
```

```
---------------------------------------------------------------------------
IndexError                                Traceback (most recent call last)
Input In [63], in <cell line: 4>()
      1 fig, axes = plt.subplots(1, 3, figsize=(14,6))
      4 for panel, timestamp in enumerate(m2_correction_applied.index):
----> 6     img = axes[panel].scatter(
      7         m2_xact,
      8         m2_yact,
      9         c=m2_correction_applied.T[timestamp],
     10         s=200,
     11         vmin=-1.5,
     12         vmax=1.5
     13     )
     15     axes[panel].axis('equal')
     17 axes[0].set_title("+1um")

IndexError: index 3 is out of bounds for axis 0 with size 3
```



Display M1M3 Correction

In [64]:

```
FATABLE_XPOSITION = 2
FATABLE_YPOSITION = 3

FATABLE = np.array([
    [0,101,0.776782776,0,-2.158743,'SAA',3,1,'NA',-1,-1,0,-1],
    [1,102,1.442567993,0,-2.158743,'DAA',1,17,'+Y',-1,0,1,0],
    [2,103,2.10837793,0,-2.158743,'DAA',4,17,'+Y',-1,1,2,1],
    [3,104,2.774187988,0,-2.158743,'DAA',2,17,'+Y',-1,2,3,2],
    [4,105,3.439998047,0,-2.158743,'DAA',3,17,'+Y',-1,3,4,3],
    [5,106,3.968012939,0,-2.158743,'SAA',2,1,'NA',-1,-1,5,-1],
    [6,107,0.44386499,-0.57660498,-2.158743,'SAA',1,1,'NA',-1,-1,6,-1],
    [7,108,1.109675049,-0.57660498,-2.158743,'DAA',4,18,'+Y',-1,4,7,4],
    [8,109,1.775484985,-0.57660498,-2.158743,'DAA',2,18,'+Y',-1,5,8,5],
    [9,110,2.441295898,-0.57660498,-2.158743,'DAA',3,18,'+Y',-1,6,9,6],
    [10,111,3.107080078,-0.57660498,-2.158743,'DAA',1,18,'+Y',-1,7,10,7],
    [11,112,3.772891113,-0.57660498,-2.158743,'DAA',4,19,'-X',0,-1,11,8],
    [12,113,0,-1.153209961,-2.158743,'DAA',2,19,'+Y',-1,8,12,9],
    [13,114,0.776782776,-1.153209961,-2.158743,'DAA',3,19,'+Y',-1,9,13,10],
    [14,115,1.442567993,-1.153209961,-2.158743,'DAA',1,19,'+Y',-1,10,14,11],
    [15,116,2.10837793,-1.153209961,-2.158743,'DAA',4,20,'+Y',-1,11,15,12],
    [16,117,2.774187988,-1.153209961,-2.158743,'DAA',2,20,'+Y',-1,12,16,13],
    [17,118,3.439998047,-1.153209961,-2.158743,'DAA',3,20,'+Y',-1,13,17,14],
```

```
    [18,119,3.9005,-0.997687012,-2.158743,'SAA',2,2,'NA',-1,-1,18,-1],
    [19,120,0.44386499,-1.729819946,-2.158743,'DAA',1,20,'+Y',-1,14,19,15],
    [20,121,1.109675049,-1.729819946,-2.158743,'DAA',4,21,'+Y',-1,15,20,16],
    [21,122,1.775484985,-1.729819946,-2.158743,'DAA',2,21,'+Y',-1,16,21,17],
    [22,123,2.44127002,-1.729819946,-2.158743,'DAA',3,21,'+Y',-1,17,22,18],
    [23,124,3.107080078,-1.729819946,-2.158743,'DAA',1,21,'+Y',-1,18,23,19],
    [24,125,3.724452881,-1.517949951,-2.158743,'SAA',4,1,'NA',-1,-1,24,-1],
    [25,126,0,-2.306419922,-2.158743,'DAA',2,22,'+Y',-1,19,25,20],
    [26,127,0.776782776,-2.306419922,-2.158743,'DAA',3,22,'+Y',-1,20,26,21],
    [27,128,1.442567993,-2.306419922,-2.158743,'DAA',1,22,'-X',1,-1,27,22],
    [28,129,2.10837793,-2.306419922,-2.158743,'DAA',4,22,'+Y',-1,21,28,23],
    [29,130,2.774187988,-2.306419922,-2.158743,'DAA',2,23,'+Y',-1,22,29,24],
    [30,131,3.387954102,-2.167409912,-2.158743,'SAA',3,2,'NA',-1,-1,30,-1],
    [31,132,0.44386499,-2.883030029,-2.158743,'DAA',1,23,'+Y',-1,23,31,25],
    [32,133,1.109675049,-2.883030029,-2.158743,'DAA',4,23,'+Y',-1,24,32,26],
    [33,134,1.775484985,-2.883030029,-2.158743,'DAA',2,24,'+Y',-1,25,33,27],
    [34,135,2.44127002,-2.883030029,-2.158743,'DAA',3,23,'-X',2,-1,34,28],
    [35,136,2.939364014,-2.745179932,-2.158743,'SAA',4,2,'NA',-1,-1,35,-1],
    [36,137,0.221945206,-3.459629883,-2.158743,'DAA',2,25,'+Y',-1,26,36,29],
    [37,138,0.88772998,-3.459629883,-2.158743,'DAA',3,24,'+Y',-1,27,37,30],
    [38,139,1.553540039,-3.267429932,-2.158743,'SAA',1,2,'NA',-1,-1,38,-1],
    [39,140,2.089733887,-3.436389893,-2.158743,'SAA',4,3,'NA',-1,-1,39,-1],
    [40,141,0.365734589,-4.00525,-2.158743,'SAA',1,3,'NA',-1,-1,40,-1],
    [41,142,1.085088013,-3.87276001,-2.158743,'SAA',2,3,'NA',-1,-1,41,-1],
    [42,143,1.60401001,-3.692780029,-2.158743,'SAA',3,3,'NA',-1,-1,42,-1],
    [43,207,-0.44386499,-0.57660498,-2.158743,'SAA',1,4,'NA',-1,-1,43,-1],
    [44,208,-1.109680054,-0.57660498,-2.158743,'DAA',4,24,'+Y',-1,28,44,31],
    [45,209,-1.77548999,-0.57660498,-2.158743,'DAA',2,26,'+Y',-1,29,45,32],
    [46,210,-2.441300049,-0.57660498,-2.158743,'DAA',3,25,'+Y',-1,30,46,33],
    [47,211,-3.107080078,-0.57660498,-2.158743,'DAA',1,24,'+Y',-1,31,47,34],
    [48,212,-3.772889893,-0.57660498,-2.158743,'DAA',4,25,'+X',3,-1,48,35],
    [49,214,-0.77678302,-1.153209961,-2.158743,'DAA',3,26,'+Y',-1,32,49,36],
    [50,215,-1.442569946,-1.153209961,-2.158743,'DAA',1,25,'+Y',-1,33,50,37],
    [51,216,-2.108379883,-1.153209961,-2.158743,'DAA',4,26,'+Y',-1,34,51,38],
    [52,217,-2.774189941,-1.153209961,-2.158743,'DAA',2,27,'+Y',-1,35,52,39],
    [53,218,-3.44,-1.153209961,-2.158743,'DAA',3,27,'+Y',-1,36,53,40],
    [54,219,-3.9005,-0.997687012,-2.158743,'SAA',2,4,'NA',-1,-1,54,-1],
    [55,220,-0.44386499,-1.729819946,-2.158743,'DAA',1,26,'+Y',-1,37,55,41],
    [56,221,-1.109680054,-1.729819946,-2.158743,'DAA',4,27,'+Y',-1,38,56,42],
    [57,222,-1.77548999,-1.729819946,-2.158743,'DAA',2,28,'+Y',-1,39,57,43],
    [58,223,-2.44127002,-1.729819946,-2.158743,'DAA',3,28,'+Y',-1,40,58,44],
    [59,224,-3.107080078,-1.729819946,-2.158743,'DAA',1,27,'+Y',-1,41,59,45],
    [60,225,-3.724449951,-1.517949951,-2.158743,'SAA',4,4,'NA',-1,-1,60,-1],
    [61,227,-0.77678302,-2.306419922,-2.158743,'DAA',3,29,'+Y',-1,42,61,46],
    [62,228,-1.442569946,-2.306419922,-2.158743,'DAA',1,28,'+X',4,-1,62,47],
    [63,229,-2.108379883,-2.306419922,-2.158743,'DAA',4,28,'+Y',-1,43,63,48],
    [64,230,-2.774189941,-2.306419922,-2.158743,'DAA',2,29,'+Y',-1,44,64,49],
    [65,231,-3.387949951,-2.167409912,-2.158743,'SAA',3,4,'NA',-1,-1,65,-1],
    [66,232,-0.44386499,-2.883030029,-2.158743,'DAA',1,29,'+Y',-1,45,66,50],
    [67,233,-1.109680054,-2.883030029,-2.158743,'DAA',4,29,'+Y',-1,46,67,51],
    [68,234,-1.77548999,-2.883030029,-2.158743,'DAA',2,30,'+Y',-1,47,68,52],
    [69,235,-2.44127002,-2.883030029,-2.158743,'DAA',3,30,'+X',5,-1,69,53],
    [70,236,-2.939360107,-2.745179932,-2.158743,'SAA',4,5,'NA',-1,-1,70,-1],
    [71,237,-0.221945007,-3.459629883,-2.158743,'DAA',2,31,'+Y',-1,48,71,54],
    [72,238,-0.88772998,-3.459629883,-2.158743,'DAA',3,31,'+Y',-1,49,72,55],
    [73,239,-1.553540039,-3.267429932,-2.158743,'SAA',1,5,'NA',-1,-1,73,-1],
    [74,240,-2.08972998,-3.436389893,-2.158743,'SAA',4,6,'NA',-1,-1,74,-1],
    [75,241,-0.365734985,-4.00525,-2.158743,'SAA',1,6,'NA',-1,-1,75,-1],
    [76,242,-1.085089966,-3.87276001,-2.158743,'SAA',2,5,'NA',-1,-1,76,-1],
    [77,243,-1.60401001,-3.692780029,-2.158743,'SAA',3,5,'NA',-1,-1,77,-1],
```

```
    [78,301,-0.77678302,0,-2.158743,'SAA',3,6,'NA',-1,-1,78,-1],
    [79,302,-1.442569946,0,-2.158743,'DAA',1,30,'+Y',-1,50,79,56],
    [80,303,-2.108379883,0,-2.158743,'DAA',4,30,'+Y',-1,51,80,57],
    [81,304,-2.774189941,0,-2.158743,'DAA',2,32,'+Y',-1,52,81,58],
    [82,305,-3.44,0,-2.158743,'DAA',3,32,'+Y',-1,53,82,59],
    [83,306,-3.96801001,0,-2.158743,'SAA',2,6,'NA',-1,-1,83,-1],
    [84,307,-0.44386499,0.576605408,-2.158743,'SAA',1,7,'NA',-1,-1,84,-1],
    [85,308,-1.109680054,0.576605408,-2.158743,'DAA',4,31,'+Y',-1,54,85,60],
    [86,309,-1.77548999,0.576605408,-2.158743,'DAA',2,33,'+Y',-1,55,86,61],
    [87,310,-2.441300049,0.576605408,-2.158743,'DAA',3,33,'+Y',-1,56,87,62],
    [88,311,-3.107080078,0.576605408,-2.158743,'DAA',1,31,'-Y',-1,57,88,63],
    [89,312,-3.772889893,0.576605408,-2.158743,'DAA',4,32,'+X',6,-1,89,64],
    [90,313,0,1.15321106,-2.158743,'DAA',2,34,'+Y',-1,58,90,65],
    [91,314,-0.77678302,1.15321106,-2.158743,'DAA',3,34,'+Y',-1,59,91,66],
    [92,315,-1.442569946,1.15321106,-2.158743,'DAA',1,32,'+Y',-1,60,92,67],
    [93,316,-2.108379883,1.15321106,-2.158743,'DAA',4,33,'+Y',-1,61,93,68],
    [94,317,-2.774189941,1.15321106,-2.158743,'DAA',2,35,'+Y',-1,62,94,69],
    [95,318,-3.44,1.15321106,-2.158743,'DAA',3,35,'+Y',-1,63,95,70],
    [96,319,-3.9005,0.997686584,-2.158743,'SAA',2,7,'NA',-1,-1,96,-1],
    [97,320,-0.44386499,1.72981604,-2.158743,'DAA',1,33,'+Y',-1,64,97,71],
    [98,321,-1.109680054,1.72981604,-2.158743,'DAA',4,34,'+Y',-1,65,98,72],
    [99,322,-1.77548999,1.72981604,-2.158743,'DAA',2,36,'+Y',-1,66,99,73],
    [100,323,-2.44127002,1.72981604,-2.158743,'DAA',3,36,'+Y',-1,67,100,74],
    [101,324,-3.107080078,1.72981604,-2.158743,'DAA',1,34,'+Y',-1,68,101,75],
    [102,325,-3.724449951,1.517954956,-2.158743,'SAA',4,7,'NA',-1,-1,102,-1],
    [103,326,0,2.306422119,-2.158743,'DAA',2,37,'+Y',-1,69,103,76],
    [104,327,-0.77678302,2.306422119,-2.158743,'DAA',3,37,'+Y',-1,70,104,77],
    [105,328,-1.442569946,2.306422119,-2.158743,'DAA',1,35,'+X',7,-1,105,78],
    [106,329,-2.108379883,2.306422119,-2.158743,'DAA',4,35,'+Y',-1,71,106,79],
    [107,330,-2.774189941,2.306422119,-2.158743,'DAA',2,38,'+Y',-1,72,107,80],
    [108,331,-3.387949951,2.167406982,-2.158743,'SAA',3,7,'NA',-1,-1,108,-1],
    [109,332,-0.44386499,2.8830271,-2.158743,'DAA',1,36,'+Y',-1,73,109,81],
    [110,333,-1.109680054,2.8830271,-2.158743,'DAA',4,36,'+Y',-1,74,110,82],
    [111,334,-1.77548999,2.8830271,-2.158743,'DAA',2,39,'-Y',-1,75,111,83],
    [112,335,-2.44127002,2.8830271,-2.158743,'DAA',3,38,'+X',8,-1,112,84],
    [113,336,-2.939360107,2.745180908,-2.158743,'SAA',4,8,'NA',-1,-1,113,-1],
    [114,337,-0.221945007,3.45963208,-2.158743,'DAA',2,40,'+Y',-1,76,114,85],
    [115,338,-0.88772998,3.45963208,-2.158743,'DAA',3,39,'+Y',-1,77,115,86],
    [116,339,-1.553540039,3.267430908,-2.158743,'SAA',1,8,'NA',-1,-1,116,-1],
    [117,340,-2.08972998,3.436391113,-2.158743,'SAA',4,9,'NA',-1,-1,117,-1],
    [118,341,-0.365734985,4.00525,-2.158743,'SAA',1,9,'NA',-1,-1,118,-1],
    [119,342,-1.085089966,3.872762939,-2.158743,'SAA',2,8,'NA',-1,-1,119,-1],
    [120,343,-1.60401001,3.692779053,-2.158743,'SAA',3,8,'NA',-1,-1,120,-1],
    [121,407,0.44386499,0.576605408,-2.158743,'SAA',1,10,'NA',-1,-1,121,-1],
    [122,408,1.109675049,0.576605408,-2.158743,'DAA',4,37,'+Y',-1,78,122,87],
    [123,409,1.775484985,0.576605408,-2.158743,'DAA',2,41,'+Y',-1,79,123,88],
    [124,410,2.441295898,0.576605408,-2.158743,'DAA',3,40,'+Y',-1,80,124,89],
    [125,411,3.107080078,0.576605408,-2.158743,'DAA',1,37,'-Y',-1,81,125,90],
    [126,412,3.772891113,0.576605408,-2.158743,'DAA',4,38,'-X',9,-1,126,91],
    [127,414,0.776782776,1.15321106,-2.158743,'DAA',3,41,'+Y',-1,82,127,92],
    [128,415,1.442567993,1.15321106,-2.158743,'DAA',1,38,'+Y',-1,83,128,93],
    [129,416,2.10837793,1.15321106,-2.158743,'DAA',4,39,'+Y',-1,84,129,94],
    [130,417,2.774187988,1.15321106,-2.158743,'DAA',2,42,'+Y',-1,85,130,95],
    [131,418,3.439998047,1.15321106,-2.158743,'DAA',3,42,'+Y',-1,86,131,96],
    [132,419,3.9005,0.997686584,-2.158743,'SAA',2,9,'NA',-1,-1,132,-1],
    [133,420,0.44386499,1.72981604,-2.158743,'DAA',1,39,'+Y',-1,87,133,97],
    [134,421,1.109675049,1.72981604,-2.158743,'DAA',4,40,'+Y',-1,88,134,98],
    [135,422,1.775484985,1.72981604,-2.158743,'DAA',2,43,'+Y',-1,89,135,99],
    [136,423,2.44127002,1.72981604,-2.158743,'DAA',3,43,'+Y',-1,90,136,100],
    [137,424,3.107080078,1.72981604,-2.158743,'DAA',1,40,'+Y',-1,91,137,101],
```

```
    [138,425,3.724452881,1.517954956,-2.158743,'SAA',4,10,'NA',-1,-1,138,-1],
    [139,427,0.776782776,2.306422119,-2.158743,'DAA',3,44,'+Y',-1,92,139,102],
    [140,428,1.442567993,2.306422119,-2.158743,'DAA',1,41,'-X',10,-1,140,103],
    [141,429,2.10837793,2.306422119,-2.158743,'DAA',4,41,'+Y',-1,93,141,104],
    [142,430,2.774187988,2.306422119,-2.158743,'DAA',2,44,'+Y',-1,94,142,105],
    [143,431,3.387954102,2.167406982,-2.158743,'SAA',3,9,'NA',-1,-1,143,-1],
    [144,432,0.44386499,2.8830271,-2.158743,'DAA',1,42,'+Y',-1,95,144,106],
    [145,433,1.109675049,2.8830271,-2.158743,'DAA',4,42,'+Y',-1,96,145,107],
    [146,434,1.775484985,2.8830271,-2.158743,'DAA',2,45,'-Y',-1,97,146,108],
    [147,435,2.44127002,2.8830271,-2.158743,'DAA',3,45,'-X',11,-1,147,109],
    [148,436,2.939364014,2.745180908,-2.158743,'SAA',4,11,'NA',-1,-1,148,-1],
    [149,437,0.221945206,3.45963208,-2.158743,'DAA',2,46,'+Y',-1,98,149,110],
    [150,438,0.88772998,3.45963208,-2.158743,'DAA',3,46,'+Y',-1,99,150,111],
    [151,439,1.553540039,3.267430908,-2.158743,'SAA',1,11,'NA',-1,-1,151,-1],
    [152,440,2.089733887,3.436391113,-2.158743,'SAA',4,12,'NA',-1,-1,152,-1],
    [153,441,0.365734589,4.00525,-2.158743,'SAA',1,12,'NA',-1,-1,153,-1],
    [154,442,1.085088013,3.872762939,-2.158743,'SAA',2,10,'NA',-1,-1,154,-1],
    [155,443,1.60401001,3.692779053,-2.158743,'SAA',3,10,'NA',-1,-1,155,-1],
])
```

In [65]:
```
m1m3_xact = np.float64(FATABLE[:, FATABLE_XPOSITION])
m1m3_yact = np.float64(FATABLE[:, FATABLE_YPOSITION])
```

In [66]:
```
m1m3_yact
```

Out[66]:
```
array([ 0.        ,  0.        ,  0.        ,  0.        ,  0.        ,
        0.        , -0.57660498, -0.57660498, -0.57660498, -0.57660498,
       -0.57660498, -0.57660498, -1.15320996, -1.15320996, -1.15320996,
       -1.15320996, -1.15320996, -1.15320996, -0.99768701, -1.72981995,
       -1.72981995, -1.72981995, -1.72981995, -1.72981995, -1.51794995,
       -2.30641992, -2.30641992, -2.30641992, -2.30641992, -2.30641992,
       -2.16740991, -2.88303003, -2.88303003, -2.88303003, -2.88303003,
       -2.74517993, -3.45962988, -3.45962988, -3.26742993, -3.43638989,
       -4.00525   , -3.87276001, -3.69278003, -0.57660498, -0.57660498,
       -0.57660498, -0.57660498, -0.57660498, -0.57660498, -1.15320996,
       -1.15320996, -1.15320996, -1.15320996, -1.15320996, -0.99768701,
       -1.72981995, -1.72981995, -1.72981995, -1.72981995, -1.72981995,
       -1.51794995, -2.30641992, -2.30641992, -2.30641992, -2.30641992,
       -2.16740991, -2.88303003, -2.88303003, -2.88303003, -2.88303003,
       -2.74517993, -3.45962988, -3.45962988, -3.26742993, -3.43638989,
       -4.00525   , -3.87276001, -3.69278003,  0.        ,  0.        ,
        0.        ,  0.        ,  0.        ,  0.        ,  0.57660541,
        0.57660541,  0.57660541,  0.57660541,  0.57660541,  0.57660541,
        1.15321106,  1.15321106,  1.15321106,  1.15321106,  1.15321106,
        1.15321106,  0.99768658,  1.72981604,  1.72981604,  1.72981604,
        1.72981604,  1.72981604,  1.51795496,  2.30642212,  2.30642212,
        2.30642212,  2.30642212,  2.30642212,  2.16740698,  2.8830271 ,
        2.8830271 ,  2.8830271 ,  2.8830271 ,  2.74518091,  3.45963208,
        3.45963208,  3.26743091,  3.43639111,  4.00525   ,  3.87276294,
        3.69277905,  0.57660541,  0.57660541,  0.57660541,  0.57660541,
        0.57660541,  0.57660541,  1.15321106,  1.15321106,  1.15321106,
        1.15321106,  1.15321106,  0.99768658,  1.72981604,  1.72981604,
        1.72981604,  1.72981604,  1.72981604,  1.51795496,  2.30642212,
        2.30642212,  2.30642212,  2.30642212,  2.16740698,  2.8830271 ,
        2.8830271 ,  2.8830271 ,  2.8830271 ,  2.74518091,  3.45963208,
        3.45963208,  3.26743091,  3.43639111,  4.00525   ,  3.87276294,
        3.69277905])
```

In [67]:
```
m1m3_correction = await client.select_time_series(
```

```
    'lsst.sal.MTAOS.logevent_m1m3Correction',
    [f"zForces{i}" for i in range(156)],
    start.utc,
    end.utc
)
```

In [68]:
```
m1m3_correction_applied = await client.select_time_series(
    'lsst.sal.MTM1M3.command_applyActiveOpticForces',
    [f"zForces{i}" for i in range(156)],
    start.utc,
    end.utc
)
```

In [69]:
```
m1m3_correction
```

Out[69]:

	zForces0	zForces1	zForces2	zForces3	zForces4	zForces5	zFo
2022-06-03 18:28:35.042000+00:00	0.018060	-0.022865	-0.027896	-0.002299	0.027176	0.049886	5.3(
2022-06-03 18:28:41.407000+00:00	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.0(
2022-06-03 18:30:54.329000+00:00	0.036121	-0.045731	-0.055792	-0.004598	0.054353	0.099772	10.6
2022-06-03 18:35:02.826000+00:00	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.0(

4 rows × 156 columns

In [70]:
```
m1m3_correction_applied
```

Out[70]:

	zForces0	zForces1	zForces2	zForces3	zForces4	zForces5	zFo
2022-06-03 18:04:05.101000+00:00	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.0(
2022-06-03 18:28:37.868000+00:00	0.018060	-0.022865	-0.027896	-0.002299	0.027176	0.049886	5.3(
2022-06-03 18:28:44.781000+00:00	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.0(
2022-06-03 18:30:54.585000+00:00	0.036121	-0.045731	-0.055792	-0.004598	0.054353	0.099772	10.6
2022-06-03 18:35:02.831000+00:00	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.0(

5 rows × 156 columns

In [71]:
```
fig, axes = plt.subplots(1, 3, figsize=(17, 7))

for ax, time in zip(axes.flatten(), m1m3_correction.T):
    img = ax.scatter(m1m3_xact, m1m3_yact, c=m1m3_correction.T[time], s=150, vm
    ax.axis('equal')
    ax.set_title(f"applied forces\n{time}")

fig.patch.set_facecolor('white')
```

```
fig.suptitle(f"{test_execution} - Step 9\nM1 Corrections", x=0.43)
fig.tight_layout()
fig.colorbar(img, ax=axes, label="Correction [um]", pad=0.01)
fig.savefig(f"plots/{test_execution}_m1.png")
```



In [ ]:

In [ ]:

In [ ]: