


Generate new Services and their Clients is now easy as pie



Our Website (w4all)

Rails 4

ideas4all api ruby clientpublic gempublic gemoauth2 clientpublic gempublic gemFaraday (http client)public gempublic gem

OAuth2

IDEAS4ALL EXTERNAL API

request w talking token

SERVICE 1

Request w talking token

SERVICE 1

SERVICE 1

OAutho

Get Service Suite data

Get talking token

AUTHORIZATOR

OAutho

Get talking token

Our iOS app (ios4all)

Rubymotion

ideas4all api ruby client	public gem	public gem
oauth2 client	public gem	public gem
Faraday (http client)	public gem	public gem

OAuth2

request w talking token SERVICE 1 Request w talking token SERVICE 1 Per service suite data get talking token AUTHORIZATOR OAuth2 Get service suite data get talking token OAuth2 Get service suite data get service suite data get talking token

Our Android app (and4all)

Rubymotion

get talking token

ideas4all api ruby client public gem public gem public gem public gem oauth2 client public gem public gem **Faraday (http client)**

get talking token

OAuth2

IDEAS4ALL EXTERNAL API

AUTHORIZATOR

request w talking token request w talking token t servic get tall request w talking token request w talking token **SERVICE 1 SERVICE** n OAuth2 get service suite data get service suite data

Third Party Ruby site

Rails / Sinatra / Padrino

ideas4all api ruby client	
oauth2 client	
Faraday (http client)	

public gem	public gem
public gem	public gem
public gem	public gem

OAuth2

IDEAS4ALL EXTERNAL API

SERVICE 1

request w talking token

et service suil get talking to

request w talking token

SERVICE n

request w talking token

Get service suite data

AUTHORIZATOR

AUTHORIZATOR

request w talking token

OAuth²

get service suite data
get talking token

Third Party Java site

Java framework

get talking token

ideas4all api java client	public java lib	public java lib
oauth2 java client	public java lib	public java lib
java http client	public java lib	public java lib

get talking token

OAuth2

IDEAS4ALL EXTERNAL API

AUTHORIZATOR

request w talking token request w talking token t servic get tall request w talking token request w talking token **SERVICE 1 SERVICE** n OAuth2 get service suite data get service suite data

Third Party Site

web framework

3-party ideas4all client public lib public lib
3-party oauth2 client lib public lib public lib
http client public lib public lib

OAuth2

IDEAS4ALL EXTERNAL API

request w talking token

SERVICE 1

Per service suite data

get talking token

AUTHORIZATOR

Request w talking token

SERVICE n

OAuth2

get talking token

get service suite data

get talking token

Third Party App

mobile framework

3-party ideas4all client public lib public lib 3-party oauth2 client lib public lib public lib public lib public lib http client

get talking token

OAuth2

IDEAS4ALL EXTERNAL API

request w talking token request w talking token t servic get tall 0 request w talking token request w talking token **SERVICE 1 SERVICE** n OAuth2 get service suite data get service suite data get talking token

AUTHORIZATOR