

schema

textField

Custom data type definition for a 0-255 character string text field.

emailAddress

Custom data type definition for an email address.

attributes

changeDate

Type xs:date

The changeDate attribute lists the date any content in the personnel record was last modified. This is a read-only...

personID

Type restriction of 'xs:integer'

The personID element contains an unsigned integer representing the database identifier for a personnel record in the...

prefix

Type textField

The prefix element contains a name prefix or salutation (e.g. Dr., Mr. or Ms.). This element is optional.

firstName

Type textField

The firstName element contains the first or given name of the person. This element is required.

middleName

Type textField

The middleName element contains the middle name of the person. This element is optional.

lastName

Type textField

The lastName element contains the last or surname of the person. This element is required.

suffix

Type textField

The suffix element contains the name suffix of the person (e.g. Jr., III). This element is optional.

preferredName

Type textField

The preferredName element contains the nickname or other preferred variation of the person's full name. This element is...

title

Type textField

The title element contains the institutional or organizational title of the person (e.g. Assistant Professor, Institute...

primaryEmail

Type emailAddress

The primaryEmail element contains the primary contact email for use in LTER Network official communication. The LTER...

optOut

Type xs:boolean

Default 0

The optOut element contains a boolean value specifying whether contact information other than name should be omitted...

nameAlias

Type textField

The nameAlias element contains alternative full names under which the person is or has been known for use in directory...

personnel

This is the root element of an lter-personnelDB document.

person

The person element contains the database identifier, identity information, roles and contact information for one or...

identity

The identity element includes the primary identification information for an individual, including name, title and...

roleList

The roleList element contains descriptions of LTER Network roles held by the person at one or more LTER sites. This...

role

The role element contains elements describing a LTER Network role held by the person. This is a required element that...

roleID

Type restriction of 'xs:integer'

The roleID element contains an unsigned integer representing the personnel database ID of the role record for a person....

roleType

Type extension of 'textField'

The roleType element contains a role type from a controlled vocabulary of NSF roles or local roles defined in the LTER...

textField

Custom data type definition for a 0-255 character string text field.

attributes

type

Type restriction of 'xs:string'

The type attribute specifies the type or scope of the roleType. Allowed values are 'nsf' for pre-defined NSF roles and...

siteAcronym

Type restriction of 'xs:string'

The siteAcronym element contains a 3-letter acronym specifying the LTER site at which the person holds this role. For...

beginDate

Type xs:date

The beginDate element contains the beginning date of the person's participation in the role. This element is optional...

endDate

Type xs:date

The endDate element contains the ending date of the person's participation in the role. This element is optional but...

isActive

Type xs:boolean

The isActive element contains a boolean value indicating whether or not the person is currently active in the role....

