

```
1 @extends('layouts.main')
2
3 @section('conteudo')
4 <link rel="stylesheet" href="{{ URL::asset('css/styles.css')}}">
5
6 <body>
7     <div id="header" class="containerHeader">
8         @if($errors->any())
9             <div class="alert alert-danger">
10                 <ul>
11                     @foreach($errors->all() as $error)
12                         <li>{{ $error }}</li>
13                     @endforeach
14                 </ul>
15             </div>
16         @endif
17
18         @csrf
19         <form action="{{route('storecliente')}}" method="post">
20             <div>
21                 <label for="">Nome clientes</label>
22                 <input type="text" name="nome" id="nome"
23                     required="required">
24             </div>
25
26             <label for="">Debito</label>
27             <input type="number" min=0 name="debito" id="debito"
28                 required="required"><br>
29             <label for="">Endereco</label>
30             <input type="text" name="endereco" id="endereco"
31                 required="required"><br>
32             <input type="submit" value="cadastrar">
33         </form>
34     </div>
35 </body>
36 @endsection
```


```
7 <div id="header" class="containerHeader">
8     @if($errors->any())
9         <div class="alert alert-danger">
10             <ul>
11                 @foreach($errors->all() as $error)
12                     <li>{{ $error }}</li>
13                 @endforeach
14             </ul>
15         </div>
16     @endif
17
18     <div>
19         <h4>Cadastrar Endereco </h4>
20         <form action="{{route('enderecostore')}}" method="post">
21             @csrf
22             <label for="logradouro">Logradouro</label>
23             <input type="text" name="logradouro" id="logradouro" required="required"><br><br>
24             <label for="bairro">Bairro</label>
25             <input type="text" name="bairro" id="bairro" required="required"><br><br>
26             <label for="cidade">Cidade</label>
27             <input type="text" name="cidade" id="cidade" required="required"><br><br>
28             <label for="uf">UF</label>
29             <input type="text" name="uf" id="uf" required="required"><br><br>
30             <label for="idcliente">Id cliente</label>
31             <input type="text" name="idcliente" id="idcliente" required="required"><br><br>
32             <input type="submit" value="cadastrar">
33         </form>
34     </div>
35 </div>
36 </body>
37 @endsection
```

```
File Edit Selection View Go Run Terminal Help create.blade.php - codigo - Visual Studio Code
EXPLORER
  CODIGO
    Console
    Exceptions
    Http
    Models
    Providers
    bootstrap
    config
    database
    public
    resources
    css
    js
    lang
    views
    clientes
    create.blade.php
    edit.blade.php
    indexcliente.blade.php
    show.blade.php
    endereco
    create.blade.php
    entrada
    fornecedor
    itensentrada
    itensvenda
    layouts
    OUTLINE
  ClienteController.php
  create.blade.php
resources > views > entrada > create.blade.php
1 <@section('contenido')>
2 <link rel="stylesheet" href="{{ URL::asset('css/styles.css')}}">
3
4 <body>
5
6 <div id="header" class="containerHeader">
7
8 <div id="form" class="stylecrud">
9
10
11 @if($errors->any())
12 <div class="alert alert-danger">
13 <ul>
14 @foreach($errors->all() as $error)
15 <li>
16 {{ $error }}
17 </li>
18 @endforeach
19 </ul>
20 </div>
21 @endif
22 <form action="{{ route('entradastore') }}" method="post">
23
24 @csrf
25 <label for="valortotal">Valor total</label>
26 <input type="number" min=0 name="valortotal" id="valortotal" required="required"><br>
27 <label for="idfornecedor">Id Forneecedor</label>
28 <input type="text" name="idfornecedor" id="idfornecedor" required="required"><br>
29
30 </div>
31 <input type="submit" value="Cadastrar">
32 </form>
33 </div>
34 </body>
35 @endsection
```

```
File Edit Selection View Go Run Terminal Help StoreCliente.php - web2-2021.1-AtividadeVII - Visual Studio Code
EXPLORER
  WEB2-2021.1-ATIVIDADEVII
    Console
    Exceptions
    Http
    Controllers
    Middleware
    Requests
    StoreCliente.php
    Kernel.php
    Models
    Providers
    bootstrap
    config
    database
    public
    resources
    routes
    storage
    tests
    .editorconfig
    .env.example
    .gitattributes
    .gitignore
    .styleci.yml
    artisan
    composer.json
    composer.lock
    package.json
    OUTLINE
  StoreCliente.php
codigo > app > Http > Requests > StoreCliente.php
1 <?php
2
3 namespace App\Http\Requests;
4
5 use Illuminate\Foundation\Http\FormRequest;
6
7 class StoreCliente extends FormRequest
8 {
9     public function rules()
10     {
11         return [
12             "nome" => [
13                 "required",
14                 "min:3",
15                 "max:255"
16             ],
17             'endereco' => [
18                 "required",
19                 "min:3",
20                 "max:255"
21             ],
22             "debito" => [
23                 "required",
24                 "numeric",
25                 "min:0",
26                 "max:999999999.99"
27             ],
28         ];
29     }
30
31     public function messages()
32     {
33     }
34 }
```

```
1 <?php
2
3 namespace App\Http\Controllers;
4
5 use Illuminate\Http\Request;
6 use App\Models\Produto;
7 use App\Models\Fornecedor;
8
9
10 class ProdutoController extends Controller
11 {
12
13     public function create(){
14         return view('produto.create');
15     }
16
17     public function store(Request $request){
18         $request->validate([
19             'nome' => 'required|max:255',
20             'desconto' => 'required|numeric|gt:0',
21             'descricao' => 'required|max:255',
22             'valor' => 'required|numeric|gt:0',
23         ]);
24
25         $produto = new Produto();
26         $produto->nome = $request->nome;
27         $produto->descricao = $request->descricao;
28         $produto->desconto = $request->desconto;
29         $produto->valor = $request->valor;
30         $produto->save();
31     }
32
33     public function show($id){
```

```
19 use App\Models\Cliente;
20 use App\Models\Fornecedor;
21
22 namespace App\Http\Controllers;
23
24 use Illuminate\Http\Request;
25 use App\Models\Venda;
26 use App\Models\Cliente;
27 use App\Models\Fornecedor;
28
29 class VendaController extends Controller
30 {
31
32     public function create($id){
33         return view('venda.create', ['idcliente'=>$id]);
34     }
35
36     public function store(Request $request){
37         $request->validate([
38             'valor' => 'required|numeric|gt:0',
39         ]);
40
41         $venda = new Venda();
42         $venda->valor = $request->valor;
43         $venda->idcliente = $request->idcliente;
44         $venda->save();
45     }
46
47     public function show($id){
```



```
20
21     if($cliente){
22         echo $cliente->nome;
23     }
24
25     public function create($id){
26         return view('endereco.create', ['idcliente'=>$id]);
27     }
28
29     public function store(Request $request){
30         $request->validate([
31             'logradouro' => 'required|max:255',
32             'bairro' => 'required|max:255',
33             'cidade' => 'required|max:255',
34             'uf' => 'required|max:2',
35         ]);
36
37         $endereco = new Endereco();
38         $endereco->logradouro = $request->logradouro;
39         $endereco->bairro = $request->bairro;
40         $endereco->cidade = $request->cidade;
41         $endereco->uf = $request->uf;
42         $endereco->idcliente = $request->idcliente;
43         $endereco->save();
44     }
45
46 }
47
```